


Introduction


PSY 200
Greg Francis
Lecture 01


Four great mysteries.

Purdue University 

Four great mysteries


- Humans face four great mysteries about the universe
- 1) Why is there something instead of nothing?
 - This is the domain of physics
 - Most of us are not going to understand the ideas
 - Leptogenesis




Purdue University 

Four great mysteries


- Humans face four great mysteries about the universe
- 2) How did life form?
 - This question is addressed at the boundary between chemistry and biology




Purdue University 

Four great mysteries


- Humans face four great mysteries about the universe
- 3) Why is there so much diversity of life?
 - This is the domain of biology
 - Evolution and natural selection answer this question




Purdue University 

Four great mysteries


- Humans face four great mysteries about the universe
- 4) What is the basis of human intelligence and consciousness?
 - Cognitive psychology and neuroscience
 - Far from a complete answer
 - Lots of issues to discuss



Purdue University 

Topics

- Discuss a sample of issues in cognitive psychology / cognitive neuroscience
- Try to relate cognitive psychology to stories you may have heard in the popular press
- Identify how the topics can help you to be a better person

Purdue University 

Topics

- For example
 - ♦ *What's the deal with left and right brains?*
 - ♦ *Why does everyone love Prozac?*
 - ♦ *Why telephone operators seem rude.*
 - ♦ *Why there is a gate at the first floor stairway in the Psychology building.*
 - ♦ *What to do if you are drunk while studying for an exam.*
 - ♦ *What is the plural of walkman?*

Textbook

- There is no textbook
- Lecture notes are used instead
- If you want a book, borrow from a past class
- There are optional readings in the syllabus
 - ♦ Not for every subject

Lecture notes

- Downloadable from the Prof. Greg Francis class web page
 - ♦ Adobe Acrobat (pdf) format
 - ♦ Reduced form (6 to a page)



Lectures

- I will record the lecture and post the recording on the class website (details to be determined)
- Should a lecture be canceled, I will post a recording from a previous semester
- I encourage questions during lectures

Attendance


- Class attendance is **mandatory**
- At the start of class pick up a bubble sheet and enter your information
 - ♦ Provide an answer (any option) for item 1
 - ♦ The bubble sheets are only available for the first 10 minutes of the class period
- At the end of class drop off the bubble sheet at the front or back of the room
- Attendance counts as 10% of your class grade
- Everyone gets 6 misses before it impacts your grade

Course web page

- Syllabus on the web
- <http://www.psych.purdue.edu/~gfrancis/Classes/PSY200/indexF23.html>
 - ♦ updates to the syllabus
 - ♦ Links to lecture recordings
 - ♦ Links to labs
 - ♦ Links to writing assignments
 - ♦ Study guides for the exams
 - ♦ Links to optional readings
 - ♦ Grades will be posted after the first exam
- The course does not use BrightSpace


Course outline

- Neuroscience -- EXAM 1 (15%)
- Perception, Attention & Memory -- EXAM 2 (15%)
- Memory & Mental representation -- Exam 3 (15%)
- Language -- Exam 4 (15%)
- Reasoning
- *Cumulative* Final (15%)

Purdue University 


Exams

- In class
- 25 multiple choice questions, 5 short-answer questions
- Detailed study guides are already on the class web site

Purdue University 


Practice Exams

- From Spring 2016
- Available on the class website

Purdue University 



CogLab


- Homework
- You participate in classic experiments
- Total lab grade contributes to 15% of your class grade.
- Grade is based solely on *completing* the experiment on time, not on the quality of the data

Purdue University 

CogLab

- Labs are listed on the syllabus
- They must be completed by **1:00 pm** at the date indicated in the syllabus
 - else you get no credit
 - Better to do it the night before
- Since I wrote CogLab, you get access to the experiments for free
 - (a \$50 value!)
- See handout for instructions on getting started (sent by email)
- Registration code is near the bottom of page 2
- *First lab is due at 1:00 pm on Wednesday!* (all times Eastern US)




Purdue University 

Grading

- Straight scale
 - 98% - 100% A+
 - 93% - 97% A
 - 90% - 92% A-
 - 88% - 89% B+
 - 83% - 87% B
 - 80% - 82% B-
 - 78% - 79% C+
 - 73% - 77% C
 - 70% - 72% C-
 - 68% - 69% D+
 - 63% - 67% D
 - 60% - 62% D-
 - 0% - 59% F
- No rounding up: 82.99 is a B-

No extra credit

Purdue University 


Grading

- Previous semester's grades (Spring 2020)

	E1	E2	E3	E4	Final	CogLab	Writing	Attendance	Total
Average	77	71	72	83	72	83	64	92	75
Max	100	100	100	100	98				


- Last semester's grades (Fall 2020)

	E1	E2	E3	E4	Final	CogLab	Writing	Total
Average	78	76	75	86	81	85	85	80
Max	96	100	96	100	99			


Purdue University 

Grading

- Last semester's grades (Fall 2020)




	Frequency
A	32
B	65
C	40
D	18
F	11

Purdue University 


Instructor office hours

- During scheduled class lecture time
- Monday, Wednesday, Friday, 2:00 – 3:00 pm
 - ♦ Or by appointment
 - ♦ PSYCH 3186
 - ♦ Email: gfrancis@purdue.edu

Purdue University 


Teaching assistants

- Corey Nack
- Grade exams
- Keep track of grades
- Have office hours (PSYCH 3192)
 - ♦ Tuesday, Thursday 10:00 am – 12:15 pm

Purdue University 


Attitude/Advice

- Print out the lectures and bring them to class. Take notes during class. Not everything is on the slides.
- Everything we talk about in class is important
- Get the “free” attendance points by attending every lecture
- Stay on top of the CogLab assignments, sometimes more than one lab is due for a given day
- Don't wait till the last minute to do an assignment
- Work on the study guide every week, so the ideas/answers from lecture are fresh in your mind.
- This class is an introductory class, but that does not mean it is easy
 - ♦ It's like *Introduction to Physics* or *Introduction to Chemistry*
 - ♦ Almost every other subtopic in psychology depends on the ideas in cognitive psychology
 - ♦ Everything is at least 10,000 times more complicated than what we discuss
- If you don't find a topic interesting, just wait a week

Purdue University 

Next time

- Cognitive neuroscience
- The brain
- The modularity hypothesis
- CogLab on Brain asymmetry due!
- *What's the deal with left and right brains?*

Purdue University 

Brain parts

PSY 200
Greg Francis
Lecture 02


What's the deal with left and right brains?

Purdue University

1

The brain

- The source of cognition (consider transplant!)
- Weighs about 3 pounds
- Damage to some parts result in immediate death or disability
- Damage to other parts seems to have no effect!
- What brain parts are important to cognition?
- How do we discover the role of each brain part?




Purdue University

2

The brain

- Fore-brain
 - ♦ cortex
- Hind-brain
 - ♦ brain stem




Purdue University

3

The brain

- Hind-brain
 - ♦ (brain stem)




Purdue University

4

Fore-brain

- Cortex
- Similar to a thick, crumpled newspaper page
- Grooves (fissures or sulci) separate regions




Purdue University

5

Fore-brain

- Cortex
- Similar to a thick, crumpled newspaper page
- Grooves (fissures or sulci) separate regions





Purdue University

6

Fore-brain

- Cortex
- Similar to a thick, crumpled newspaper page
- Grooves (fissures or sulci) separate regions





Purdue University 

7

Fore-brain

- Cortex
- Similar to a thick, crumpled newspaper page
- Grooves (fissures or sulci) separate regions




Purdue University 

8

Contralateral processing


- Processing in the brain is done on the opposite side of your organs
- Control of your *right* arm is from the *left* side of your brain
- Information from your *left* field of view goes to the *right* side of your brain


Purdue University 

9

Contralateral processing

- Neural fibers from the eye cross on way to cortex





Purdue University 

10

Contralateral processing

- Brain hemispheres are connected by a mass of neural fibers called the *corpus callosum*




Purdue University 


11

Cut corpus callosum

- Behavior changes very little
- Subtle effects




<http://www.youtube.com/watch?v=ZMLzP1VCANo>

Purdue University 

12

Brain sides

- If “nut” flashes on left screen
 - subject cannot name it
 - subject can pick up nut with left hand
- If “nut” flashes on right side
 - subject can name it
 - subject cannot pick up nut with left hand until he says “nut” out loud




1981 Nobel Prize for Roger Sperry!

Purdue University

13

Brain sides

- Results led to further study and common belief that
 - Left side: language, analytical, classification, Western rationalization
 - Right side: art, music, recognition of faces and shapes, Eastern mysticism
- Vast oversimplification
 - in a normal brain, both sides are involved in many tasks
- Results *do* support the idea that different parts of the brain are involved in different cognitive tasks (*modularity hypothesis*)




Purdue University

14

CogLab

- In the CogLab experiment *Brain asymmetry*
- You stared at a central fixation point
- A word was presented to either the left or right side of fixation




Purdue University

15

CogLab

- Your task was to judge whether the presented word was “old” (seen on an earlier trial) or “new” (not previously seen in this experiment)




Purdue University

16

CogLab

- Federmeier & Benjamin (2005) found better memory performance for words presented in the right visual field
- Words in the right visual field go to the left hemisphere
 - Which is known to be specialized for language



Lag (Number of Words Since Study)	RVF Hit Rate (%)	LVF Hit Rate (%)
0	95	85
5	90	80
10	85	75
15	80	70
20	75	65
25	70	60
30	65	55
35	60	50
40	55	45
45	50	40
50	45	35

Purdue University


17

CogLab


- Other explanations than hemispheric specialization
 - Reading goes from left to right, from fixation to right visual field
 - Perceptual advantage to right visual field?
 - Attentional advantage to right visual field?
- It is difficult to come up with an experiment that isolates hemispheric specialization

Purdue University

18



19



20

Anatomy

- The cortex contains large fissures that separate five major areas
 - ♦ Limbic (already discussed)
 - ♦ Occipital
 - ♦ Parietal
 - ♦ Temporal
 - ♦ Frontal
- Each has distinct properties

21

Occipital lobe

- Receives information from the eye
 - ♦ Most investigated area of the brain

22

Parietal lobe

- Sensations of pain, temperature, touch, pressure

23

Parietal lobe

- Primary sensory area
 - ♦ sensitivity involves disproportionate areas of the brain, relative to size of body part

24

Temporal lobe

- Hearing
 - ♦ speech (left)
 - ♦ music (right)
- Memory and attention
 - ♦ visual recognition

Purdue University

25

Frontal lobe

- Largest part of cortex
 - ♦ planning
 - ♦ prediction
 - ♦ motor area
 - ♦ speech area

Purdue University

26

Brodmann areas

- Divide lobes into areas
- e.g. Brodmann
 - ♦ Area 1, Area 12, ... Area 200
 - ♦ Some special names: V1, V2, V3,...

Purdue University

27

Area function

- Can partly identify function by looking at nerves coming in and out of area
- Pathways through areas seem to be involved in different kinds of cognitive tasks

Purdue University

28

Brain layers

- There is order and function even within an area
- The cortex is a *sheet* of neurons
- In its thickness are 6 layers of neurons
 - ♦ numbered 1-6
 - ♦ sometimes include subdivisions (4a, 4b, 4ca, 4cb, ...)

Purdue University

29

Conclusions

- Lots of research in this area
- New brain regions are being mapped out daily with ever increasing resolution
- Cognitive neuroscience relies strongly on the “modularity hypothesis”
- Putting everything together is very difficult


Purdue University

30

Next time

- Brain scans
- EEG recordings
- MRI scans
- Functional MRI

- *How to study the brain without killing someone.*


Purdue University 

31

Brain scans

PSY 200
Greg Francis
Lecture 03


How to study the brain without killing someone.

Purdue University 

1

Scanning


- Technology provides insight into brain processes
 - EEG recordings
 - MRI
 - Functional MRI
- Non-invasive
- Maps of brain activity
- The goal is to *relate* brain events to cognitive events


Purdue University 

2

Resolution

- For almost every technique we have to worry about its ability to discriminate differences in
 - Space: which **place** is active?
 - Time: **when** does something happen?
- Finer resolution is usually better
 - But can be difficult to deal with so much data





Purdue University 

3

Electroencephalogram

- EEG
- The brain produces *electrical activity*
- Put electrodes on the head




Purdue University 


4

EEG

- Watch the electrical current change through time while reading sentences (averaged across many trials)
 - Good *temporal* resolution
 - Kutas & Hillyard (1980)

Semantic anomaly





Purdue University 

5

Brain maps

- You can analyze the EEG signals in many different ways
- Compare the signal strength for different situations
- Ayahuasca is a Brazilian psychoactive tea





Purdue University 

6

Spatial resolution

- Poor spatial resolution
- You never really know which part of the brain is making the current
 - Lots of work to improve





Purdue University 

7

Magnetic Resonance Imaging

- Magnetic field forces protons in your body to line up
 - pulses of radio into field bounces protons around
 - as they return to normal position, they emit a signal that can be decoded into a map





Purdue University 

8

Magnetic Resonance Imaging

- MRI Scans: Like an x-ray machine, but can look at soft tissue (like lungs, heart,...)
 - Very good spatial resolution





Purdue University 

9

Magnetic Resonance Imaging

- MRI Scans: Like an x-ray machine, but can look at soft tissue (like ankles, my brain,...)
 - Very good spatial resolution
 - millimeters




Purdue University 


10

MRI Scans

- MRI provides a "slice" at a time
- Take multiple slices to build up full image

Nobel prize winning work!





Purdue University 

11

MRI Scans

- Can identify **anatomical** differences between brains
- Alcoholic has larger ventricles and thinner corpus callosum
- Note, comparing across brains is a bit tricky!
 - Everyone's brain is a bit different



Purdue University 

12

MRI Scans

- 3-D maps
- Normal
- Ataxia:
 - ♦ loss of motor control

Purdue University

13

MRI Scans

- Non-invasive, no side effects
- Allows early detection of brain disease, tumors,...
- Fantastic spatial resolution
- But...
 - ♦ it only shows *structure*
 - ♦ no way to know what a brain area *does*

Purdue University

14

Functional MRI

- Just like MRI, but with a new analysis
 - ♦ MRI differentiates between different *types* of tissue (cell types)
 - ♦ Functional MRI differentiates between *active* and *inactive* neurons: concentration of oxygen
 - ♦ The measurement is called the “blood oxygen level dependent” (BOLD)
 - » It roughly tracks the flow of blood in the brain
 - » More active neurons recruit more blood

Purdue University

15

Functional MRI

- Color maps show strongest “responses”
- E.g., fMRI scan of a woman after a stroke
 - ♦ Blue/green: normal blood flow
 - ♦ Red/black: abnormal blood flow

Purdue University

16

Functional MRI

- Very good *spatial* resolution
 - ♦ millimeters
- Pretty good *temporal* resolution
 - ♦ Seconds
 - ♦ (Silva, 2002)

Purdue University

17

Scanning

- Consider this fMRI scan
- It shows regional cerebral blood volume (rCBV)
- You cannot tell how/if different regions are involved in different activities
 - ♦ Breathing
 - ♦ Digestion
 - ♦ Thinking about exams
 - ♦

Purdue University

18

Differences

- We have to look for *differences* in activity
- Alzheimer's patients have reduced brain activity

Normal Mild cognitive impairment Alzheimer's disease

Purdue University

19

A simple experiment

- Suppose you run an fMRI experiment where a person alternates between seeing a blank screen and a face
- You take multiple fMRI scans with half recording brain activity during the blank and half recording brain activity during the face
- Add them up pixel by pixel for each condition

Viewing blank

Viewing face

Purdue University

20

Subtraction method

- Subtract the fMRI signals produced by one condition from the fMRI signals produced by another condition
- The *difference map* indicates those brain regions that are involved in the different cognitive tasks
- It requires a sophisticated statistical analysis to avoid false positives!

Viewing blank

Viewing face

Difference map

Purdue University

21

Reporting

- What is usually reported is just the *difference map*
- Colors mark places in the brain that are *statistically different* between conditions
- Czisch et al. (2009) for rare tones vs. frequent tones
- The map would be different if it compared rare tones versus speech

Purdue University

22

Functional MRI

- Color maps show strongest "responses"
- e.g., during a task that requires covert spatial attention compared to one that does not require attention

Northwestern Cognitive Brain Mapping Center

Purdue University

23

Functional MRI

- When moving a pointer to a target box compared to no movement
- "activity" in areas involved in vision, planning, and motor control

Purdue University

24

Connectome


- You can use similar technology (diffusion spectral imaging) to focus on particular types of cellular material
 - E.g., identify axons (discussed later) that connect brain cells
- Gives an anatomical map of how information can travel



25

Connectome

- Gives an anatomical map of how information can travel



26

Limitations

- Brain scans do not really tell us how the brain works
 - the scans just tell us approximately *where* in the brain something occurs
 - sometimes it can tell approximately *when*
- Even trying to find *the* place may be problematic
 - Lots of cognitive abilities involve many different areas of the brain
- Most *theories* of cognition are derived from experimental psychology
 - Brain studies explore how to implement the theories

Purdue University 

27

Common misconception

- Brain scans *demonstrate* a physiological basis to things that were thought to be emotionally or cognitively based
 - e.g., MRI scans of stutters
 - in fact, *all* behavioral traits are physiologically based



Purdue University 

28

Conclusions

- Lots of research in this area
- Technology is improving in many ways
- There are many other types of scanning technologies
 - Computerized Axial Tomography (CAT)
 - Diffusion tensor imaging (DTI)
 - Single Photon Emission Computed Tomography (SPECT)
 - Near Infrared Spectroscopic Imaging (NIRSI)
 - Magnetoencephalography (MEG)
 - Positron Emission Tomography (PET)

Purdue University 

29

Next time

- How do we use brain scans to study cognition?
- How good are the scans?
- What is really being measured?
- How to read someone's mind.*

Purdue University 

30

Brain scans

PSY 200
Greg Francis
Lecture 04


How to read someone's mind.

Purdue University

1

Scanning

- Brain scanning techniques like fMRI provide spatial and temporal patterns of activity across the brain
- We want to analyze those patterns to discover how the brain works



Purdue University

2

fMRI


- Passive listening vs. active listening
 - Vannest et al. (2009)
- Twenty children (ages 11-13) complete three tasks
 - Passive listening: hear a female speaker tell a 30-second story
 - Active response: hear the same speaker tell a story in 5 second segments of two sentences. Scanning occurred after the sentences (silence). Answer questions
 - Random tones: no task, just listen

Purdue University

3

fMRI

- The colors show the *difference maps* relative to listening to the tones
- Common activity (breathing, digestion, hearing machine noise,...) is subtracted out
- The colors are **not** brain activity!




Purdue University

4

fMRI

- More signals and different patterns for active listening compared to passive listening
- (Could it be otherwise?)




Purdue University

5

fMRI

- Does more signal for the active response mean active response listening is "better" than passive listening?
- Tested children on comprehension of stories
 - PL: 75.1% correct, SD=12.7
 - AR: 79.1% correct, SD=9.1
- No real difference in comprehension




Purdue University

6

Sensory substitution

- Some scientists look for replacements to lost perception
- For example, there is a tongue display unit that attempts to present spatial information for blind people




Purdue University

7

Sensory substitution

- People can use a TDU to discriminate shapes
 - Kaczmarek, Bach-y-Rita & Tyler (1998)
 - Link to video on class web page




Purdue University

8

Sensory substitution

- So what happens in the brain?
- Are there responses from areas typically involved in shape perception? Or in areas related to touch on the tongue? (or both or neither?)




Purdue University

9

Sensory substitution

- fMRI differences suggest that using the TDU involves areas of motor cortex
- Not areas that are traditionally for visual perception
- This is the kind of question that can best be answered with brain scan technology




Purdue University

10

Walking


- There is no portable MRI machine
- But scientists are creative about how to use it to study a wide variety of activities
- Volta et al. (2015) studied walking by having participants "walk" on a cylinder outside the MRI machine



Purdue University

11

Walking



- Can compare walking "indoors" versus "outdoors"
- Execution (actually "walk") versus observation (not "walk")
- Complicated controls
 - Press feet against cylinder
 - Still (non-moving) image
 - Gray image (no picture)

Purdue University

12

Walking

- Top: Executing or observing walking versus gray image
 - Interesting that they involve some similar brain regions
- Bottom: Hallway walking versus open field walking

Purdue University

13

Reading minds

- Long-term, the goal of fMRI research is to be able to analyze a brain scan and identify what a person is thinking
- There are several attempts to do this (Haynes et al., 2006)
 - Adding or subtracting numbers

Purdue University

14

Reading minds

- Based on the choice at the end, we can deduce whether the subject chose addition or subtraction for that trial
- Make an fMRI scan during the selection process
 - Whether to add or subtract numbers

Purdue University

15

Mind reading

- It is possible to build a recognition system that distinguishes (with 71% accuracy) the brain patterns for addition and subtraction
 - Depends on the place in the brain
 - Different places for intention and execution
- You can read the mind of these subjects!

Purdue University

16

Thought reconstruction

- Another research group analyzed fMRI responses to reproduce a shown image

Purdue University

17

Thought reconstruction

- Performance depends on where the signals come from
- Fewer errors for "lower" brain areas
 - Where do you stop?, the retina?, the lens of the eye?

Purdue University

18

Thought reconstruction

- These kinds of studies are mostly a demonstration of technology
 - we already know the brain represents visual information!
- Before the study was run, we knew that there were differences in the brain when we see different images
 - The percept is the brain's behavior, so there must be differences!
- These kinds of studies tell us that the neurophysiological differences between cognitive events *can be measured* by these brain scanning technologies
 - Failure would only indicate limits of the technology

19

Mind reading limits

- fMRI: If subjects decide to multiply numbers, a system trained to distinguish between subtraction and addition is clueless
- Thought reconstruction: As the number of possible images to be shown increases, it becomes harder to reconstruct the shown image
- In general, brain scans provide a *very limited* form of mind reading
 - People do better than this every day by watching people behave (posture, eyes, skin tone)

20

Problems / limitations with scanning

- So much data that it is difficult to know what to do with everything
 - Statistical analysis is complicated
 - In a small brain scan, you may have 64 x 64 voxels x 10 slices
 - » =40,960 voxels overall
 - Some of those voxels will give different responses just by chance
- Difficult to compare across subjects
 - Slightly different anatomy
- Blurring of images is difficult to deal with (subjects move in the scanner)
 - Sometimes blur together brain areas, across a fissure, that are actually far apart on surface of cortex
- Some cognitive events are faster than the technology can track
- Can only measure the brain, cannot manipulate it

21


Statistics

- It is easy to do the statistics incorrectly (it has taken a while for the field to sort this out)
- Bennett et al. (2010) ran a study where the subject was shown a series of photographs depicting people in social situations with a specified emotional valence, either socially *inclusive* or socially *exclusive*. The subject was asked to determine which emotion the individual in the photo must have been experiencing.
- fMRI contrasts were computed between the scans for the two types of emotional valence

22

Statistics

- There is a significant difference in fMRI activity for some regions of the brain
 - Medial brain cavity and upper spinal column



23


Statistics

- The "subject" in this study was a mature Atlantic salmon (sex unknown)
- The "active" regions identified by the fMRI are due to chance
 - The brain has lots of random noise
- These problems can be reduced but never entirely eliminated
 - They are common to many areas of psychology, not just brain scans

24

Neurons

- The brain cells that are responsible for cognition are neurons




Purdue University

25

A neuron

- Dendrite
 - input
- Soma
 - integrate
- Axon
 - output
- Myelin sheath
 - insulate




Purdue University

26

Myelin

- Diffusion Spectral Imaging detects properties of the myelin sheath (“white matter”)
- Allows imaging of human brain connectome




Purdue University

27

A neuron

- There are many different types of neurons
- We will describe only the most common characteristics




Purdue University

28

How many neurons?

- Estimates of 10^{11} neurons in the human brain
 - 100,000,000,000; one hundred billion
 - estimates of 100,000 per cubic millimeter
 - (about the resolution of functional MRI)
- Millions are active at any given time



<https://www.youtube.com/watch?v=2qTuZIMvFgY>
(time 2:55)

Purdue University

29

Conclusions

- Brain scans usually look at *differences* in brain “activity”
- Lots of technical (and ethical) issues
- The goal is to be able to look at a map (or movie) and be able to *read someone’s mind*
- That is many years off
 - questionable if it can even be done with these methods alone

Purdue University

30

Next time

- What is the neural activity that produces brain scans?
- How do neurons transmit information to other neurons?
- *Why does (nearly) everyone like Prozac?*

Purdue University



31

Neurons and neurotransmitters

PSY 200
 Greg Francis
 Lecture 05



Why does (nearly) everyone love Prozac?

Purdue University

1

Neurons

- The brain cells that are responsible for cognition are neurons





Purdue University

2

Input / output

- Electrical signal
 - Established by the relative amount of charged ions inside versus outside the cell membrane
- Inputs change the resting potential of the cell
- Output identifies when the cell potential has increased a lot




Purdue University

3

Input at dendrites

- Changes the cell membrane potential
 - which causes further changes in the cell's chemistry
 - which causes further changes in the membrane potential
- Strong enough input crosses a **threshold** and the cell fires
 - action potential




https://mind.ilstu.edu/curriculum/neurons_intro/flash_action_potential.html

Purdue University

4

A neuron

- An action potential generated at the **soma** travels down the **axon** to the **terminals**




Purdue University

5

A neuron

- The action potential then affects the membranes of other cells' dendrites



Purdue Univ

6

Output

- Myelin is like insulation for the cell's axon
 - it insures that the signal generated by the action potential is strong
 - Jumps electrically rather than the normal chemical exchanges
- In multiple sclerosis the body's immune system attacks myelin
 - physical problems (paralysis)
 - cognitive problems (memory, reasoning, judgement)
 - cause unknown (300,000 people)

Purdue University

7

Output

- The output of a neuron is either *excitatory* or *inhibitory* on the other neuron it reaches
- Excitatory:** when our neuron sends an output, the receiving neuron is *more* likely to produce an action potential
- Inhibitory:** when our neuron sends an output, the receiving neuron is *less* likely to produce an action potential

Purdue University

8

Networks

- Cognitive behavior is related to groups of neurons working together
- Include excitation and inhibition
 - more later

Purdue University

9

Epilepsy

- Disease of central nervous system
 - causes mostly unknown
- Seizures
 - bursts of electrical activity travelling through networks in the brain
 - brain activity is out of control
 - epileptic fits
- Isolated* seizures also occur due to high fever, lack of oxygen, or head injury

Purdue University

10

Epilepsy

- EEG recordings are often used to diagnose epilepsy
- Many different types of epilepsy, with different EEG patterns

Purdue University

11

Epilepsy


- One theory (but not yet proven) is that epilepsy patients' *inhibitory cells* are not working properly
- Excitatory cells activate everything until they "exhaust" themselves

Purdue University

12

Epilepsy

- Treatment generally involves
 - ♦ drugs, diet, avoiding stress, keeping regular schedule
- In extreme cases surgery prevents seizures from spreading throughout the brain



Purdue University

13

A balanced brain


- The brain is a dynamic system
 - ♦ at multiple levels
- Neurons
 - ♦ balance between "forces" inside and outside of cell membrane allows for action potentials
- Networks
 - ♦ balance between excitation and inhibition
- Without these balances you do not think
- Contrast with ideas about using "more" of your brain

Purdue University

14

Neural connections

- Axon --> dendrites




Purdue University

15


Molecular structure

- Molecules have a particular three-dimensional **shape**

water



benzene



C6H6


Purdue University

16

Molecular structure


- Different molecules have different shapes

TNT



(NO2)3C6H5

aspirin



C9H8O4

Purdue University

17

Molecular structure


- Neurotransmitters are just *molecules*
- At least 50 different neurotransmitters
 - ♦ dopamine, norepinephrine, serotonin, acetylcholine, glutamate, gamma-aminobutyric acid (GABA)
- All with different *shapes!*

Purdue University

18

Receptor

- **Very large** molecules called *proteins*
- Similar to a filter
 - ♦ accepts some neurotransmitters
 - ♦ rejects others



Purdue University

19

Receptor

- When it accepts a neurotransmitter, it starts a chain reaction of events
 - ♦ physical, chemical, electrical
 - ♦ locally changes the cell membrane
 - » depolarization (excitation)
 - » hyperpolarization (inhibition)

Purdue University

20

Neurotransmitters

- Different neurotransmitters are associated with different properties
 - ♦ actually neurotransmitter and receptor pairs
- neural
- cognitive
- behavioral

Purdue University

21

Tourette's syndrome

- Inherited (~200,000 in US)
- Behavior
 - ♦ Swearing
 - ♦ Tics
 - » Simple: eye blinking, facial grimacing, sniffing
 - » Complex: coordinated patterns, sniffing objects, jumping, twisting
- Too much dopamine
- Treated with Haldol (among others)
 - ♦ blocks dopamine


<https://www.youtube.com/watch?v=NIFpkruXrCI>
(6:15 in)

Purdue University

22

Parkinson's

- Lack of dopamine
 - ♦ Many different causes
 - ♦ In extreme cases, patients are "frozen"
- Give patients large doses of L-DOPA
 - ♦ a precursor of dopamine
 - ♦ sometimes solves the problem
 - ♦ lots of side effects
- *Awakenings*, by Oliver Sacks



<https://www.youtube.com/watch?v=koL0PWCJ4lo>

Purdue University

23

Drugs


- Interact with neurotransmitters in lots of ways, for example
 - ♦ Replace: accepted by receptor and with similar effect
 - ♦ Production: increase or decrease
 - ♦ Reuptake: knock out enzymes that remove neurotransmitter from receptor, neurotransmitter has a bigger effect
 - ♦ Blocking: enter receptor but does not trigger reaction, partly closes receptor protein so neurotransmitter cannot enter

Purdue University

24

Prozac

- Some forms of depression seem to be related to limits in the use of the neurotransmitter *serotonin*
- Prozac is a selective serotonin reuptake inhibitor (SSRI)
 - it keeps serotonin bound to a receptor for longer than usual, thereby increasing its effect
- Prozac is one of the most widely prescribed drugs in the world!



Purdue University



25

Other drugs

- Amphetamines: release of norepinephrin or dopamine
- LSD: resembles serotonin
- Phenothiazine drugs: block dopamine
- Curare: blocks acetylcholine
- Cocaine: prolongs effects of dopamine
- Morphine: resembles a small set of neurotransmitters called endorphin peptides (modulate pain perception)
- Tetrahydrocannabinol (active ingredient in marijuana): binds to some neuroreceptors, but it's not clear what it does

Purdue University



26

Conclusions

- Neural action potentials
- Shape of proteins
- Specific use of neurotransmitters for certain behaviors
- Current work on identification of role of neurotransmitters
- Lots of money to be made
- Lots more complicated than what we've seen here

Purdue University



27

Next time

- Neural sensitivity
- Neural codes
- Receptive fields
- CogLab on Blind spot due!
- *How do you recognize your grandmother?*

Purdue University



28

Receptive fields

PSY 200

Greg Francis

Lecture 06

How do you recognize your grandmother?

Purdue University



1

Action potential

- With enough excitatory input, a cell produces an action potential that sends a signal down its axon to other cells
 - But a single action potential has little effect
- If the input stays present, the cell produces another, and another,...
 - A rapid series of action potentials can influence other cells
- The *number* of action potentials in a certain length of time determines the *firing rate* of the cell


Purdue University



2

Firing rate

- 8 spikes (action potentials) during 300 ms
 - Firing rate of 27 Hz (27 spikes per second)



Purdue University



3

Specificity

- Two key questions in cognitive neuroscience are
 - What stimulus (or stimuli) makes a given cell fire at a strong rate?
 - » something red?
 - » a pen?
 - » your grandmother?
 - What does it mean when a given cell fires strongly?
 - » You are thinking of something?
 - » Seeing something?
 - » Remembering something?

Purdue University



4

Receptive field

- The set of stimuli that reliably *changes* a cell's firing rate.
- A stimulus could *excite* the cell
 - above normal firing rate
- Or *inhibit* the cell
 - below normal firing rate


Purdue University



5

Receptive field

- Receptive fields are very useful for studies of spatial perception
- Touch involves sensitivity to pressure on skin
- The loops indicate the regions where a single neuron responds to pressure



Purdue University



6

Receptive field

- Receptive fields are very useful for studies of visual perception
- Vision involves *spatial patterns* of light

Purdue University

7

Receptors

- The back of the eye contains tightly packed sensors called rods and cones that detect light *at a particular location*

Purdue University

8

Receptors

- Light sensors (rods and cones) respond to light *at a particular location* in the back of the eye
 - ♦ produces a neural response

Purdue University

9

Receptors

- A receptor has a simple receptive field
 - ♦ it responds to light of the right wavelength (color) and the right position

Purdue University

10

Blind spot

- Where nerves leave the back of the eye, there are no light receptors
 - ♦ light that hits this spot is not visible

Purdue University

11

Blind spot

- In CogLab you mapped your blind spot
- my data looks like this

Purdue University

12

Blind spot

- Here's the average data for the whole class
- 111 participants

Purdue University

13

Network

- Light receptors do not just pass information to the brain
- Neurons are hooked together in an inhibitory way

Purdue University

14

Evidence of inhibition

- Stimulation of a center region alone gives a strong response

Time	Firing rate
0	5
1	35
2	25
3	25
4	25
5	25

Purdue University

15

Evidence of inhibition

- Adding light to a surrounding region can reduce the response

Time	Firing rate
0	5
1	35
2	25
3	10
4	10
5	10

Purdue University

16

Receptive field

- The receptive field of this cell includes any place on the retina where light excites the cell *and* any place where light inhibits the cell
- On-center, off-surround

Purdue University

17

Spatial responses

- The spatial pattern of excitation (center) and inhibition (surround) means the cell is sensitive to the location of a small spot of light

Distance (degrees)	Response rate (impulses/s)
0	85
1	75
2	55
3	45
4	40
5	40

Purdue University

18

Spatial responses

- You have many different such cells with receptive fields that are centered at different locations
- They respond differently to an edge

Purdue University

19

Simple cells

- On-center, off-surround cells send action potentials to simple cells in parts of visual cortex, which have *oriented* receptive fields

Purdue University

20

Simple cells

- On-center, off-surround cells send action potentials to simple cells in parts of visual cortex, which have *oriented* receptive fields

Purdue University

21

Simple cells

- Simple cells come in a variety of types, but all are sensitive to *bars* or *edges* of a preferred orientation at a particular location

Purdue University

22

Information processing

- For simple cells, an image like this

Purdue University

23

Information processing

- For simple cells, an image like this
 - is coded something like this

Strong responses at edges!

Purdue University

24

Complex cells

- Many simple cells feed into a *complex* cell, which is insensitive to direction of *contrast* and responds to an oriented bar in many different places

Purdue University

25

Complex cells

- Many simple cells feed into a *complex* cell, which is insensitive to direction of *contrast* and responds to an oriented bar in many different places
 - Often these cells are also sensitive to directions of *motion*

Purdue University

26

Receptive field hierarchy

- Receptive fields inherit some properties from “lower-level” cells
- But they also gain new selectivity by interacting with each other (and across levels)

Purdue University

27

Higher order cells

- Complex cells feed into hypercomplex cells, which are sensitive to some types of *curves* and visual *forms*
- Receptive fields seem to get ever more complex
- What does this mean?
- Is there a grandmother cell?

Purdue University

28

Receptive field

- In the inferior temporal cortex of monkeys
 - Desmione et al. (1984)
- some cells appear to have receptive fields that respond to monkey faces, in profile

Purdue University

29

Receptive field

- In the inferior temporal cortex of monkeys
 - Desmione et al. (1984)
- Other cells appear to have receptive fields that respond to hands

Purdue University

30

Grandmother cells?

- It *could* be that a single cell has a receptive field selectively tuned to respond to the image of your grandmother
 - but it is unlikely
 - not enough cells
 - cell death
- Receptive fields become less useful as we search for neural representations of non-sensory concepts
 - What is the receptive field of a neuron that codes "love" or "trust"?

Purdue University



31

Conclusions

- Receptive fields
 - any stimulus that affects a cell's firing rate
 - excitatory
 - inhibitory
- Very useful for studies of the visual nervous system
- Lots of issues left unresolved

Purdue University



32

Next time

- Networks of neurons
- Connections between cells
- Feedback – resonance

- *Seeing things that are not there.*

Purdue University



33

Neural networks

PSY 200
Greg Francis
Lecture 07


Seeing something that is not there.

Purdue University

1

Receptive field

- As we saw last time, a cell's receptive field depends to a large extent on the receptive fields of other cells
 - (e.g., complex cells depend on simple cells)
- Today we look at some issues involved in *networks* of neurons




Purdue University

2

Feedback

- Cell 1 can affect cell 2, which can affect cell 3, which can affect cell 1 again, which...
- What happens to cell firing rates?
 - high firing rate ==> active
 - low firing rate ==> inactive



Purdue University

3

Resonance hypothesis

- Initially cell firing rates may vary a lot
- In some networks cell firing rates stop changing much (unless outside input changes)
- The remaining active cells are those that support each others' activities through *excitation: resonance*
- Inactive cells are *inhibited* by the active cells
- Mental awareness ==> resonance

Purdue University

4

A "simple" model

- A cell's activation is *on* or *off* (one or zero)
- Cell connections (synapses or weights) are reciprocal
- Cells update activations one at a time
- Cell activations are calculated with the rule


$$a_i = \begin{cases} 1 & \text{if } \sum w_{ij} a_j > 0 \\ 0 & \text{if } \sum w_{ij} a_j \leq 0 \end{cases}$$

Purdue University

5

A simple model

- Neural connections (synapses) are described as *weights* on the links between cells
- Input to a cell is the summed multiplication of sending activation and weight
- Reciprocal weights have $w_{ij} = w_{ji}$



Purdue University

6

Demonstration

- Cell activities *do* settle down eventually
- Final pattern of activities satisfies constraints of the network connections
- Error correction capabilities
- Can tolerate the loss of some cells
- *Emergent properties* of the network
 - ♦ no single cell has these properties

Purdue University



7

Feedback

- Feedback in networks can act to “clean up” noisy sensory information to make it *consistent* with what our systems expect
- In a very real way, what we see, hear, taste, smell, touch, and think, is biased by our network’s expectation
- A network’s expectation is established by its connection weights
 - ♦ excitation – inhibition


Purdue University



8

Seeing things that are not there

- Do you see a square in front of the pac men?




Purdue University



9

Seeing things that are not there

- Neurons in area V2 of your brain “create” the illusory contours




Purdue University



10

Feedback

- Similar situation with the illusory circle seen here



Purdue University



11

Conclusions

- Networks of neurons have properties different from single cells
 - ♦ emergent properties
 - ♦ stable activities
 - ♦ multiple constraints
 - ♦ tolerance to errors and cell loss
- Structure of connections (synapses) determines the final pattern of responses

Purdue University



12

Next time

- How networks learn
- Changing connections
- Learning rules
- Self-organization
- CogLab due for Implicit Learning

- *A problem with virtual reality.*

Purdue University




13

Neural learning

PSY 200
 Greg Francis
 Lecture 08


A problem with virtual reality.


Purdue University 

1

Networks

- As we saw last time, a network of neurons can have very complicated behavior
- The behavior depends on the *connections* between cells
- How do those connections get established?





Purdue University 

2

Hebb's rule

- If two neurons are active simultaneously, then they strengthen the connection between them
- Signals from the *environment* change the properties of the network




Purdue University 

3

A "simple" model

- A cell's activation is *on* or *off* (one or zero)
- Cell connections (weights) are reciprocal
- Cells update activations one at a time
- Cell activations are calculated with the rule


$$a_i = \begin{cases} 1 & \text{if } \sum w_{ij} a_j > 0 \\ 0 & \text{if } \sum w_{ij} a_j \leq 0 \end{cases}$$

Purdue University 

4

Simplified learning


- Initially, all connections are zero
 - $w_{ij} = 0$
- Hebb's rule
 - cells that are simultaneously active develop *positive* weights (excitation)
 - an active cell develops *negative* weights with inactive cells (inhibition)
- Demonstration

Purdue University 

5

Self-organization

- A network of this type does not need an intelligence to set the connection weights
- The network self-organizes in response to stimulation
- It can *remember* things it has previously experienced
- It can interpret new information on the basis of things it has previously learned



Purdue University 

6

Deep learning

- Google used one version of a neural network to analyze 10 million YouTube stills
 - 1000 computers (16,000 cpu's) over 3 days
- The network self-organized to identify common patterns
 - Cats, faces, "tool-like objects oriented at 30 degrees"

Purdue University

7

Learning

- This may *not* be the same type of learning you do when you study for school
 - but it is important just the same
- Consider implicit learning
 - A long sequence of trials, where you press a key to indicate the appearance of a dot at a corresponding location

Purdue University

8

Implicit Learning

- We are interested in how fast you respond to the dot
- Two groups of subjects:
 - Random: each sequence is random
 - Pattern: each sequence is the same (but so long that people typically do not notice)
- Subjects in the pattern condition are faster (they have partly learned the sequence, and generate faster responses to expected locations)
- More generally, networks in your brain can learn information about your environment without you being aware that something is being learned

Class data (~80 in each group)

Global data (~13,000 in each group)

Block Number	Random Mean RT (ms)	Pattern Mean RT (ms)
1.0	610	610
2.0	580	550
3.0	550	500
4.0	530	480
5.0	510	470
6.0	500	460
7.0	490	460

Purdue University

9

Learning

- Lots of learning happens that you do not notice
- Consider the length of your arm
 - to catch and throw objects your brain must know exactly your arm's length
 - but the length of your arm changes as you age!
 - » And depends on unknown environmental factors

Purdue University

10

Hand-eye coordination

Purdue University

11

Coordination and learning


- We do not know the exact nature of the network involved in this coordination
 - but we know it continually modifies part of itself to match up with the current situation
- This is actually a good design feature, because the brain cannot know in advance every detail of the eye-hand system


Purdue University

12

Virtual reality

- Using computer graphics to convince the body it is someplace other than it really is
- Useful for
 - ♦ architects, designers
 - ♦ surgeons, pilots
 - ♦ entertainment







Purdue University 

13

Cameras

- Enhance visual perception
- Night vision for helicopter pilots








Purdue University 

14

Cameras

- Enhance visual perception
 - ♦ MRI overlaid on actual image of brain for surgeon
 - » highlight tumor
 - ♦ Avoid other brain regions
 - » faster






Purdue University 

15

Problem

- The network coordinating eye-hand systems, adjusts itself
- Extended use of the computer cameras makes the user adapt so his eyes are where the cameras are!





Purdue University 

16

Problem

- After taking the cameras off, it takes some time to adapt back
- Eye-hand coordination is off
- Could be a problem for surgeons and pilots!




Purdue University 

17

Other adaptations

- Inverted prisms
- Fortunately, the adaptations return to normal pretty quickly
- Kind of like the feeling you get after roller-skating

Purdue University 

18

Conclusions

- Learning in neural networks
 - ♦ changing connections
 - ♦ relatively simple rules
- Much of our perceptual and motor behavior is based upon this type of continuous learning
- It's not clear if more cognitive learning is similar

Purdue University



19

Next time

- Review for Exam 1
- Then
- Neural networks for visual perception
 - ♦ brightness
 - ♦ color
 - ♦ form
- *Why we see color afterimages.*


Purdue University



20

Visual perception


PSY 200
 Greg Francis
 Lecture 09
Why you see color afterimages.


Purdue University 

1

Visual perception

- Light enters eye
- Signals sent to area V1 in cortex
- Neural networks tuned to
 - brightness
 - color
 - form
 - motion
 - texture
 - depth...





Purdue University 


2


Seeing


- It's kind of like a camera, but what we see is not just an image
- In particular, we do not see the world the way it "really" is
- When we notice these discrepancies, we call them illusions
- Muller-Lyer illusion is one example
- How big is the illusion? How can you measure a subjective experience?

Inward "wings" 

No "wings" 

Outward "wings" 





Purdue University 

3

Measuring perception

- CogLab uses the method of constant stimuli
- Judge which of a pair of lines is longer
- Vary the length of the line without wings
- Repeat many times




Purdue University 


4

Psychometric function

- Plot proportion of times line without wings is judged "longer" than the line with wings
- 50% is point of subjective equality (around 114 pixels)
- A key property is that the perceptual experience is described in terms of physical units!

Class data
(147 observers)




Purdue University 

5

Neurophysiology


- How we see things is largely determined by the properties of receptive fields
 - on-center, off-surround
 - simple cells
 - complex cells
- And by network interactions among cells

Purdue University 

6

On-center, off-surround

- Characteristics of cell receptive fields force additional properties of the visual system
 - center-surround cells tend to not respond well to homogeneous light that covers both excitatory and inhibitory parts
 - => percepts of the middle of an object is derived from the edges




Purdue University

7

On-center, off-surround

- Characteristics of cell receptive fields force additional properties of the visual system
 - center-surround cells tend to not respond well to homogeneous light that covers both excitatory and inhibitory parts
 - => percepts of the middle of an object is derived from the edges




Purdue University

8

Brightness contrast

- Edge responses are influenced by the surrounding light
 - both center squares have the same light intensity




Purdue University

9

Brightness contrast

- Two receptive fields inside the middle square receive the same excitatory and inhibitory signals
 - Little response




Purdue University

10

Brightness contrast

- Receptive fields on the corner
 - Receive the same excitation at the center
 - differ in the amount of inhibition in the surround



Purdue University

11

Brightness contrast

- Thus, the visual system computes brightness as something like *local* contrast
 - It's a property of the center-surround cells
 - Our percept of brightness is determined by the responses of cells at contrast edges
 - As a result, things that have equal physical intensities can look dramatically different (next slide)

Purdue University

12

Brightness contrast

Checker-shadow illusion:
The squares marked A and B
are the same shade of gray.



Purdue University 

13

Brightness contrast

Checker-shadow illusion:
The squares marked A and B
are the same shade of gray.




Purdue University 


14

Brightness contrast

Checker-shadow illusion:
The squares marked A and B
are the same shade of gray.




Edward H. Adelson

Purdue University 


15

Brightness contrast

Checker-shadow illusion:
The squares marked A and B
are the same shade of gray.





Edward H. Adelson

Purdue University 

16

Hermann grid





Purdue University 

17

Hermann grid

- Seems related to on-center, off-surround cells
- Cells at intersections receive more inhibition than cells at single roads
- How do we explain the other version?




Purdue University 

18

Filling-in

- We see color and brightness inside objects
 - so edge information must fill-in to the interior
- It sometimes gets things messed up
- Water color effect




Purdue University

19

Filling-in

- Brightness information spreads across surfaces
 - Craik-O' Brien-Cornsweet effect




Purdue University

20

Filling-in

- Carefully fixate the pink center
- If you keep your eyes *very* still, it will disappear
- The yellow fills-in!




Purdue University

21

Color system

- competition between opposite colors
 - red-green
 - blue-yellow
 - black-white
- habituating gate
- offset of one color leads to rebound in other
- Gated dipole circuit




Purdue University

22

Color system

- competition between opposite colors
 - red-green
 - blue-yellow
 - black-white
- Initial balance
 - Neither color wins competition




Purdue University

23

Color system

- competition between opposite colors
 - red-green
 - blue-yellow
 - black-white
- Extra input to green
 - Green wins competition



Purdue University

24

Color system

- competition between opposite colors
 - ♦ red-green
 - ♦ blue-yellow
 - ♦ black-white
- Extra input to green
 - ♦ Fading of green signal

Purdue University

25

Color system

- competition between opposite colors
 - ♦ red-green
 - ♦ blue-yellow
 - ♦ black-white
- Offset of green
 - ♦ Rebound of red signal

Purdue University

26

Color system

- competition between opposite colors
 - ♦ red-green
 - ♦ blue-yellow
 - ♦ black-white
- Recovery of green pathway
 - ♦ Disappearance of rebound
 - ♦ Return to initial state

Purdue University

27

Color afterimage

Purdue University

28

Orientation competition

- competition between orthogonally tuned cells
- habituating gate
- offset of horizontal leads to rebound in vertical
- Same kind of gated dipole circuit
 - ♦ Principles of neural computation!
- Baseline response
 - ♦ Due to tonic input

Purdue University

29

Orientation competition

- With additional input to horizontal pathway, horizontal channel wins competition

Purdue University

30

Orientation competition

- With additional input to horizontal pathway, horizontal channel wins competition
- But as horizontal gate habituates, horizontal signal weakens
- It still wins the competition, though

Purdue University

31

Orientation competition

- At offset of horizontal input, the gated horizontal signal is weaker than the vertical signal
- A vertical rebound appears

Purdue University

32

Orientation competition

- As the horizontal gate recovers, the system returns to baseline and the vertical after response disappears

Purdue University

33

Oriented afterimages

- Oriented reset signals are also implicated in an unusual type of afterimage

Purdue University

34

Conclusions

- Visual perception
 - ♦ brightness
 - ♦ color
 - ♦ form
- Largely determined by the receptive fields and network structure of visual circuits
- Neurophysiology strongly determines what we see!

Purdue University

35

Next time

- Visual dynamics
 - ♦ Flicker
 - ♦ Persistence
 - ♦ Motion perception
- CogLab on Apparent motion due!
- *Why computer monitors work.*

Purdue University

36

Visual dynamics

PSY 200

Greg Francis

Lecture 10

Why computer monitors work.

1

Flicker

- A flashing light looks constant if it is presented rapidly enough
- The frequency of flashing at which subjects do not detect flicker is called the *Critical Flicker Frequency (CFF)*
 - ♦ about 50 Hertz (50 on-off cycles in a second)
 - ♦ 20 millisecond durations

2

CFF

- Establishes minimum characteristics of electronic devices
- Lights flicker at 120 Hz
 - ♦ we spend a lot of time in darkness
- Computer (Cathode Ray Tube, CRT) monitors and TV's flicker at around 60 Hz
 - ♦ better monitors go faster
 - ♦ Liquid Crystal Display (LCD) monitors work differently
 - » Although some still flicker



3

Phosphor

- The phosphor on a computer screen typically glows less than 10 milliseconds
 - ♦ ten thousandths of a second
- The gun reactivates the phosphor every 17 milliseconds
- Thus, at any given time 1/3 of the screen is dark
 - ♦ the percept persists in your head!



4

Persistence

- What is the source of the persisting percept?
 - ♦ Receptors in the eye?
 - ♦ Receptive fields?
 - ♦ Network interactions?
 - ♦ Cognitive (memory)?
- Studies support network interactions

5

Experiment

- Bowen, Pola & Matin (1973)
 - ♦ subjects adjust duration of a blank stimulus so onset of probe matched *perceived* offset of the target



6

Strange property

- As the target's duration or luminance increases
 - its persistence decreases

Stimulus duration (ms)	0.038 ft lam (ms)	0.077 ft lam (ms)	0.151 ft lam (ms)	0.323 ft lam (ms)	2.818 ft lam (ms)
0	300	300	300	300	300
100	280	270	260	250	240
200	260	250	240	230	220
300	240	230	220	210	200

Purdue University

7

Networks

- Feedback is important
- Produces a persisting response
- Demonstration

Input from eyes

Purdue University

8

Explanation

- Francis, Grossberg & Mingolla (1994)
- Something has to reset the network
 - else it would keep "persisting" forever
- Two mechanisms
 - (1) new inputs inhibit old responses
 - (2) afterimages act as new inputs
- Note: afterimages get stronger as duration and luminance increase!

Purdue University

9

Explanation

- Offset of input from the eyes produces an after response
 - e.g., due to competition from orthogonally tuned cells
- Offset response inhibits persisting response

Input from eyes

Purdue University

10

Explanation

- As the target's duration or luminance increases
 - the afterimage produced at target offset increases in strength
 - so there is stronger inhibition to break the feedback
 - so the persistence of the original percept decreases

Stimulus duration (ms)	0.038 ft lam (ms)	0.077 ft lam (ms)	0.151 ft lam (ms)	0.323 ft lam (ms)	2.818 ft lam (ms)
0	300	300	300	300	300
100	280	270	260	250	240
200	260	250	240	230	220
300	240	230	220	210	200

Purdue University

11

Wait a minute


- If visual percepts persist for over 100 milliseconds, why doesn't the world seem blurry?
 - There should be smears of objects as they move or as we move
- There must be something else preventing such blurring
 - masking

Purdue University

12

No mask

- Write down all the letters you see


Purdue University 

13

No mask

- Write down all the letters you see


R F
L P
M Q

Purdue University 

14

No mask


- Write down all the letters you see

Purdue University 

15

Masking demonstration

- Write down all the letters you see


Purdue University 

16

Masking demonstration

- Write down all the letters you see

Y S
D H
W F


Purdue University 

17

Masking demonstration

- Write down all the letters you see


X X X X
X X X X
X X X X

Purdue University 

18

Significance

- The mask appeared *after* the target turned off
- The target was presented all by itself for a *brief* period of time
- However, our visual system is unable to develop a complete percept of a scene in a such a period of time
 - Thus, the XXX mask interferes with processing of the letters by shortening their persisting responses
 - And prevents perceived blurring of changing scenes


Purdue University 

19


Metacontrast


- Masks do not have to “write over” the target to have an effect
- In metacontrast masking the mask and target do not overlap in space and (often) in time (CogLab)

Target



Mask




Purdue University 


20

Metacontrast

- Correct identification of the narrow target is affected by the Stimulus Onset Asynchrony (SOA) of the target and mask (111 participants)
 - Worse between 60-90 milliseconds




SOA (ms)	Proportion Correct
0	0.75
30	0.60
60	0.52
90	0.50
120	0.52
150	0.56
180	0.57


Purdue University 


21

Motion

- In simple animals (like flies and frogs), we know how motion is detected
 - Demo on web page
- Reichardt detector






Purdue University 

22

Detecting Motion

- Humans have something like Reichardt motion detectors
 - at lots of different positions in the visual field
 - sensitive to lots of different motion directions
 - sensitive to lots of different motion speeds
- Think of them as receptive fields that vary in both space and time
- Many aspects of how we perceive motion follow from the properties of Reichardt motion detectors

Purdue University 


23

Apparent Motion

- When objects move, there is a continuous path of motion
- Reichardt motion detectors do not require continuous motion
 - and, continuous paths are not necessary for motion to be seen

Time1


Time2


Purdue University 

24

Apparent Motion

- For just two stimuli, it does not depend on
 - color
 - shape
 - attention
 - cognitive priming





Purdue University 

25

Apparent Motion

- The percept of motion does depends on
 - stimulus duration
 - interstimulus interval (50-200 msec)
 - distance





Purdue University 

26

Apparent Motion

- Weird grouping effects (not fully understood)





Purdue University 

27

Timing

- For a Reichardt detector to indicate motion, the signal from the second area must follow the signal from the first by just the right length of time
- Vary the Interstimulus Interval (ISI) between the stimuli
 - The time between offset of the first stimulus and onset of the second stimulus





Purdue University 

28

Korte's laws

- Apparent motion was highly studied at the beginning of the 20th century
 - Korte (1915) noted that to get good motion, you needed to increase the ISI between the stimuli as the distance between them increased
- CogLab data
 - (118 participants- from class, 30,041 from global)





Purdue University 

29

Motion representation

- One conclusion of studies of apparent motion is that motion is a fundamental percept
 - It has an explicit representation in the visual system
- You could imagine otherwise, we can be aware of something moving without actually seeing the movement
- Apparent motion is the source of motion for all movies and animation



Purdue University 

30

Motion aftereffect

- Just like for color and orientation, we might expect an aftereffect of motion
- competition between opposite directions of motion
 - Left-right
 - Up-down
- habituating gate
- offset of one direction leads to rebound in other

Purdue University

31

After effect

- Motion can be adopted by non-moving stimuli
 - http://www.michaelbach.de/ot/mot_adapt/index.html

Purdue University

32

Conclusions

- Dynamic vision
 - flicker
 - persistence
 - network dynamics
 - Masking
 - Reichardt detectors
 - Apparent motion
 - Motion aftereffect
- Also used to investigate other areas of cognition and types of mental problems

Purdue University

33

Next time

- Attention
- What is attention?
- What does it do?
- CogLab on Simon Effect due.
- *How could you not see it?*


Purdue University

34

Attention

PSY 200
Greg Francis
Lecture 11


How could you not see it?

Purdue University 

1

Attention


- The world contains more information than we can fully interpret or process all at once
- The ability to deal with some stimuli and not others is *attention*
 - ♦ not clear if there is an attentive *system*
 - ♦ or if attention *derives* from other systems


Purdue University 

2

Information processing

- Modern theories see cognition as *information processing*
 - ♦ much like a computer
- Different systems have different capabilities, capacities, and speeds
- Necessarily, some information is ignored because it is not processed




Purdue University 

3

Attention

- Part of attention seems to be due to mental effort on your part
 - ♦ attending a lecture
 - ♦ ignoring whispering around you
- Part of attention seems a natural side effect of mental effort
 - ♦ ignoring the “uhs” and “ums” from a speaker
 - ♦ ignoring the feel of clothes on your body
- Part of attention seems effortless
 - ♦ a loud noise

Purdue University 

4


Magic trick

Purdue University 

5

Magic trick

- Now the computer will shuffle the cards and present them again

Purdue University 

6

Magic trick

7

Drawing attention

- Attention can be focused by meaningful stimuli
- Attention can be focused by environmental characteristics

8

Automatic attention

- Simon effect (Simon & Wolf, 1963)
- An irrelevant cue can affect response time to a stimulus
- Task: respond as quickly as possible to identify the *color* of the square
- The square is sometimes on the left and sometimes on the right side of the screen (irrelevant)
- You respond with a keypress on the left (green) or on the right (red)

9

Automatic attention

- Location of the square is irrelevant, but it sometimes is congruent with the response location (left-green; right-red) while sometimes it is incongruent (left-red; right-green)




10

Automatic attention

- People are faster identifying color for congruent compared to incongruent conditions
 - 35 millisecond difference

CogLab class data (126 observers)



11


Automatic attention

- The Simon effect is, in some sense, a *failure* of attention
- You want to ignore the location of the target square and only attend the color
 - But you cannot ignore the target location
- CogLab has several labs that play on similar ideas
 - Stroop effect (more next time)
 - Spatial cueing
 - Several labs related to memory and decision making have similar properties

12

Automatic attention

- These kinds of effects are small (~50 ms), but they matter a lot
- Consider the remote control and on-screen channel guide provided by my cable provider
- To move the "cursor" up on the screen, I press the "+" button the right side
- The effect on the screen is to go "up" one line, but that is to a channel with a *lower* number!



13

Human Factors

- Applied cognitive psychology
- Among other things, design interfaces so that stimuli and responses are compatible
- Products "feel" better, are used as intended, and users make fewer errors
- Really important in high stress situations
 - Aircraft cockpits, nuclear power plant control stations
- Really important in everyday (low stress) situations that are used a lot
 - Your phone
 - Doors

Purdue University



14

Drawing attention

- In some situations, attention can be focused by certain stimulus characteristics, especially changes
 - Flashes of light
 - Movement
 - Color
 - Think of advertising signs
- We depend on these characteristics a *lot*
 - Removing these cues can make simple tasks rather difficult


Purdue University



15

Drawing attention

- Raise your hand when you spot what changes in the two images



Purdue University



16

Drawing attention

- Raise your hand when you spot what changes in the two images



Purdue University



17

Drawing attention

- Raise your hand when you spot what changes in the two images



Purdue University



18

Drawing attention

- Suppose these cues were masked by other changing stimuli
- You might not notice the change at all

Purdue University



19

Drawing attention

- Raise your hand when you spot what changes in the two images



Purdue University



20

Drawing attention

- Raise your hand when you spot what changes in the two images



Purdue University



21

Drawing attention

- Raise your hand when you spot what changes in the two images



Purdue University



22

Drawing attention

- Raise your hand when you spot what changes in the two images



Purdue University



23

Attention

- Masking the changes makes it difficult to identify the changed parts of the image
 - ♦ Suggests that you do not actually “see” the entire image with each presentation
- Attention seems to be *necessary* to detect stimulus changes
- Explains how people can “look” but not “see”
 - ♦ walking into doors
 - ♦ driving into trains
 - ♦ detecting changes on a radar screen
 - ♦ why magicians use flashes of light!

Purdue University




24


What does attention do?

- It is not clear, and it is probably different things for different situations
- To many people, attended information feels "stronger", so they think neural representations must be stronger in the brain.
- But if attention strengthens perceptual representations, we should lose perceptual veridicality
 - We might expect what is schematized below
 - But we normally do not experience this
- Attention generally seems to strengthen information about a stimulus that is not *perceptual*


Stimulus




Attend
red



Attend green




Purdue University 


25

Attention illusion

- Sometimes attention *can* change perceptual properties
- But then we have an incorrect perception of the properties of the visual scene
- So it is difficult to understand how attention is helping here




Tse, 2005

Purdue University 

26

More demos


- If time permits, here's some more demos
 - http://viscog.beckman.uiuc.edu/djs_lab/demos.html
- Field
- Living room
- Phone call
- Lunch conversation (9 changes)
- Paris scene

Purdue University 

27

Conclusions


- Attention can have very powerful effects
 - help processing of focused on things
 - can cause unawareness of unattended things
- Not precisely defined
 - characteristic of processing?
 - An "extra" system?

Purdue University 

28

Next time

- Methods of studying attention
- What things influence attention
 - Timing, features
- CogLabs on Attentional blink and Visual search due!
- *Should you pay \$59.95 for Mega-speed reading?*

Purdue University 

29

Attention

PSY 200
Greg Francis
Lecture 12

*Should you pay \$59.95 for
Mega-speed reading?*

Purdue University

1

Attention

- We saw last time that attention can have very powerful effects
 - ♦ when it is focused on one thing, you ignore other things
- Today we want to consider some more specific properties of attention
 - ♦ and look at experimental methods that are used to study attention

Purdue University

2

Characteristics of attention


- By identifying the properties and characteristics of attention we can deduce properties of the underlying systems that are involved in cognition
 - ♦ whether attention is thought of as a “system”
 - ♦ or as a by-product of other systems
- Look at
 - ♦ temporal
 - ♦ featural

Purdue University

3

Attentional blink

- Suppose you have to identify rapidly presented (100 ms) letters
 - ♦ e.g., detect J and/or K in a stream of letters




Purdue University

4

Attentional blink

- Turns out that detection of first letter tends to make detection of the second letter very difficult
 - ♦ if it immediately follows the first
 - ♦ Attentional blink




Purdue University

5

Attentional blink

- Measure frequency of detection
 - ♦ class data (121 observers)




Implies that detecting the first letter causes you to miss the second letter!

Purdue University

6

Feature Search

- But if the target differs from the distracters in the right way, search can be fast even with lots of distracters
 - "pop out"
- This often happens when the target has a unique *feature* relative to the distracters
 - shape




Purdue University



13

Feature Search

- But if the target differs from the distracters in the right way, search can be fast even with lots of distracters
 - "pop out"
- This often happens when the target has a unique *feature* relative to the distracters
 - color




Purdue University



14

Conjunctive Search

- But if the target has shared features with different distracters, search is difficult
 - No "pop out"
- This often happens when the target is defined by a *conjunction* of features relative to the distracters
 - Orange rectangle: color and shape



Purdue University



15

Visual search experiment

- Four types of responses
 - 1) Feature - present (can respond as soon as see target)
 - 2) Feature - absent (must examine all stimuli before sure target is not present)
 - 3) Conjunctive - present (can respond as soon as see target)
 - 4) Conjunctive - absent (must examine all stimuli before sure target is not present)


Purdue University



16

CogLab feature search

- Few distracters -easy




Purdue University



17

CogLab feature search

- Many distracters - still easy



Purdue University



18

Conjunctive search

- Few distracters - fairly easy

Purdue University


19

Conjunctive search

- Many distracters - difficult

Purdue University

20



21

Interpretation

- Feature maps: color, shape
- Feature search can identify target *within* either feature map

Color	Shape
blue 	corners
green 	arcs

No searching required!

Purdue University

22

Interpretation

- Feature maps: color, shape
- Feature search can identify target *within* either feature map

Color	Shape
blue 	corners
green 	arcs

No searching required!

Purdue University

23

Interpretation

- Feature maps: color, shape
- Conjunctive search **cannot** identify target *within* either feature map alone

Color	Shape
blue 	corners
green 	arcs

Requires search by comparison across feature maps. Serial process that takes time

Purdue University

24

Interpretation

- Feature maps: color, shape
- Conjunctive search **cannot** identify target *within* either feature map

Color

blue

Shape

corners

green

arcs

Requires search by comparison across feature maps.
Serial process that takes time

Purdue University

25

Visual search

- Conjunctive search for target absent has a slope twice as steep as for target present
- Because when the target is present you find it, on average, after searching half the items and then can stop the search
- For target absent searches, you must search all items to verify each is not the target

Number of Distractors	Feature Present (ms)	Feature Absent (ms)	Conjunctive Present (ms)	Conjunctive Absent (ms)
0	~400	~400	~400	~400
10	~400	~400	~600	~800
20	~400	~400	~800	~1200
30	~400	~400	~1000	~1600
40	~400	~400	~1100	~2000
50	~400	~400	~1200	~2400
60	~400	~400	~1300	~2800

Purdue University

26

Automaticity

- When a task is unfamiliar it seems to require a lot of attention to perform
- Later it requires less attention
 - ♦ riding a bike
 - ♦ driving a car
 - ♦ typing
 - ♦ tying shoelaces
 - » <http://www.fieggen.com/shoelace/knots.htm>

Standard Shoelace Knot
American version of a knot - "Square the First Shoelace Knot"

Of all the shoelace tying techniques shown to me by others, this is by far the most painless. Makes sure you are not using the other end around and around and just a loop through. This is how I was first taught to tie my shoelaces when I was young.

<p>Step 1:</p> <p>The starting loop on shoe, then make the right (inner) loop "over" by simply doubling it back onto itself.</p>	<p>Step 2:</p> <p>Take the left (outer) end and pass it through the right (inner) loop using behind the right loop.</p>
<p>Step 3:</p> <p>Continue the left (outer) end around the right loop to end up in front.</p>	<p>Step 4:</p> <p>Start to feed the left (outer) end into the "hole" that has just been made.</p>
<p>Step 5:</p> <p>With the left (outer) end now through the "hole", push back (over) loop and start to pull the knot tight.</p>	<p>Step 6:</p> <p>Continue pulling on the loops until the knot is firmly tied.</p>

Purdue University

27

Automaticity

- The process whereby a task goes from requiring a lot of attention to requiring little is called *automatization*
- Many tasks are automatizable
 - ♦ color naming
 - ♦ word naming
- Can measure effects by pitting an automatized task against a non-automatized task

Purdue University

28

Stroop task

- Stroop (1935)
- Identify the color of ink for words
- It takes longer when the words are color names
- Demonstration
 - ♦ measure reaction time

Purdue University

29

Stroop effect

blue green red
yellow cyan blue
green yellow red
blue green red
yellow red blue
green yellow red
blue green red
yellow red blue
green yellow red

30


Stroop effect

blue green red
 yellow red blue
 green yellow red
 blue green red
 yellow red blue
 green yellow red
 blue green red
 yellow red blue
 green yellow red

31

Stroop effect


- Word name interferes with ink color naming
 - ♦ ink color does not generally interfere with word naming
 - ♦ lots of studies on Stroop effect
- Many effects that are similar to it
- You can try it on CogLab
 - ♦ Not required, no credit

Purdue University 

32

Explanation


- Word reading is well practiced
 - ♦ especially among college undergraduates
 - ♦ so it occurs quickly and is automatic
- Color naming is unpracticed, so it occurs slowly and requires attention
- With two tasks, both trying to report on a color
 - ♦ the automatic one tends to mess up the unpracticed one, it takes more mental effort (and time) to do the unpracticed task

Purdue University 

33

Conclusions


- Methods of studying attention
 - ♦ attentional blink
 - ♦ visual search
 - ♦ Stroop task
- Characteristics of attention
 - ♦ timing
 - ♦ role of perceptual features
- Automaticity

Purdue University 

34

Next time

- Intersection of attention, perception, and memory
 - ♦ Iconic memory
 - ♦ echoic memory
- Serial position curves
- CogLab on Partial report due!
- *Why telephone operators seem rude.*

Purdue University 

35

Sensory memory

PSY 200
 Greg Francis
 Lecture 13

*Why telephone operators
 seem rude.*

Purdue University



1

Memory

- Humans demonstrate memory when they behave in a way that could only be based upon previous experience
 - ♦ does not necessarily imply that there are memory *systems*
- Memory could be a by-product of other systems (vision, audition, language,...)

Purdue University



2

Perception to memory

- Suppose you want to know how much information is available in a single visual glance
- How would you measure it?
- It turns out it's a complicated task because it involves perception, attention, and memory

Purdue University



3

Whole Report

- Write down as many letters as you see

Purdue University



4

Whole Report

- Write down as many letters as you see

B X P Q
 M H E L
 V N W A

Purdue University



5

Whole Report

- Write down as many letters as you see


Purdue University



6

Whole report results


- Subjects report 4.5 letters on average (Sperling, 1960)
- Subjects claim they saw more letters, but lost the percept while they reported
 - ♦ they cannot report fast enough
- How can we tell if percept is lost?

Purdue University 

7

Partial report


- Same type of letter matrix
- Indicate which row to report *after* the matrix disappears
 - ♦ choice of row is *random*
- Suppose the subject reports 3 of 4 letters from *any* row
 - ♦ => 3/4ths of *each* row was available
 - ♦ ==> entire field was available
- This is essentially how college tests are designed!

Purdue University 

8

Partial report

- Write down letters from the indicated row


Purdue University 

9

Partial report

- Write down letters from the indicated row


S	T	Y	I
R	F	C	Q
Z	E	V	N


Purdue University 

10

Partial report

- Write down letters from the indicated row




Purdue University 

11

Sensory memory

- Temporal characteristics
 - ♦ delay

Purdue University 

12

Sensory memory

- Temporal characteristics
 - delay

R Q V L
 S D G F
 P N B A

Purdue University

13

Sensory memory

- Temporal characteristics
 - delay

Purdue University

14

Sensory memory

- Temporal characteristics
 - delay

Purdue University

15

Results

- Vary delay to watch decay from memory
 - compare to CogLab data

Delay of tone (seconds)	Number of letters correct
0	3
0.2	2.8
0.4	1.8
0.6	1.8
1	1.5

Purdue University

16

Results

- CogLab data (121 participants)
 - 3 letters in each row

Delay of tone (seconds)	Number of letters correct
0	1.4
0.4	1.2
1	1.1

Purdue University

17

Results

- We can test on any row and get essentially the same result
 - so, the number of letters that actually persist and is available is found by *multiplying* by the number of rows (3)

Original published data

CogLab data

Purdue University

18

Iconic/sensory memory

- Performance is better than the whole-report procedure because you can focus *attention* on just one row before the percepts fade away
- Fading percepts are due to visual persistence, which we talked about earlier
- We call the use of this information *iconic memory*
 - Large capacity
 - Short duration

Delay of tone (seconds)	Number of letters available
0	10
0.2	8
0.4	5.5
0.6	5.2
1	4.5

Purdue University

19

Infant iconic memory

- The partial-report experiment can be modified in several ways
- Blaser and Kaldy (2010) modified it to test iconic memory of infants
 - 60, 6 month old infants
- Infants show a preference to look at the changed object for small enough set sizes

Set Size	Percentage Correct
2	65
4	62
6	68
8	52
10	55

Purdue University

20

Infant iconic memory

- Infant iconic memory is actually quite similar to adults
- Ask adults to report the location of the changed color item
 - They do better than infants (who did not understand the 'task')
- Look for sharp drop in performance as set size increases
- Estimate items in memory
 - Adults = 5.75
 - Infants = 5.0

Set size	Adults (Percent correct)	Infants (Percent correct)
2	100	62
4	98	60
6	95	62
8	85	52
10	78	55

Purdue University

21

Masking

- Masking effects can influence iconic memory
 - persistence-based memory is very brief, and is easily destroyed by a mask
- Iconic memory is
 - brief
 - easily disturbed

Purdue University

22

Partial report with masking

- Write down letters from the indicated row

Purdue University

23

Partial report with masking

- Write down letters from the indicated row


X	V	F	R
W	K	D	M
S	N	J	Y

Purdue University

24

Partial report with masking

- Write down letters from the indicated row



Purdue University

25

Masking


- With the mask you do not have enough time to focus attention on the indicated row
- Iconic memory is so brief (less than a second) that it probably has little to do with “normal” memory
 - Too brief to be useful for many situations (except maybe knowing how to reach for something just after lights go out)
- Other similar systems are more notable

Purdue University

26

Echoic memory

- Other senses have a similar type of persistence or sensory memory




Purdue University

27

Echoic memory

- Properties
 - Longer duration (seconds)
 - Smaller capacity
- Significant for some memory tasks



Delay (seconds)	Number of letters available
0	5
1	4.5
2	4.2
3	4.1
4	4.0

Purdue University

28

Immediate serial recall


- After given a list of items
 - e.g., digits, letters, words,...
 - subject must report them back
 - 1) no delay (immediate)
 - 2) in the correct order (serial)
 - 3) no cues (recall, not recognition)
- Plot percentage correctly recalled against position of item in list

Purdue University

29

Serial position curve

- Often, subjects recall first and last items best




Position in list	Probability of recall
1 (Primacy)	0.5
2	0.3
3	0.2
4	0.2
5	0.35
6	0.65
7 (Recency)	0.9

Purdue University

30

Modality effect

- Recency depends on the *modality* of presentation



Purdue University



31

Modality effect

- Explanation:
 - In this task, recency depends on sensory memory
 - It takes time to report all the items in the list, in order
 - in the visual presentation, iconic memory of the last item is gone before subject tries to report it (poor recall)
 - in the auditory presentation, echoic memory of last item is still present when subject tries to report it (good recall)
- Thus, auditory presentation shows recency, but visual does not
- We will explain the primacy effect later


Purdue University



32

Suffix effect

- Auditory presentation only
- Cue to report is either a word or a tone




Purdue University



33

Suffix effect

- Recency when cue to report is a tone
- Loss of recency when cue to report is a word



Purdue University



34

Suffix effect

- Not affected by
 - practice
 - meaning of cue word
 - common vs. rare word
- Words are *physically* different from tones
 - suffix word acts like a *mask* to wipe out last word in list from echoic memory
 - the situation is similar to being unable to report the letters in the partial report task with the X-masks

Purdue University



35

Phone operators

- Call *information* for a number
- Operators are very short
 - give the number
 - do not say "goodbye" or "have a nice day"
- Avoiding the suffix effect!
 - you would forget the last part of the phone number if they finished with pleasantries

Purdue University



36

Conclusions

- Partial report experiment
- Sensory memory
 - iconic memory (visual)
 - echoic memory (auditory)
- Relation to immediate serial recall (recency)
 - modality effect
 - suffix effect
 - significance for phone operators

Purdue University



37

Next time

- Lecture is a vodcast available on the class web site!
- Memory
- Modal model
 - short term memory
 - long term memory
- Experiments
- CogLabs on Brown–Peterson and Serial position due!
- *Why it is difficult to win a pizza at Little Caesars.*

Purdue University




38

Two store model

PSY 200
 Greg Francis
 Lecture 14


Why it is difficult to win a pizza at Little Caesar's.

Purdue University 

1

Memory


- Simple view
 - ♦ memory is a container of past impressions and knowledge
 - ♦ memories can leak-out, decay away
- Not very realistic
 - ♦ need to explain *why* memories disappear

Purdue University 

2


Simple view

- The container theory of memory does not explain, for example,
 - ♦ why some memories are very long lasting (my childhood car trips to Utah)
 - ♦ why some memories are very brief (my wife asks me to take out the trash)
- We are not going to get a full theory of memory, but we can start to get an outline
 - ♦ and identify some misconceptions about memory


Purdue University 

3

Ebbinghaus' experiments



- First memory experiment (1885)
- Measure how long it takes to learn a list of nonsense syllables *perfectly*
 - ♦ NOF, QAP, HOS, LEQ, FIK, MEC, KIJ, HOM, NEM, MOJ
- How long does the memory last?
- In what form does the memory last?
- How does it affect future behavior?
- Does it help relearn the list at a later time?


Purdue University 

4

Ebbinghaus

- Relearn the list at later points in time
 - ♦ a different list each time
- Measure how long it takes to *relearn* the list
- Calculate savings


$$\text{Savings} = \frac{\text{Time}_{\text{original}} - \text{Time}_{\text{relearn}}}{\text{Time}_{\text{original}}}$$


Purdue University 

5

Forgetting curve

- Savings =1
 - ♦ subjects do not need to relearn, perfect memory
- Savings=0
 - ♦ subjects show no evidence of earlier learning



Purdue University 

6

Significance

- Ebbinghaus' results suggest that memories can last a very long time, in some form
 - Memories were believed to be "stored" in a memory system and did not just fade away (otherwise, the curve should not asymptote above zero)
 - Memory loss was believed to be due to interference of other memories
- Other experiments challenge this view

7

Memory task

- See (or hear) a trigram of consonants
- Report it back in order
- Ebbinghaus' results suggest good memory until other letters are also memorized



8

Retention

- Peterson & Peterson (1959)
 - Brown (1958)
- Give subjects trigram
 - ask them to count backwards by 3's and then recall trigram




9

Retention

- Vary duration of counting backward
- Numbers are *different* from letters, you might not expect any interference
 - but they can have very strong interference

Suggests some memories last only a few seconds!



10

Retention

- The results of the Brown-Peterson study suggest that some aspects of forgetting are *process driven*
 - keeping a memory "active" requires effort
 - if you are distracted by another task, you cannot apply the effort to keep the memory
 - similar to our observations about attention and processing

11

Retention

- The results of the Brown-Peterson study also suggest that some aspects of forgetting are *passive*
 - even if you are distracted, you can recall the trigram if only a short time has passed
 - if many seconds have passed, while you are distracted, you cannot recall the trigram
 - memory has "decayed", or something like decay, while you were doing the distracting task

12

Retention

- CogLab data
 - 124 subjects
 - Not everyone shows interference on this task

Distractor Duration (s)	Proportion Correct
3	0.70
6	0.55
9	0.58
12	0.50
15	0.50

13

Another experiment

- Memory span
 - how many items can you correctly recall immediately after exposure?
- “The magic number 7 +/- 2:...”
 - Miller (1956)

14

Interpretation

- There exist two types of memory systems
- Long Term Memory (LTM)
 - high capacity (no limit)
 - long duration (forever)
 - Ebbinghaus’ experiment
- Short Term Memory (STM)
 - small capacity (~7 items)
 - short duration (seconds)
 - Memory span, Brown-Peterson

15

Pizza

- The Little Caesar’s in W. Lafayette used to have a game where you could win a pizza
 - must repeat a sequence of flashing lights (changes every time)
 - The sequence gets longer until you make a mistake
 - need a sequence length >7 to win much
 - Counts number of correct button presses
 - 56 (sequence of 11 buttons): win a soft drink
 - 110 (sequence of 15 buttons): win crazy bread
 - 210 (sequence of 20 buttons): win pizza
 - nearly impossible with STM properties

16

Modal Model of Memory

- Atkinson & Shiffrin (1968)
- Multiple stages of memory
- STM plays a dominant role in active memory
- Requires transfer between STM (STS) and LTM (LTS)

17


Modal Model of Memory

- When something is memorized
 - Items are first held in STM (temporary store)
 - Items may transfer to LTM (permanent store)
 - Takes time to transfer

18

Free Recall Serial Position Curve


- Given almost any list of items
- Subjects remember the first and last few items best (free recall, not immediate serial recall)



19

Serial position curve


- The effect of position is robust across many types of lists
 - words
 - letters
 - numbers
 - pictures...
- Here's the CogLab data
 - (124 subjects)
- Demo



20

Serial position curve

- In some situations the serial position curve can be explained by different properties of STM and LTM



21

Conclusions

- Short Term Memory (STM)
- Long Term Memory (LTM)
- STM / LTM distinction is one of the strongest conclusions of cognitive psychology
- Accounts for quite a bit of data
- Many details are unresolved

22

Next time

- Expansion of STM into
- Working memory
 - central executive
 - phonological store
 - visuo-spatial sketchpad
- CogLab on Sternberg search due!
- *Why there is a gate at the first floor stairway in the Psych building.*

23

Working memory

PSY 200
Greg Francis
Lecture 15

Why there is a gate at the first floor stairway in the Psych building.

Purdue University

1

Modal Model of Memory

- Atkinson & Shiffrin (1968)
- Today we focus on the Short-term store (Short term memory)

Purdue University

2

Search of memory

- How is memory searched?
 - Sternberg hypothesized three types of searches
- Explore by varying the number of items in memory set (similar to visual search experiments)
 - measure reaction time
 - Sternberg (1969)

Purdue University

3

Types of searches

- (1) *parallel*: target item is compared to all the items in memory at the same time
 - the answer (yes or no) is returned after all items have been checked

Purdue University

4

Types of searches

- (1) *parallel*: target item is compared to all the items in memory at the same time
 - the answer (yes or no) is returned after all items have been checked

Purdue University

5

Memory search

- If *parallel search*
 - number of items does not matter
 - Yes and No responses are both flat

Set size	YES Reaction time (ms)	NO Reaction time (ms)
1	~400	~400
2	~400	~400
3	~400	~400
4	~400	~400
5	~400	~400
6	~400	~400

Purdue University

6

Types of searches

- (2) *serial terminating*: target item is compared to each item one after the other
 - the answer (yes or no) is returned after the target is found or all items are searched

Purdue University

7

Types of searches

- (2) *serial terminating*: target item is compared to each item one after the other
 - the answer (yes or no) is returned after the target is found or all items are searched

Reaction time is faster for a yes response

Purdue University

8

If self-terminating search

- Go through items one-by-one until find target
- RT increases with set size
 - YES RT's shorter than NO RT's
- Lines have different slopes

Purdue University

9

Types of searches

- (3) *serial exhaustive*: target item is compared to each item one after the other
 - the answer (yes or no) is returned after all items are searched (regardless of whether target is found or not)

Purdue University

10

Types of searches

- (3) *serial exhaustive*: target item is compared to each item one after the other
 - the answer (yes or no) is returned after all items are searched (regardless of whether target is found or not)

Reaction time is the same for a yes response as for a no response

Purdue University

11

If exhaustive search

- Go through every item and then report answer
- RT's increases with set size
 - YES RT increases the same as NO RT's
- Lines are parallel

Purdue University

12

Hypothetical searches

- So, we have three hypothetical ways of searching STM
 - They predict very different patterns of reaction time as a function of memory set size
- Sternberg runs the experiment to see how the data comes out
 - You ran a version of the experiment in CogLab

Purdue University

13

Search of memory

- Sternberg's data support *exhaustive search*
- Here's the CogLab data (153 participants)

Memory Set Size	Present (ms)	Absent (ms)
1.0	~650	~700
3.0	~750	~800
5.0	~850	~900

Purdue University

14

Search of memory

- Implications: Search of STM
 - 1) is serial, one item at a time
 - » and checking each item takes approximately the same length of time
 - » Approximately 40 milliseconds (CogLab data is a bit slower, 49 milliseconds)
 - 2) is exhaustive
 - » search always goes through *all* items

Purdue University

15

Search of memory

- These results were a bombshell in 1969
 - finer analysis of cognition than anyone expected was possible
 - used a thought experiment about different types of searches to generate precise testable predictions about cognition
 - » subsequent research found that there were other types of searches that complicate the conclusions
 - counter-intuitive finding
 - » why should search be *exhaustive*?
 - » seems inefficient!

Purdue University

16

Interpretation

- Exhaustive search makes sense if search of STM is done by some process that is
 - very efficient (can search very quickly)
 - dumb (doesn't bother to stop itself)
 - initiated by some other system (a controller)

Purdue University

17

Controller


- Controlling attentional system
 - supervises
 - coordinates
 - starts and stops relatively independent processes
- e.g.
 - Search short term memory
 - Search long term memory
 - walking down stairs
 - gate in psychological sciences building
 - Doors

Purdue University

18

Other aspects of STM


- At about the same time, another study indicated important characteristics of phonological and visuo-spatial systems
- Brooks (1968)
 - ♦ two types of tasks (visuo-spatial and phonological)
 - ♦ two types of responses (visuo-spatial and phonological)
- Identifies two types of systems that are relatively separate


Purdue University 

19

Separate systems

- A complicated experiment
- Part 1: spatial mental task (diagrams)
 - ♦ visual imagery
 - ♦ classify corners (top or bottom corner?)
 - ♦ "yes" if top or bottom
 - ♦ "no" if not top or bottom





Purdue University 

20

Separate systems

- Part 2: verbal mental task
 - ♦ read sentence
 - ♦ categorize words (noun or not?)





Purdue University 

21

Two response types

- Either
 - ♦ verbally
 - ♦ spatially




Purdue University 

22

Results

- Measure time to finish mental task for each response type
 - ♦ diagrams -- pointing
 - ♦ sentence -- pointing
 - ♦ diagrams -- verbal
 - ♦ sentence -- verbal


Purdue University 

23

Results

- Results
 - ♦ when you have to respond by pointing, it is easier to work with sentence information than diagram information
 - ♦ when you have to respond verbally, it is easier to work with diagram information than sentence information

		Mental task	
		Diagrams	Sentences
Response task	Pointing	28.2s	9.8s
	Verbal	11.3s	13.8s

Purdue University 

24

Significance

- The results suggest that there are two relatively separate systems
 - one deals with visuo-spatial information and must do the pointing response and mental diagram task
 - one deals with verbal information and must do the spoken response and the sentence task

Diagrams
Pointing

Visuo-spatial
information

Verbal
information

Sentences
Verbal

Purdue University

25

Interference

- These systems have only limited resources and capabilities
- Asking a system to do two things at once (e.g., pointing and mental diagram) slows down the system
- Splitting responsibilities across the systems (e.g., spoken response and mental diagram) can be done quickly

Diagrams
Pointing

Visuo-spatial
information

Verbal
information

Sentences
Verbal

Purdue University

26

All together now

- Sternberg's study suggests the existence of a "controller" that tells other systems what to do
- Brook's study suggests separate systems that deal specifically with visuo-spatial and verbal information, respectively
- Baddley (1986) put these ideas together into a model of working memory

Purdue University

27

Working memory

- Current thought, awareness
 - extension of short-term memory
 - small capacity
 - rapid forgetting
- Processor of information
 - not a storage device
 - hypothesizes mechanisms that lead to memory properties

Purdue University

28

Conclusions

- Sternberg's study
 - controller system
- Brook's study
 - separate visual and verbal systems
- Baddley's working memory model
 - Central executive
 - Visuo-spatial sketchpad
 - Phonological loop

Purdue University

29

Next time

- Properties of phonological loop
- Data
 - phonological similarity effect
 - articulatory suppression
 - word length effect
 - irrelevant speech effect
- CogLabs on Memory span and Phonological similarity due!
- A problem with IQ tests.

Purdue University

30

Working memory


PSY 200
 Greg Francis
 Lecture 16
A problem with IQ tests.

Purdue University

1

Working memory

- Current thought, awareness
 - ♦ extension of short-term memory
 - ♦ small capacity
 - ♦ rapid forgetting
- Processor of information
 - ♦ not a storage device
 - ♦ hypothesizes mechanisms that lead to memory properties




Purdue University

2

Phonological loop

- Two components
 - ♦ Articulatory control process (ACP)
 - » converts non-speech information into speech code
 - » rehearsal / refresh
 - ♦ Phonological store (PS)
 - » similar to how we first described STM (items decay from memory)
 - » Refresh restarts the decay process




Purdue University

3

Loop capacity

- How many items can be kept in the phonological loop?
- Depends on two factors
 - ♦ Duration before decay from PS
 - ♦ Speed of rehearsal
- Spinning coins!



Purdue University

4

Magic number?


- We earlier noted that memory span was about 7 items (+/- 2)
- The phonological loop suggests that it is not the *number* of items but their rehearsal duration
- To recall a list of items you must rehearse them *all* before any of them fade
 - ♦ The duration of decay in the PS
- Memory span should follow the equation
 - ♦ $Span = (Rehearsal\ Rate) \times (PS\ decay\ time)$
- Measure memory span (s): around 7 items
- Measure verbal rehearsal rate (r): around 4 items per second for English speakers
- Estimate duration of decay in PS (d)
 - ♦ $d = 1.75\ seconds$

Purdue University

5

Effect of rehearsal rate

- Capacity of the phonological loop depends on the rate of rehearsal (r)
- A set of items that takes *longer* to rehearse should be *harder* to remember
 - ♦ more likely that some items will drop out before you get back to the first item



Purdue University

6

Effect of rehearsal rate

- Explains differences across groups of people
- Age effects in children
 - Hitch, Halliday & Littler (1989)
- This implies that it is not the loop size that changes with age, but the rate of rehearsal

Span=1.68(Oral Reading Rate)+0.71

Purdue University

7

Word length effect

- Memory span is related to the length of words
 - Number of syllables
- Nicely matched by changes in reading speed
 - Rate of rehearsal

Figure 2.5 The relationship between word length, reading rate, and recall. Long words take longer to rehearse and also produce lower memory spans. From Baddeley, Thomson, and Buchanan (1975). Copyright © Elsevier. Reproduced with permission.

Purdue University

8

CogLab data

- The CogLab experiment on memory span shows data in agreement with our expectations (169 subjects)

Purdue University

9

Language effects

- Some languages are spoken more quickly than others
- Should allow larger memory span
 - it does

Purdue University

10

Relation to IQ

- Ellis & Henley (1980)
 - investigated complaints about WISC intelligence scores
 - Welsch children tended to score lower than English children
- Part of the exam checks memory span
 - and the slower rate of speech in Welsch partly explains the difference
 - bilingual Welsch students tested in English got better scores than when tested in Welsch

Purdue University

11

Articulatory suppression

- Subject sees (hears) a list of phonemes
- Also repeats a phrase over and over
 - e.g., "tippy-toe, tippy-toe, tippy-toe,..."
- Recall is worse
 - True for both auditory and visual presentation
 - (Recall for visual may be better than auditory because there is some information in the visuospatial sketchpad as well)

Purdue University

12

Articulatory suppression

- Repeating phrase ties up the ACP
 - Without rehearsal more forgetting occurs

Purdue University

13

Phonological similarity

- Memory of a list of items is worse when the items sound the same

Purdue University

14

Phonological similarity

- All items are stored in phonological loop
 - similar sounding items interfere with each other in the phonological loop
 - two possibilities:
 - 1) harder to rehearse (effect in the ACP)
 - 2) fade more quickly (effect in the PS)

Purdue University

15

Phonological similarity

- All items are stored in phonological loop
 - similar sounding items interfere with each other in the phonological loop
 - two possibilities:
 - 1) harder to rehearse (effect in the ACP)
 - 2) fade more quickly (effect in the PS)

Purdue University

16

Locus of similarity effect

- Studies find a phonological similarity effect for auditory stimuli under articulatory suppression
 - We suggested two possibilities:
 - 1) harder to rehearse (effect in the ACP)
 - 2) fade more quickly (effect in the PS)
- Since the phonological similarity effect is there even when the ACP is not involved, it must be possibility 2 (in the PS)

Purdue University

17



CogLab data

- The CogLab experiment on phonological similarity shows data in (somewhat) agreement with our expectations (161 subjects)
 - Ideally want parallel lines

Purdue University

18

Irrelevant speech effect

- Does irrelevant “background” sound affect memory?
 - ♦ E.g., studying with the TV on
- Three groups of subjects recall consonants
 - ♦ 1) no background  **best**
 - ♦ 2) background = nonsense words  **worst**
 - ♦ 3) background = noise bursts

Purdue University



19

Irrelevant speech effect

- The presence of *phonemes* in the background is critical to the effect
 - ♦ strong effect when background is spoken in German, even for English speakers
- Suggests that background phonemes interfere in the PS
- Study with classical music if you need something!

Purdue University



20

Conclusions

- Data accounted for by phonological loop
 - ♦ word length effect
 - ♦ phonological similarity
 - ♦ articulatory suppression
 - ♦ irrelevant speech effect
- Don't listen to lyrical music while studying
 - ♦ Classical music is fine

Purdue University



21

Next time

- Review for Exam 2
- After exam 2
- Encoding specificity
- CogLab on Encoding specificity due
- *What to do if you are drunk while studying for an exam.*

Purdue University



22

Encoding specificity

PSY 200
Greg Francis
Lecture 17

What to do if you are drunk while studying for an exam.

Purdue University

1

Context

- The context within which you learn and recall can have a profound impact on your memory
 - e.g., part-set cueing
 - given part of a set that has been learned, subjects recall *fewer of the remaining items* than with normal free recall
 - Interference of recall
 - » Have to keep checking if an item you recall is already on the list
- Demonstration

Purdue University

2

Context

- The effect of part-set cueing suggests that to measure memory you must consider the conditions at test
 - Memory is more often about *discrimination* of memory traces and not about the *strength* of memory traces
 - Similar to visual search experiments

Feature search

Conjunctive search

Purdue University

3

Context

- But memory is not exactly the same as visual search
- Information must be encoded in memory as well as recalled
 - Such encoding can alter what features are stored as part of the memory
 - Which changes the discrimination of subsequent recall
- It turns out, that to maximize recallability
 - the effort and conditions at the time of learning must be consistent with the properties and conditions of the test
- Encoding specificity principle*

Purdue University

4

Representative study

- Subjects in two groups
 - see the same words, but have different tasks
 - This changes the *encoding* of information in memory

Semantic judgement

CHEESE

The man threw the ball to the _____.

Rhyme judgement

CHEESE

SNEEZE

Purdue University

5

Test

- Each group is then split into two subgroups that vary in the *recall* of information
 - 1) Normal recognition task
 - 2) Shown a word and asked if any of the target words rhymed with this word


Recognition test	Semantic	Rhyme
Standard	8	5
Rhyme	3	4

Purdue University

6

Significance

- It is not that one learning strategy is better than the other
 - or that one testing strategy is better than the other
- Encoding (learning) of information and recall of information need to match
- This means it is very difficult to test for absolute memory
 - subject's performance depends on *many* factors


Purdue University 

7


Encoding specificity


- Memory is better when the cues available during recall match the cues available during encoding
 - Tulving & Osler (1968)

Cue



No cue




Purdue University 

8


Encoding specificity


- Each group split into two groups for testing recall
 - cue is *always* related to target word

Cue



No cue




Purdue University 


9

Encoding specificity

- Results
 - cue does not always help



Test display	Study no cue	Study cue
No cue	11	8
Cue	9	15


Purdue University 

10


Encoding specificity


- CogLab has a variation of this experiment
- Instead of cue-no cue, we used strong or weak cue (48 word pairs to study)

Weak cue



Strong cue




Purdue University 

11


Encoding specificity

- Class results (170 participants)
 - Best recall when test with same cue as at study



Study Cue	Test Cue: Weak	Test Cue: Strong	Lure
Weak	0.68	0.60	-
Strong	0.52	0.70	-
Lure	-	-	0.80


"Lure" is a word that was not studied

Purdue University 


12

Surrounding context

- Deep-sea divers learn words (Godden & Baddeley, 1975), either
 - ♦ on land (dry)
 - ♦ under water (wet)



EAGLE
HEALTH
WHEEL
BOOK
...




EAGLE
HEALTH
WHEEL
BOOK

Purdue University

13

Surrounding context

- Test for recall on land (dry) or under water (wet)



Recall context	Dry (Number of words recalled)	Wet (Number of words recalled)
Dry	13	8
Wet	8	11

Purdue University

14

Significance

- Decompression tables for divers
 - ♦ want to remember when under water
 - ♦ generally study while on land
- Researchers working under water have difficulty recalling their details on land
 - ♦ E.g., counts of species
- How do you know if something is forgotten?
 - ♦ changing context may allow subject to recall seemingly forgotten information
 - ♦ forgetting = retrieval problem?

Purdue University

15

Forgetting


- Forgetting is not always a characteristic of a memory system, or your brain
 - ♦ although it could be in some cases, it is not always
- Forgetting *must* be defined operationally
 - ♦ specify the task and context of retrieval
 - ♦ You can never be certain that if you are placed in a different context you will still show forgetting

Purdue University

16

Internal context

- Goodwin et al. (1969)
- Subjects drink 10 oz. 80 proof vodka, mixed in sugar-free lemon-lime drink
 - ♦ or a similar tasting drink (bit of vodka on top of drink)
- Test memory 24 hours later
- Subjects are either:
 - ♦ Sober at study, sober at test
 - ♦ Drunk at study, sober at test
 - ♦ Sober at study, drunk at test
 - ♦ Drunk at study, drunk at test




Purdue University

17

Internal context

- Best recall if study and test states are the same
 - ♦ Similar effects for marijuana cigarettes (Eich et al., 1975)



Test state	Sober (Number correct)	Intoxicated (Number correct)
Sober	7	6
Intoxicated	4	6

Purdue University

18

Testing

- So, if you are intoxicated while studying for an exam
 - ♦ and you didn't study before
- You should be intoxicated while taking the exam

Purdue University

19

Mood

- Mood has a similar effect (Eich et al, 1994)
 - ♦ Mood induced by music and directed thoughts



Test mood	Happy (Study mood)	Sad (Study mood)
Sad	~23%	~33%
Happy	~35%	~28%

Purdue University

20

Classrooms

- Is memory better when you are tested in the same room as lectured?
 - ♦ significant for final exams!
- Smith et al. (1978)
 - ♦ Subject studied words in one of two contexts (on separate days)
 - ♦ Varied classroom and dress of experimenter

Purdue University

21

Classrooms

- Subjects recall all words either in the context of Day 1 or Day 2 (different contexts for different subjects)
- Recall was best for words that were studied in the test context

Test context	Day 1 (Study context)	Day 2 (Study context)
Day 1	~68%	~55%
Day 2	~42%	~70%

Purdue University

22

Conclusions

- Context
- Encoding specificity
 - ♦ memory best if study and test are similar
- Cues
- Environment
- State
- Mood
- Classrooms

Purdue University

23

Next time

- Discrimination in memory
- Proactive interference (PI)
- Release from PI
- CogLab on False memory due!
- *How to take a test.*


Purdue University

24

Memory discrimination

PSY 200
 Greg Francis
 Lecture 18




How to take a test.


Purdue University 

1

Discrimination

- Many cognitive tasks require you to discriminate between events/stimuli
 - Is this a real smile?
 - Is this fruit ripe?
 - Is there a stapler on the desk?
- The same kind of discrimination is required for memory






Purdue University 

2

Discrimination


- Discrimination is difficult because memories can come from lots of different sources
- Consider so-called “False memory” studies
 - as in CogLab
 - subject views a list of words
 - the list of words have something in common
 - » they are all related to a *target* word

Purdue University 

3

False memory

- An example list is
 - *smooth, bumpy, tough, road, sandpaper, jagged, ready, coarse, uneven, riders, rugged, sand, boards, ground, gravel*
 - the special target is *rough*, which is not shown to the subject
- After viewing the list, the subject must go through a set of words and identify which ones were in the just seen list
 - some words were in the list
 - some words were not seen
 - » including the special target


Purdue University 

4

False memory

- The main finding is that the special target is often identified as part of the just seen list
 - even though it was not
- Sometimes people will even report that they recall “seeing” the special target
 - but this is impossible because it was never shown
- CogLab data (163 participants)


Type of selected items	Percentage of recalls
• In original list	78.5
• Normal distractor (not in list)	7.9
• Special distractor (not in list)	78.5

Purdue University 

5

False memory

- These types of findings suggest that our memories are
 - not necessarily accurate, we can remember things that never occurred
 - able to be manipulated, to a certain extent, I can make you have certain memories
- Why does the false memory effect happen?

Purdue University 

6

False memory

- With every to-be-remembered item you store some information, but not only information about the item
 - Other information is automatically generated as well
 - smooth, bumpy, tough, road, sandpaper, jagged, ready, coarse, uneven, riders, rugged, sand, boards, ground, gravel*

Memory: Item 1

smooth

rough

baby

Memory: Item 2

bumpy

smooth

rough

baby

road

Memory: Item 3

bumpy

smooth

rough

tough

baby

nails

road

Purdue University

7

False memory

- At the end of the trial, you have a lot of items in memory that are related to the list
 - Some of them are items that were actually on the list and some of them are items that were "generated" but not actually on the list
 - Reporting all items from memory is not going to lead to good performance
 - Both types of memory items are real, but only one type matches the physical stimuli
- Good performance on this task requires *discrimination* between memories generated by physical stimuli and memories generated by internal processes
 - Source monitoring

Memory

Purdue University

8

Discrimination

- Good memory recall usually requires not only recall of an item from memory
- You also must identify the correct item relative to the appropriate context or time frame
 - The current trial
 - The context of the experiment
 - Relative to an earlier event
 - At a particular moment in time

Purdue University

9

Interference

- Retroactive interference (RI)
 - new information prevents recall of previous information
 - e.g., Overwriting a computer file.
- Proactive interference (PI)
 - prior learning prohibits new learning
 - e.g., Learning new cultural customs.

Purdue University

10

Proactive interference

- May be due to a variety of effects
 - One is that memory involves discriminating new from old
- Visual memory
 - See a set of photos
 - Then see a test photo and decide if new or old

Memory: Trial 1

Memory: Trial 2

Memory: Trial 3

Purdue University

11

Proactive interference

- Suppose you see this building as the test on the third trial
 - You have a match in memory, but is from trial 1, not trial 3
 - You may report it having been shown in trial 3
- In general, previous trials make memory discrimination more challenging

Memory: Trial 1

Memory: Trial 2

Memory: Trial 3

Purdue University

12

Proactive interference

- One finds proactive interference for lots of memory tasks
- CogLab serial position experiment
 - I looked at recall of the *first* letter in each list, averaged across all students

Purdue University

13

Proactive interference

- One finds proactive interference for lots of memory tasks
- False memory experiment
 - I looked at recall identification of the normal words in the list

Purdue University

14

Proactive interference

- Inference does not happen for *all* experiments
 - Just those related to memory
- Partial report experiment (first 12 trials had the cue *before* the letter matrix – to give you practice)

Purdue University

15

Proactive interference

- Inference does not happen for *all* experiments
 - Just those related to memory
- Attentional Blink experiment (detection of the first letter in the stream)

Purdue University

16

Release from PI

- Proactive interference weakens for different stimulus types
- Run two Brown-Peterson type experiments

Control		Experimental
XJF	Trial 1	XJF
WRM	Trial 2	WRM
DBL	Trial 3	DBL
NRX	Trial 4	942

Purdue University

17

Release from PI

- Trials 1-3 show build up of PI
- Experimental group shows *release* of PI on Trial 4

Purdue University

18

Release from PI

- Works for many kinds of memory tasks
- Many kinds of stimuli

5, 7, 9, 1
vs
5, 7, 9, HAND

NICE, SUNNY, ENJOY, PUPPY
vs
NICE, SUNNY, ENJOY, KILL

News stories

D, D, D, D
vs
D, D, D, F

Purdue University

19

Memory system

- Every memory system must have at least two components/processes
 - Storage
 - retrieval
- We have described proactive interference as being due to difficulty discriminating new items from previous items
- But there is an alternative explanation
 - Proactive interference might prevent items from being stored and thereby make them unrecalable

Purdue University

20

Working memory

- For example, working memory has a storage interference hypothesis for the phonological loop
- Working memory suggests that interference can occur
 - by blocking ACP rehearsal (articulatory suppression, Brown-Peterson task, word length effect)
 - within the PS when items sound similar (phonological similarity effect)
 - both of these interference types block the *storage* of items (items fall out of the loop)

Purdue University

21

Testing models

- Test storage vs. recall of PI by changing instructions *after* the list is presented
- Experiment
 - stimuli are names of indoor and outdoor games
 - subjects usually do not notice that word on the fourth trial is an *indoor* game and others are *outdoor* games
- Take two groups of subjects
 - one has traditional PI type experiment
 - one is told of difference on fourth trial, at the time of test

Trial 1	FOOTBALL
Trial 2	SOCCER
Trial 3	BASEBALL
Trial 4	★ WALLYBALL

Purdue University

22

Interference at recall

- If PI prevented the last item from being *stored* your telling a subject that the fourth item was an indoor sport, should make no difference (other than guessing)
 - but it makes a big difference, they show release from PI

Trial	Not told (%)	Told (%)
1	~90	~90
2	~80	~85
3	~75	~80
4	~65	~85

Purdue University

23

How to take a test

- Avoid PI
- Answering successive questions on the same topic hurts recall
 - after answering unrelated questions
 - go back to questions you cannot answer
 - less proactive interference
 - should recall more

Purdue University

24

Conclusions

- Discrimination
- Retroactive interference
- Proactive interference
- Release from PI
- Strong effects
- Knowing about can help in everyday tasks

Purdue University



25

Next time

- Constructive memory
- Flashbulb memories
- Memory misattribution
- Misleading questions

- *How good is eye-witness testimony?*

Purdue University




26

Constructive memory


PSY 200
 Greg Francis
 Lecture 19

How good is eye-witness testimony?

Purdue University 

1


Memory test

Purdue University 

2

Discrimination


- The task is difficult because you have to do several things
 - Recall information that might be related to the task from memory
 - Determine if the memory is actually for the correct event
 - Determine if the memory is actually for the correct moment in time
 - Gauge your confidence in the memory's validity
- All of this suggests that performance on a memory task involves discriminating information
- To address the discrimination problem, people engage in a *constructive process* to report memories


Purdue University 

3

No forgetting?

- Brain surgeon (Penfield, 1959)
 - Epilepsy patients
 - stimulate brain regions before operating
 - want to know what is being removed
- Conscious patients report vivid memories
 - unable to recall normally
 - » "she saw herself as she had been while giving birth to her baby."
 - stimulation of temporal lobes
- In the image, numbers indicate places where stimulation evoked different reported experiences





Purdue University 

4

No forgetting?

- Suggests that memories are stored but normally unreachable (context things again)
- Basis for ideas of memory repression (and a few self-help books)
 - The results are usually misunderstood
 - Actually only occurred for 5% of patients




Purdue University 

5

Penfield (1959)

- Even worse...
 - the memories are nearly impossible to verify
 - the few attempts find that the "memories" are not true
 - » people describe places they have never visited, impossible events, fantasy,....
 - The patients have epilepsy
 - » Stimulation may have triggered something like an epileptic seizure (which can have hallucinations)
- It is more likely that stimulation "feels like" a memory, even though it is not
 - your awareness of "remembrance" is a product of your brain
 - it can be stimulated, even without a real memory
- What do we mean by a valid **memory**?

Purdue University 

6

Flashbulb memories

- Highly emotional events tend to produce strong memories
- e.g.
 - JFK assassination
 - Challenger explosion
 - Oklahoma City bombing
 - Earthquakes
 - September 11, 2001
 - ...





Purdue University

7

Flashbulb memories

- People *vividly* recall details surrounding event
 - where they were when they heard
 - what people said
 - clothing worn
 - time of day...
- People are *confident* about their reports
 - however...

THE FAR SIDE




More facts of nature: All forest animals, to this very day, remember exactly where they were and what they were doing when they heard that Bambo's mother had been shot.

Purdue University

8

Flashbulb memories

- Talarico & Rubin (2003)
- On *September 12, 2001*
- Asked volunteers to answer questions about their memory of
 - The WTC attack
 - An ordinary event (volunteer's choice)
- Three groups for follow up
 - 7 days later
 - 42 days later
 - 224 days later
- Recalling of details was the same for WTC attack and ordinary event




Number of days	Flashbulb	Everyday
1	~11	~12
7	~9	~11
42	~7	~10
224	~6	~9

Purdue University

9

Flashbulb memories

- The memories of the WTC attack were more vivid
- Subjects believed those memories were more likely to be reliable
- Ordinary memories
 - Faded in vividness
 - Belief decreased over time



Number of days	Flashbulb Belief	Flashbulb Vividness	Everyday Belief	Everyday Vividness
1	~5.5	~5.2	~4.8	~4.5
7	~5.4	~5.1	~4.6	~4.3
42	~5.6	~5.3	~4.4	~4.1
224	~5.2	~5.0	~4.2	~3.8

Purdue University

10

Flashbulb memories

- Subjects *confidence* in their memory can be misleading
 - retelling of the story ("I remember vividly when Kennedy was shot. I was...") probably reinforced the *story*
 - Maybe not the true memory
- Flashbulb memories are a real phenomenon about the *experience* of memory,
 - but probably not "super-memory"

Purdue University

11

Memory misattribution

- Donald Thomson was accused of rape and picked out of a lineup by the victim (Schacter, 1996)
- He was on live TV at the time of the rape
 - Ironically, he was discussing memory of faces for eyewitness testimony
- The victim
 - had the TV on at the time of rape
 - misattributed the face on TV for the face of her attacker
 - very accurate report of the crime, otherwise

Purdue University

12

Eyewitness testimony

- I will show you a series of slides and then ask you some questions

Purdue University

13



14



15



16



17



18



Purdue University

19



Purdue University

20



Purdue University

21



Purdue University

22

Questions

- Did the bus, which came by, come from the left or the right?
- Did another car pass the Red Datsun while it was at the intersection with the stop sign?
- Did you see a bicycle?
- Did you see the taxi cab?
- Did you see if the policeman wrote anything down?

Purdue University

23

Eyewitness testimony

- Later, show slides and ask subjects if they were part of the original set
- Key test is for a pair of slides (between subjects)
 - real slide contains YIELD sign
 - fake slide contains STOP sign




Purdue University

24

Eyewitness testimony


- “Misinformation effect”
 - Loftus & Palmer (1974)
- Compare accuracy according to pre-test questions
 - Subjects without a misleading question--90% accurate
 - Subjects with a misleading question -- 20% accurate
 - In a follow-up, the experimenters asked those with misleading questions if they thought they were misled
 - » 90% say no
- Paying money for correctness also had no effect

Purdue University 


25

Eyewitness testimony

- Loftus, Miller & Burns (1978)
- The misinformation effect gets stronger with a week delay before the memory test




Types of questions	Delayed (Percentage correct)	Immediate (Percentage correct)
Consistent	~70	~70
None	~55	~65
Misleading	~30	~45

Purdue University 

26

Memory implants


- Loftus has a procedure that “implants” a memory of being lost in a mall
 - Basically just have subject read a plausible story (with some details that could be true)
 - Get family members to pretend the story is true
 - Later the subject “remembers” the story as something that happened to him/her
- It is very easy for a therapist to “implant” false memories into patients

Purdue University 

27

Conclusions


- Many techniques believed to provide accurate memories, do not
 - flashbulb memories
 - brain stimulation
- Memory is constructive
- Memories can be easily influenced by questions, interpretation, and context

Purdue University 

28

Next time

- Amnesia
- Anterograde amnesia
- Retrograde amnesia
- Unusual characteristics
- Repression
- CogLab on Forgot it all along due.
- *What’s wrong with my wife?*

Purdue University 

29

Amnesia

PSY 200
Greg Francis
Lecture 20

What is wrong with my wife?

Purdue University

1

Fundamental fact

- There is no method other than object physical evidence to verify the accuracy of a memory
- Memory is a cognitive *experience*
 - ♦ Confidence in the memory is another cognitive *experience*
 - ♦ You can be very confident and still be wrong
- Of course, we must be correct fairly often, or our lives would be a total mess!

Purdue University

2

Amnesia

- Loss of memory or memory abilities
 - ♦ retrograde: forgetting events prior to the injury
 - ♦ anterograde: forgetting events after the injury
- In most cases amnesia is limited in scope and duration
 - ♦ like when my brother Joe slipped while playing frisbee

Purdue University

3

Amnesia

- Scope and duration
- Retrograde amnesia for one patient

Purdue University

4

What's wrong with my wife?

- Nothing!

- But she cannot remember anything before her senior year in high school
 - ♦ motor cycle accident
 - ♦ complete *retrograde* amnesia

Purdue University

5

An unusual case

- Side issues
 - ♦ Sense of smell
 - ♦ Mild anomia
 - ♦ Odd aphasia (language deficit)
- She *is* able to learn and remember new information
- Remarkably unaffected by the loss of memories
 - ♦ Personality
 - ♦ Parents
 - ♦ college
 - ♦ makes study of retrograde amnesia difficult

Purdue University

6

What is lost?

- How can someone who loses their childhood memories go to college the next year?
 - ♦ memories cannot be “wiped clean”
 - ♦ perhaps they are just not directly accessible
 - ♦ forgetting = recall problem?

Purdue University



7

What is lost?

- More generally,
 - ♦ while patients with retrograde amnesia forget their names, parents, addresses,...
 - ♦ they do **not** generally forget how to walk, talk, solve problems
 - » Although they may have problems...
 - ♦ Different types of memory systems
 - » controversial!


Purdue University



8

Memory systems


- There are many different types of memory
- Amnesia seems to affect declarative more than nondeclarative memory



9

Anterograde amnesia

- Some patients have amnesia that preserves past memories but prevents formation of *new* memories
 - ♦ many are long-time alcoholics who did not eat properly
 - » which leads to a thiamine deficiency
 - » which leads to Korsakoff’s syndrome
- Leonard in *Memento*



Purdue University



10

Patient HM

- Surgery on hippocampus (to control epilepsy)
- anterograde amnesia
 - ♦ unable to learn anything new
- Thought it was 1953
 - ♦ shocked by age of face in his mirror
 - ♦ Could not stand to read newspapers
 - ♦ reintroduced himself to doctors, nurses,...
- *Could* carry on a conversation!


Purdue University



11

Anterograde amnesics


- Fairly normal STM digit span (~7 items)
- But very difficult to extend digit span
 - ♦ how many trials to repeat back list correctly?



Purdue University



12




13

Patient HM

- Could learn some things!
 - E.g., location of hospital cafeteria
 - E.g. mirror drawing task


14



15

- ### Amnesia-like memory
- Some aspects of memory seem very much like amnesia
 - infantile “amnesia”
 - repressed memories
 - Careful studies are difficult to come by because the memories (and absence thereof) must be verified
 - remember the “fundamental fact” at the start of today’s lecture

16




17

- ### Infantile amnesia
- Reason is unknown, but the best theory goes like this...
 - children younger than 4-years-old view the world differently from adults
 - by encoding specificity, one needs to be in a similar state as study to best recall something
 - adults are very different from children, and this prevents recall of early memories

18

Repression


- Psychotherapists (e.g. Freud) suggested that infantile amnesia occurred because much of childhood is filled with painful events and memory of the pain is prevented by psychological defense mechanisms (repression)
- This is very unlikely
 - ♦ people do remember painful events well
 - ♦ laboratory studies find no evidence of repressed memories

Purdue University 

19

Repression


- In a laboratory, showing evidence of repression requires
 - ♦ being unable to remember something
 - ♦ being able to recover the memory through therapy
 - ♦ proving that the recovered memory is accurate

Purdue University 

20

Repression

- In therapy, clinicians often claim evidence of repression with
 - ♦ dream interpretation
 - ♦ patterns in symptoms
 - ♦ recovering a memory through hypnosis
- None of these techniques demonstrate a verified memory
- Among carefully controlled memory research, there is no evidence of repression!

Purdue University 



21


Discovered memories

- However, it is possible for information that was once known to be forgotten and then (re)discovered
- CogLab's Forgot it all along experiment demonstrates this property
- Phases I and II are like an encoding specificity experiment

Study with cue

Test with same or different cue


Purdue University 

22

Discovered memories


- Phase III: judge your memory for an item in phase II
- We only care about the items that you correctly recalled in Phase II

Did you recall the upper case word?
(same or different cue)



cup-DESK

pan-DESK


Purdue University 

23


Discovered memories

- Results:
- Phase II (cued recall): encoding specificity effect
- Phase III (memory judgment): remembering recall is also affected by cue type
- Thus, it is possible to forget that you remembered, and a change of cue would allow you to "recover" a forgotten memory

Class data
172 participants



Type of Test	Same Cue Word	Different Cue Word
Cued Recall	~0.65	~0.45
Memory Judgment	~0.80	~0.60

Purdue University 

24

Conclusions

- Retrograde amnesia
- Anterograde amnesia
- Learning in anterograde amnesics
- Infantile amnesia
- Repression

Purdue University



25

Next time

- Encoding specificity
- Levels of processing (CogLab due!)
- Judgments of learning
- Practice testing
- Learning styles
- *How to improve your memory without spending \$20.*

Purdue University




26

Improving memory

PSY 200
Greg Francis
Lecture 21



How to improve your memory without spending \$20.


Purdue University 

1

Memory

- We seem to be unable to control our memories
 - learn things we don't want to remember
 - unable to learn things we want to remember
- Is there any reliable cue that something will be remembered?
 - no
 - but there are several tricks you can use to improve memory in certain situations







Purdue University 

2

Encoding specificity

- We know that memory is best when study and test contexts are similar
 - For example, testing in the study classroom
- But variability in study promotes more general recall
 - Smith et al. (1978)
 - Subjects studied words twice: either in same context or different contexts (3 hour interval between contexts)





Purdue University 


3

Encoding specificity

- Test subjects in a neutral context (after another 3 hour interval)
- Look at proportion correct recall
 - Highest with variable study contexts
- Advice: if you want to remember something in lots of contexts, study in lots of contexts



Session 2 Context	Session 1 Learning context	
	Classroom 1	Classroom 2
Classroom 1	0.41	0.69
Classroom 2	0.53	0.39

Purdue University 

4

Study style


- Time spent studying is also "context" for memory retrieval
- Generally, more study leads to better memory
- Style of study matters too
 - distributed practice is better than massed practice
 - avoid cramming!
 - true for many skills

3 hours

1 hour

1 hour

1 hour


Purdue University 

5

Level of processing

- Memory can be influenced by *depth of processing* at the time of study
 - Craik & Tulving (1975)
- Subjects observe words with associated tasks

question	YES	NO
In capital letters?	BOOK	book
Rhyme with thing?	spring	sprint
Synonym for heavy?	bulky	brown

Purdue University 

6

Level of processing

- Recall is better as *depth* of processing increases
 - More distinctive memories are created, which helps subsequent recall
 - By varying depth of processing, you can construct memories that are more likely to be recalled

Study task	Number of words recalled
Capital	10
Rhyme	13
Synonym	22

Purdue University

7

CogLab

- Recall is better as *depth* of processing increases
 - "Test" is what matters here, other data is just for completeness
 - 175 participants

Phase	Letter Processing	Rhyme Processing	Semantic Processing
Encoding	~0.95	~0.95	~0.85
Test	~0.50	~0.70	~0.80
Lures	~0.75	~0.75	~0.75

Purdue University

8

Levels of Processing

- Level of processing is more important than *intent* to learn (Hyde & Jenkins, 1973)
- 11 groups of subjects
 - 1 control group: told they will be tested to recall the words
 - not given any study task
 - 10 experimental groups split to perform a study task
 - Pleasant-unpleasant rating
 - Estimate frequency of word usage
 - E-G checking: does word contain an E or a G?
 - Identify part of speech: noun, verb,...
 - Sentence framing: which sentence does word best fit in?
 - For all experimental groups, either
 - (a) Intentional learning: told they will be tested to recall the words
 - (b) Incidental learning: not told they will be tested

Purdue University

9

Intention

- Recall (out of 24 words) varies a lot with task
- Not much variation with intention to learn

Task type	Incidental	Intentional
Sentence frame	~6	~6
E-G checking	~6	~8
Part of speech	~8	~8
Frequency of Usage	~10	~10
Pleasant	~10	~12
Control	~10	~10

Purdue University

10

Implications

- Advice: study *interactively*
 - read notes
 - rewrite notes
 - rephrase notes
 - teach someone else
- Importantly, people are not usually good at estimating whether something will be remembered

Purdue University

11

Judgments of Learning

- Nelson & Dunlosky (1991)
- Subjects study a pair of words (e.g., OCEAN – TREE)
- Estimate how likely they are to be able to remember one word if shown the other (JOL).
 - Given OCEAN, how likely to remember the associated item later?
 - This is the subject's estimate of their ability to use LTM
- Make judgment either
 - Immediately after studying the pair
 - Delayed to later in the experimental trials
- Note: students studying for an exam often use the *immediate* approach for a JOL to decide if they need to continue studying

Purdue University

12

Judgments of Learning

- Immediate JOLs do not match memory performance (at the end of the experiment)
 - Especially for high JOLs
- Delaying the JOL leads to fairly accurate JOLs
- Advice: study, wait, estimate learning

Purdue University

13

Practicing recall

- A common approach to studying is to use flash cards (or something similar)
- Two steps to studying
 - 1) Read material on both sides (study)
 - 2) Practice test the material (given one side, try to recall the information on the other side)
- What should you do when you successfully recall the information during the practice test?
 - Continue to study?
 - Continue to test?
 - Set aside and focus on other cards?

Purdue University

14

Practicing recall

- Karpicke & Roediger (2008)
- Subjects study 40 Swahili - English word pairs
 - mashua -- boat
 - kaka -- brother
 - Test for English given Swahili:
 - mashua --???
- Four groups of subjects, that differ after an item is correctly recalled
 - ST (study-test): subject studies and continually tested over every pair
 - SnT (study on non-recalled - test on all): when a subject recalls a pair, it is no longer studied, but it continues to be tested
 - STn (study all, test only on non-recalled): when a subject recalls a pair, it continues to be studied, but it is not tested
 - SnTn (study on non-recalled, test on non-recalled): when a subject recalls a pair, it is not studied or tested again
- A week later, everyone is tested

Purdue University

15

Practicing recall

- Standard advice is that once you learn something, study something else
- This is not good advice
- Performance is best when every pair is tested, even if you have already demonstrated it is memorized
- The amount of time spent studying the words does not matter so much
- Suggests that you learn how to recall the information
- Advice: Test yourself!

Purdue University

16

Learning styles

- A common approach in education is to identify a student's learning style and then teach for that style
- Lots of tests to identify a student's learning style
- There do seem to be real differences in what style people indicate they prefer

Purdue University

17

Learning styles

- Unfortunately, there is absolutely no evidence that reported learning style preference has anything to do with learning
- Pashler et al. (2009) observed that to demonstrate evidence that learning style influenced learning, you have to show a particular kind of interaction of effect

Acceptable Evidence
In examples A, B, and C, the learning method that optimized the mean test score of one kind of learner is different from the learning method that optimized the mean test score of the other kind of learner.

Purdue University

18

Learning styles

- Pashler et al. (2009) then reviewed hundreds of studies purporting to show evidence for learning styles, but only ever found effects like these
- But these only indicate an advantage for a type of learning or a method

Unacceptable Evidence
In examples D through I, the same learning method optimized the mean test score of both kinds of learners, thereby precluding the need to customize instruction.

The figure consists of six line graphs arranged in two rows of three. Each graph plots 'Test Score' on the y-axis against two learner types, 'A Style Learners' and 'B Style Learners', on the x-axis. Two methods, 'Method 1' and 'Method 2', are compared. In every graph (D through I), one method consistently yields a higher test score for both learner types. For example, in graph D, Method 1 is superior for both A and B style learners. This pattern repeats across all six graphs, demonstrating that a single method can be optimized for both learner types, which contradicts the idea of learning styles requiring customized instruction.

19

Learning styles

- Why is the idea popular?
- It fits with the American ideal of everyone being capable of learning if given the chance (no child left behind)
- It allows parents (and students) to blame the educational system for failure rather than lack of motivation or ability
- It lends itself well to statistical quirks of finding “just the right method” for a given student
- It’s a generalization of the experience that a given student benefits from a new explanation of material

Purdue University

20

Conclusions

- Lots of ways to improve memory
 - ♦ Encoding specificity
 - ♦ level of processing
 - ♦ Judgments of Learning
 - ♦ Practice testing
 - ♦ Learning styles

Purdue University

21

Next time

- Mental imagery
- Sleep
- Brain training
- CogLab on Link Word due!
- *Get a good night's sleep!*

Purdue University

22

Improving memory 2

PSY 200
Greg Francis
Lecture 22

Get a good night's sleep.

Purdue University

1

Memory

We seem to be unable to control our memories

- learn things we don't want to remember
- unable to learn things we want to remember
- Is there any reliable cue that something will be remembered?
 - no
 - but there are several tricks you can use to improve memory in certain situations

Purdue University

2

Memory trick - grouping

- We often hear of people memorizing pages of the phone book
 - how do they do it?
 - some cheat (frauds)
 - others take advantage of organization and memory tricks
- SF learned to increase his digit span to 79 digits (any random sequence)
 - 230 hours of practice (over 20 months)
 - Ericsson, Chase & Faloon (1980)

Purdue University

3

SF: Digit span

- Broke down and organized each digit list
- Long-distance runner
 - sequence like 3492 converted to "3 minutes 49.2 seconds- near world record time"
- Eventually created a hierarchy of tricks (ages, dates)
- Technique did *not* transfer to other memory tasks (e.g., letters)

Purdue University

4

Method of loci

- Used by ancient Greeks to remember complicated speeches
- To remember a list of words or key ideas
 - visualize walking around an area with distinctive landmarks
 - link the items to be remembered with landmarks by using bizarre mental imagery
 - to recall items in order, mentally walk through area
 - (any ordered sequence will work -- e.g., a children's rhyme)
- Memory piggybacks on the easy recallability of the bizarre imagery

Purdue University

5

Method of loci

- e.g., grocery list

ITEMS	LOCI	Add vivid, bizarre imagery
hot dogs	driveway	
cat food	garage interior	
tomatoes	front door	

Purdue University

6

Peg word system

- Associate items in list with a previously memorized list

One is a bun.	Six is a stick.
Two is a shoe.	Seven is a heaven.
Three is a bee.	Eight is a gate.
Four is a door.	Nine is a line.
Five is a hive.	Ten is a hen.

Purdue University

7

Peg word system

- “Hook” to be remembered items to the list
 - visual imagery helps again!

ITEMS	Peg word
milk	bun
bread	shoe
bananas	tree

recall by reciting poem

Purdue University

8

Link word method

- Foreign language vocabulary
 - find an English key word that sounds like some part of the foreign word
 - form a mental image of the key word interacting with the English translation of the foreign word
- E.G.
 - pato -> Spanish for “duck”, sounds like “pot-o”
 - » imagine duck with *pot* on its head
 - zronok -> Russian for “bell”, sounds like “zrahn-oak”
 - » imagine an *oak* tree with bells as acorns

Purdue University

9

Link word method

- In a study of learning 120 Russian words (Atkinson & Raugh, 1975)
- Two groups
 - control: heard Russian words, saw English translation
 - experimental: heard Russian words, saw English translation, saw key words, and applied method
- Experimental group learned more words faster and for longer
 - 6 weeks later
 - » experimental (43% correct)
 - » control (28% correct)

Purdue University

10

Link word method

- CogLab Link word lab (154 participants)
- Study 50 French words (25 in each condition)
 - Half with a provided link word to form an image
 - Half without a provided link word (no image)

Encoding Condition	Number Correct
Image	~12
No Image	~11

Purdue University

11

Mnemonists

- Some people seem to have extraordinary memories
 - professional - apply one of the techniques we’ve discussed
 - spontaneous- seem to not consciously apply a technique
- Photographic memory?
 - Few documented cases
 - Generally, not happy outcomes

Purdue University

12

S.: Luria

- Luria: Russian psychologist
 - ♦ met S in 1920s
- S
 - ♦ able to recall without error a list of 70 words
 - » took 2-3 minutes
 - » able to report it again several months later
 - ♦ other unusual characteristics

13

S.: Luria

- Extreme synesthesia
 - ♦ sensory information from one modality evokes sensation in another
 - ♦ tone, 30 cps, 100 decibels --> "saw" a strip 12-14 cm wide the color of old, tarnished silver
 - » 50 cps--> brown strip, taste of sweet and sour borscht
 - ♦ voices gave rise to visual responses
 - ♦ used the full sensation of events to help memory

14

S.: Luria

- Visual imagery
 - ♦ used method of loci
 - ♦ such strong imagery it interfered with his ability to understand simple prose
 - » words kept evoking inappropriate images...

15

Brain Training


- Several companies market activities to make you smarter
 - ♦ "Exercise" your brain with games that are adapted from neuroscience
 - ♦ Does that even make sense?
- Often aimed toward elderly (Alzheimers) and young children



16

Brain Training


- Much of the hype comes from a study that trained people for a few hours on a *dual n-back* task (Jaeggi *et al.*, 2008)
 - ♦ Does the current stimulus match the one from *n* trials back?
 - ♦ *n* is adjusted for each person so the task is always demanding



17

Brain Training

- Much of the hype comes from a study that trained people for a few hours on an *dual n-back* task (Jaeggi *et al.*, 2008)
 - ♦ *n* is also a measure of how well subjects do the task
- Subjects do get better at the *n-back* task with training



18

Brain Training

- Transfer effects for a measure of fluid intelligence (refers to the ability to reason and to solve new problems independently of previously acquired knowledge)
 - Training group does better than a control group
 - Amount of training time is related to gain in intelligence

Graph a: Performance scores

Test session	Training group (N = 34)	Control group (N = 35)
Pre	~9.5	~9.5
Post	~12.0	~10.5

Graph b: Training gain in intelligence

Training time between pre- and posttest (days)	Training gain in intelligence
8	~0.5
12	~1.5
17	~3.5
19	~4.5

Purdue University

19

Brain Training (WARNING!)

- Redick *et al.* (2013) cautions:
 - The conclusions are based on 4 small studies that varied in many ways
 - It is probably a mistake to average scores across these studies
 - Some selective reporting of measures of fluid intelligence
 - Measures that did not show an effect were not reported
 - No comparison to an “active control”
 - Where subjects complete a training task that should *not* improve fluid intelligence

Purdue University

20

Brain Training (WARNING!)

- In October 2014, a group of memory researchers released a statement with the following summary:
 - *We object to the claim that brain games offer consumers a scientifically grounded avenue to reduce or reverse cognitive decline when there is no compelling scientific evidence to date that they do. The promise of a magic bullet detracts from the best evidence to date, which is that cognitive health in old age reflects the long-term effects of healthy, engaged lifestyles. In the judgment of the signatories below, exaggerated and misleading claims exploit the anxieties of older adults about impending cognitive decline. We encourage continued careful research and validation in this field.*
- You should be similarly skeptical about claims for improving attention, perception, and other mental capabilities
 - Playing video games does not seem to improve your attention or perception
- You *can* improve performance on specific tasks, but that does not typically transfer to other tasks
- You *can* make yourself smarter by learning new information

Purdue University

21

Sleep

- Many types of memory improve with sleep
- Some type of “consolidation” of memories
- The effect is not just *time*
 - Although time also has an effect
- We’ ll look at one representative study
 - Ellenbogen *et al.* (2007)

Purdue University

22

Sleep

- Subjects learn to identify order relationships between “random” shapes
- Only shown one pair at a time
- Subjects have to learn/memorize the appropriate answer to each pair

A Premise pairs:

A > B, B > C, C > D, D > E, E > F

Purdue University

23

Sleep

- There is a ordered arrangement to the stimuli
- If you know this arrangement, deciding for any pair is easy
 - But subjects are never explicitly told about this arrangement

Hierarchical relationship:

A > B > C > D > E > F

Purdue University

24

Sleep

- Subjects are split in to three groups, according to when they are tested
 - 20 minutes later
 - 12 hours later
 - 24 hours later
- No differences when tested on the originally studied items

Group	Percent Correct
20min	~92
12hr	~91
24hr	~91

Purdue University

25

Sleep

- Subjects are split in to three groups, according to when they are tested
 - 20 minutes later
 - 12 hours later
 - 24 hours later
- Big differences when tested on new pairs that fit the ordered structure
 - E.g., A>C, C>E, B>D

Group	Percent Correct
20min	~52
12hr	~75
24hr	~74

Purdue University

26

Sleep

- Half of the 12 hour group had sleep and half did not
- It makes a difference for pairs of items that are far apart in the ordered structure
- 1-degree: A>C, B>D,...
- 2-degree: A>D, B>E,...
- Advice:
 - study **early!**
 - Get some **sleep!**

Group	1st Degree	2nd Degree
12hr wake	~72	~70
12hr sleep	~92	~88
24hr	~70	~88

Purdue University

27

Conclusions

- Lots of ways to improve memory
 - Method of loci
 - Imagery
 - Mnemonics
 - Brain training
 - Sleep

Purdue University

28

Next time

- Mental representation
- Prototypes
- Exemplars
- Propositions
- CogLab on Prototypes due!
- What is a shoe?

Purdue University

29

Representation of knowledge

PSY 200
 Greg Francis
 Lecture 23

What is a shoe?

1

Concepts

- What is the information in Long Term Memory?
 - May be several different types
- We have knowledge about the world
 - Due to personal experience
 - Or due to language
- Such information must be in some kind of format, which we call concepts
- But what are the concepts?
 - what is the concept of “dog,” “walking,” or “free-market capitalism”?

2

Concepts

- We will look at three topics in concepts
 - Definitions (don’t really work)
 - Prototypes (closer to how humans think)
 - Exemplars (more likely than prototypes)
- And then combinations of concepts
 - propositions

3

Definitions

- Plato (and Socrates) spent a lot of effort trying to define terms like *virtue* and *knowledge*
 - they were largely unsuccessful
- the 20th century philosopher Wittgenstein wondered if definitions of even simple concepts were possible

4

Definitions

- Consider the concept *shoe*, you might define it as Webster’s Dictionary does
 - A covering for the human foot, usually made of leather, having a thick and somewhat stiff sole and a lighter top.
 - Anything resembling a shoe in form, position, or use.
- Lots of shoes fit this definition



5

Definitions

- Consider the concept *shoe*, you might define it as Webster’s Dictionary does
 - A covering for the human foot, usually made of leather, having a thick and somewhat stiff sole and a lighter top.
 - Anything resembling a shoe in form, position, or use.
- But now consider some situations and decide if they are really shoes
 - A shoe that is intended for display only



6

Definitions

- Consider the concept *shoe*, you might define it as Webster’s Dictionary does
 - A covering for the human foot, usually made of leather, having a thick and somewhat stiff sole and a lighter top.
 - Anything resembling a shoe in form, position, or use.
- But now consider some situations and decide if they are really shoes
 - a shoe filled with cement, which cannot be worn
 - a covering worn on the hands of a person without legs who walks on his hands
 - And this? →

7

Definitions

- The difficulty is the same one that Plato and Socrates had trying to define *virtue*
 - for any definition you come up with, I can find examples that do not seem to fit the definition
- But we all know what a *shoe* is
 - so our knowledge of this concept must not be based on some precise definition
- Note, scientists can (sometimes) create precise definitions (e.g., a dog is defined by a DNA pattern or by mating abilities)
 - but the definition is somewhat arbitrary



Purdue University

8

Prototypes

- Perhaps what defines a concept is similarity among its members
 - there may be no *absolutely necessary* characteristics
 - there may be no *absolutely sufficient* characteristics
- Prototype theory supposes that similarity is judged relative to a prototype example of the concept
 - e.g., an ideal, average, or most frequent version of the concept


Purdue University



9

Prototypes

- In prototype theory it is possible for an object to be “more” or “less” a certain concept
- Consider the concept “coffee cup”




Purdue University



10

Prototypes

- In prototype theory it is possible for an object to be “more” or “less” a certain concept
- Consider the concept “coffee cup”
 - and variations (some are “cup-ier” than others)




Purdue University



11

Prototypes

- In prototype theory it is possible for an object to be “more” or “less” a certain concept
- Consider the concept “coffee cup”
 - and variations (some are “cup-ier” than others)




Purdue University



12

Prototypes

- In prototype theory it is possible for an object to be “more” or “less” a certain concept
- Consider the concept “coffee cup”
 - and variations (some are “cup-ier” than others)




Purdue University

13

Prototypes

- In prototype theory it is possible for an object to be “more” or “less” a certain concept
- Consider the concept “coffee cup”
 - and variations (some are “cup-ier” than others)



Purdue University

14

Prototypes


- Lots of experiments suggest the role of prototypes
 - Posner & Keele (1968): learning category names for random dot patterns
 - Discriminate two sets of random dot patterns
 - Each pattern is a variation of one of two prototype patterns

Purdue University

15

Prototypes

- Prototypes




A **B**

Purdue University

16

Prototypes

- variations are made by moving some of the dots



variant of A **variant of B**

- subjects learn to classify many different variants
 - they never see the prototypes themselves

Purdue University

17

Prototypes

- The key test is done after subjects learn to classify the variants
 - reaction time for judgment is recorded for stimuli they have never seen before
 - new variants
 - the prototypes
 - reaction time is faster for the prototypes
 - which suggests that the mental representation of the categories (concepts) are built to favor the prototype of the category
- Look at CogLab data

Purdue University

18

Prototypes

- Results are based on data from 145 participants (39,285 for global).

Pattern type	Reaction time (ms)	Global RT (ms)
Prototypes	798	969
Variants	843	1000
- Unanswered by this (and many other) experiments is what a prototype is:
 - a "thing" that resides in memory and contains information about the category features?
 - the result of processing information?
- A bit of thought suggests it is the result of processing information

Purdue University

19

Prototypes

- Consider the types of concepts you can have
 - and how specific they can be
- things: bird, dog, chair, shoe,...
- actions: walking, running, sleeping,...
- goal-derived: "things to eat on a diet", "things to carry out of a house in case of a fire" ,...
- ad hoc*: "things that could fall on your head", "things you might see while in Paris", "gifts to give one's former high school friend who has just had her second baby", ,...
- When studied, these concepts all seem to have prototype characteristics

Purdue University

20

Prototypes


- We can generate new concepts from old concepts
 - it's inconceivable that every possible prototype exists ready to be used
 - some must just be built as they are needed
 - perhaps even the prototypes for simple concepts like "bird" or "shoe" are also just built when they are needed
- A theory that can account for this processing approach is *exemplar theory*

Purdue University

21

Exemplars

- A concept consists of lots of *examples* of the concept
 - e.g., a "coffee cup" concept might contain lots of examples of coffee cups




Purdue University

22

Exemplars

- Comparing an object to see if it is a coffee cup involves comparing it to each example in memory and seeing if it matches anything well enough




Purdue University

23

Exemplars

- Even if it is a new object, it may match several exemplars well enough to generate an overall response to indicate it is a coffee cup



Purdue University

24

Exemplars

- Some coffee cups seem prototypical because they match lots of exemplars
 - that's what defines a prototype

25

Exemplars

- Unlike prototype theory, exemplar theory also contains information about the variability of examples within a concept
- Thus, we know that pizzas have an average size of 16 inches but can come in lots of different sizes
- And we know that foot-long rulers have an average size of 12 inches, but essentially no variability in size

26

Complex associations

- How do we represent a concept that involves combinations of concepts?
 - e.g., "Dogs chase cats."
 - e.g., "Last Spring, Jacob fed the pigeons in Trafalgar Square."
- Need to identify the role of each concept

27

Propositions

- Higher order ideas
 - things doing something
- Statement that is either true or false
 - things cannot be judged true or false
 - e.g., Book, Albert, Threw, Professor, Test, Gave
 - consists of an ordered list of concepts
 - e.g., (relation:X, Agent:Y, Object:Z)

Albert threw the book.

(relation:Threw, Agent:Albert, Object:Book)

(Threw, Albert, Book)

28

Proposition


- Network Representation
 - The proposition connects the appropriate concept nodes

29


Proposition

- Network Representation
 - The proposition connects the appropriate concept nodes


30




31




32




33




34




35




36




37




38




39




40



41



42



43

Proposition

- Test Phase : Priming Task
 - compare RTs for second in a pair of words
 - within a common proposition (bandit -- passport)
 - between propositions (passport -- signature)
 - not related in sentence (horizon -- signature)
 - interested in RT to *second* word in each pair
- Ratcliff & McKoon (1978)
 - results
 - » within same proposition words: 561 msec
 - » between proposition words: 581 msec
 - » unrelated: 671
 - evidence of priming by propositional activation
- We think in propositions!**

Purdue University

44

Conclusions

- Concepts
 - definitions
 - prototypes
 - exemplars
- Propositions
 - Evidence we think in terms of propositions

Purdue University

45

Next time

- Other types of knowledge
- Mental images
 - mental rotation
 - mental scaling
 - limitations of
- CogLab on Mental rotation due!
- Is a picture in your head like a picture in the world?*

Purdue University

46

Mental imagery

PSY 200
Greg Francis
Lecture 24

Is a picture in your head like a picture in the world?

Purdue University

1

Mental representation

- How do you mentally represent knowledge?
 - ♦ concepts (prototypes, exemplars)
 - ♦ propositions
 - ♦ mental images, maps

Purdue University

2

Perception


- We have knowledge about, and memories of, perceived stimuli
 - ♦ sights
 - ♦ smells
 - ♦ touches
 - ♦ sounds
- Are these converted into propositions, or concepts
 - ♦ or is there something else?

Purdue University

3

Images

- When we see this image how do we represent the information in the image?
 - ♦ analog: copy of image in head and we can retrieve it
 - ♦ symbology: convert to propositions/concepts




Purdue University

4

Images

- I can remember the image on the previous slide and it *feels* like I picture the image in my head
 - ♦ but is it really?
 - ♦ could it be a proposition?




Purdue University

5

Images

- If you ask me questions about the previous slide, my answers would not necessarily identify the representation



Observable

Mental

Purdue University

6

Pure propositions

- Let's look at the arguments for a purely propositional representation
- Look at this picture, I'll ask you questions about it

Purdue University

7

Working with images

- If this image was printed on a piece of paper, you would have no problem answering the questions about it
- If you had an exact copy of the image in your head, you would expect you could "look" at the copy and make all kinds of judgments
 - but you cannot
 - how you interpret the image to a large extent determines what you know about it
- Mental images are not exactly like real images
 - this tends to be particularly true for *memory* of images
 - verbal descriptions dominate memory for images

Purdue University

8

Another example

Purdue University

9

Another example

- How did you do?

Purdue University

10

Propositions

- So this suggests that mental images are not exactly like real images
 - and something like propositional information likely influences reports that are ostensibly based on mental images or mental maps

Purdue University

11

Propositions


- It is clear that propositional information influences mental imagery
 - but is it *all* propositions?
 - are there mental images, as we tend to experience them?
- Is there any reason to believe that mental images are at all analogous to real images?
 - yes

Purdue University

12

Representation of mental images


- Imagine you have a mental image of a lion
 - If the mental image is a *description* (set of propositions), then it should include descriptive information (head, mane, ears, whiskers,, tail,...)
 - size of body parts shouldn't matter much (except as information in the proposition)



13

Representation of mental images


- Imagine you have a mental image of a lion
 - If the mental image is a *depiction*, then it should include factors such as head, mane, ears, and their sizes and relative positions
 - self reports of mental images suggest the depicted version, but how to measure experimentally?



14

Representation of mental images


- Kosslyn (1976)
 - Ask subjects to quickly answer questions like:
 - Does a lion have a head? (big body part)
 - Does a lion have claws? (small body part)
 - subjects in two groups
 - 1) form a mental image of a lion
 - 2) think about a lion, but without a mental image
 - Subjects forming a mental image respond more quickly to the head question than the claw question
 - presumably because the head is *bigger* in the mental image



15

Representation of mental images

- Subjects that did not form a mental image respond more quickly to the claws question than the head question
 - presumably because the propositions about a lion having claws are more accessible in some network of propositions
- So, different ways of thinking about a lion can lead to different patterns of access to information
 - which implies mental images are different than propositions




16

Mental rotation

- Shepard & Metzler (1971)


- 3-D shapes
- rotated in plane
- or in depth
- decide if shapes are same or different
- measure time to decide



17

Mental rotation

- CogLab experiment
 - 148 participants
 - The more rotated the stimuli are, the longer it takes to make a response
 - close to linear increase in RT



18

Mental rotation

- This type of experiment has been taken as strong evidence that mental images are *not* just propositions
 - ♦ imagined movement of the mental image (rotation) resembles actual movement
 - ♦ It takes time to mentally move through a mental space
 - » The CogLab data suggests it is about 217 degrees/second
 - » 4.6 milliseconds for each degree
 - ♦ no reason why propositions would give data that incorporate spatial and temporal relations between aspects of the mental images

Purdue University



19

Vividness

- There are individual differences in reports of mental image vividness
 - ♦ some people report their mental images are just like real images
 - ♦ others report they are fuzzy and vague
 - ♦ some people report no mental images at all (10%)
 - ♦ Nevertheless, people all do basically the same on many tasks that seem to require operating on mental images

Purdue University



20

Conclusions

- Mental representations of pictorial information
- There are some things you cannot do with mental images
- Propositions are important
- Mental images are not just propositions
- Mental rotation task

Purdue University



21

Next time

- Review for exam 3
- After Exam 3
 - ♦ Start a discussion of language
 - ♦ Language as an instinct
 - ♦ pidgins and creoles
- *Why we do not have to worry about teaching language in school.*

Purdue University




22

The language instinct

PSY 200
 Greg Francis
 Lecture 25


Why we do not have to worry about teaching language in school.

Purdue University 

1

Linguistics


- Study of language (Noam Chomsky)
 - ♦ sentences
 - ♦ words
 - ♦ sounds
 - ♦ structure
 - ♦ interpretation
- *The language instinct*
 - ♦ Pinker (1994)

Purdue University 

2


Preconceptions

- We tend to think of language as
 - ♦ a great invention of *human* cognition
 - ♦ taught to children
 - ♦ taught in schools
 - ♦ a cultural invention
- This is *wrong!*
 - ♦ instead, language is an **instinct**


Purdue University 

3

Cultural influences



- Culture does influence language
 - ♦ Consider words in English
 - » Some derived from the invading Normans (1066) (considered sophisticated and polite)
 - » Some derived from the Anglo-Saxon language of the British Isles (considered crude by the invaders)
 - ♦ Norman: perspiration, dine, deceased, desire, urine, excrement
 - ♦ Anglo-Saxon: sweat, eat, dead, want, piss, shit
- But this is not what determines our capability to *have* language!

Purdue University 

4

Biology




- Language is a specialized skill of human animals
 - ♦ Darwin (1871)
- Humans instinctively learn language
 - ♦ effortless
 - ♦ unconscious
 - ♦ procedural knowledge

Purdue University 

5

Learning


- Like all skills, language needs the proper environment to be developed
 - ♦ blinded birds cannot navigate by the stars
 - ♦ Atlantic Ocean turtles that navigate by magnetic fields need to be in the correct ocean
- Language development needs exposure to other people for communication
 - ♦ but it needs surprisingly less exposure than you might suspect

Purdue University 

6

Child learning

- Children do *not* learn language by simply imitating others
 - ♦ otherwise they would never come up with statements like



Don' t giggle me!

We holded the baby rabbits.

I' m felling!

Purdue University

7

Learning

- Instead, each child *reinvents* language
 - ♦ difficult to test because we rarely get to see a language created from a non-language
 - ♦ however, there are cases!
- Slave plantations in the South Pacific mixed together people of many different languages
 - ♦ create a jargon called a *pidgin*

Purdue University

8

Pidgin

- For example, in New Guinea
 - ♦ pidgin is similar to English (rulers of the plantation)

woman: 'meri' (Mary, generic word for woman)

another man' s wife: 'meri bilong enaderfelo man'

hair: 'grass bilong hed'

helicopter: 'mixmasta bilong Jesus Christ

coffin: 'die bokus'

piano: 'bokus bilong teeth yu hitim teeth bokus is cry

Purdue University

9

Pidgin

- The Ten commandments in pidgen
 - ♦ as translated by the Alexishafen Catholic Mission in 1937
 - ♦ 1. Mi Master, God bilong yu, yu no ken mekin masalai end ol tambaran.
 - ♦ 2. Yu no ken kolim nating nem bilong God.
 - ♦ 3. Yu must santium sande.
 - ♦ 4. Yu mast mekin gud long papamama bilong yu.
 - ♦ 5. Yu no ken kilim man.
 - ♦ 6. Yu no ken brukim fashin bilong marit.
 - ♦ 7. Yu no ken stilim samting.
 - ♦ 8. Yu no ken lai.
 - ♦ 9. Yu no ken duim meri bilong enaderfelo man.
 - ♦ 10. Yu no ken laik stilim samting.

Purdue University

10

Learning

- In Hawaii at the turn of the century
 - ♦ workers from China, Japan, Korea, Portugal, The Philippines, and Puerto Rico were brought in to harvest sugar
 - ♦ they developed a pidgin
 - ♦ some were still alive in 1970 and interviewed to see how the pidgin worked

Purdue University

11

Learning

- Pidgin is not a true language
 - ♦ word order is arbitrary
 - ♦ no rules
 - ♦ no tenses
 - ♦ no prefixes or suffixes
 - ♦ can only be understood in context of the conversation

Me cape buy, me check make.

He bought my coffee; he made me out a check.

I bought coffee, I made him out a check.

Purdue University

12

Creoles

- The children of these workers speak very differently
 - ♦ if removed from parents (and so unable to learn native tongue)
 - ♦ they transform the pidgin into a *full-fledged language*
 - » *tenses, rules, prefixes, suffixes,...*
- Find the same type of transformations among children learning sign-language

Purdue University



13

Sign language

- Nicaraguan schools for the deaf (1979)
 - ♦ tried to teach children to lip-read (poor results)
 - ♦ but children started making a pidgin on the playground
 - » Lenguaje de Signos Nicaraguense (LSN)
- New students took the pidgin and created a language (creole)
 - ♦ Idioma de Signos Nicaraguense (ISN)

Purdue University



14

Sign language

- You can even see the *invention* of language in a single child
- “Simon,” a deaf boy who also had deaf parents
 - ♦ parents learned American Sign Language (ASL) late in life and so are not very good at it
- Simon had little contact with other deaf people
 - ♦ but his signing was much better than his parents!
- Language learning is *not* imitation!

Purdue University



15

Education

- There is always a group of people who say that we need to get back to the “basics” of education
 - ♦ including studies of grammar
 - ♦ usually, these are veiled versions of racism
- In fact, children do not learn language in school
- No one learns to speak by properly identifying nouns, pronouns, prepositional phrases, verbs, adverbs,...
- Education *is* good for reading and writing
 - ♦ but writing is dramatically different from speaking
 - ♦ and reading is dramatically different from listening

Purdue University



16

Education

- But then how do we explain that uneducated people speak improperly?
- e.g. gang member in Harlem

You know, like some people say if you good an' shit, your spirit going t' heaven... n' if you bad, your spirit goin' to hell. Well bullshit! Your spirit goin' to hell anyway, good or bad.

Purdue University



17

Education

- This person is *not* speaking with bad grammar, but he is also not speaking in Standard American English (SAE)
- He's speaking in a dialect called African American Vernacular English (AAVE)
- Both languages have certain rules
- His statements obey the rules of AAVE precisely!
- Consider contractions of words

Purdue University



18

Rules

- In SAE you can replace some word pairs with contractions
 - ♦ “They are” --> “They’ re”
 - ♦ “He is” --> “He’ s”
- But you cannot always do this
 - ♦ “Yes he is!” -->? “Yes he’ s!”
 - ♦ “Who is it?” -->? “Who’ s it?”
- AAVE has similar types of rules

Purdue University



19

Rules

- AAVE allows speakers to drop some words
 - ♦ “...if you are bad...” --> “...if you bad...” is grammatically correct
- AAVE does not allow word dropping arbitrarily
 - ♦ “Yes he is!” -->? “Yes he!”
 - ♦ “Who is it?” -->? “Who it?”
- It is difficult for a non-speaker of AAVE to notice the application of the rules

Purdue University



20

Language

- So if everyone is speaking a language, which is correct?
 - ♦ none, they are just different
 - ♦ they are different *dialects* of English
- Linguist Max Weinreich
 - ♦ “A language is a dialect with an army and a navy.”
- The dialect you speak may give away your personal history, but it is not fundamentally worse than any other dialect.

Purdue University



21

Conclusions

- Language is an instinct
 - ♦ specialized skill among humans
 - ♦ children need little tutoring to learn language
 - ♦ children invent language if one is not readily available
- Language follows rules
 - ♦ even when it doesn’ t seem to

Purdue University



22

Next time

- Grammar
- Long term dependencies
- Phrases
- Language universals
- *Dr. Francis says something new!*

Purdue University




23

Phrase trees

PSY 200
Greg Francis
Lecture 26


Dr. Francis says something new!

Purdue University 

1

Language

- Conveys information
- Allows us to know about things we have never experienced
 - ◆ moon flights
 - ◆ mating habits of tigers,...
- How do we do it?
- Two key aspects

Purdue University 

2

Symbols and grammar


- Symbols
 - ◆ words are arbitrary
 - ◆ the sound “dog” has nothing to do with dogs
 - ◆ compare driving on parkway to parking on driveway, blueberries and cranberries, hamburger...
- Grammar
 - ◆ the order of words matters
 - ◆ Dog bites man. vs. Man bites dog.

Purdue University 

3

Library of Babel

- Library of Babel <https://libraryofbabel.info>
- Every combination of 3,200 characters (about a page of text)
 - ◆ It includes:
 - » Gibberish (mostly)
 - » All songs
 - » All essays (includes those you wrote)
 - » An accurate description of everything you will ever do
 - » A proof that P=NP (if it exists)
 - » Lies about you and your mother
- Grammatically correct phrases are a small subset of the possibilities


Purdue University 

4

Library of Babel

- Example texts


the brines habed moorhums metworkings hillock experimere dandyish windings of flying psoocesses interreluctant martensie...
knows scoughl sassiness interated alphabet commensational schismos index
siveness polyenes gravitas unbrget unmitate concealing conscientious dove processes
greenmould helminthases homogenize scene legions memories delicately federate
on succedences enyclic quality legitimize seraglio unapologetic equanimity
accus nonnace tvsach threeping loweffices indelicity mismatched evangetic thigpi
t moods cartroops carburettos shreeking tute manifolding chawer submontanely
reback wackles stempert exception glaucer zaffre pindus potuses nocturnal
doxlines unaccant hapantoid sinime derogately vermiculated songboka vel
amplish hugging lackload deceiving tempests hamlet gibberish detritus final
ry microscope karachos kelchies schismos span apphelegantize alchiza aimed w
msy permutally frutices scowled walloos spokesies jackfish delirating unco
afined amities scowled scabious halfback originates perovskia consistng m
toccinates thagio monodistic heartense westermes disharmonising opalibosma l
eep amites wodge upbuck gilliflowers nonendianes ornithomimetic booted f
allipote raking effectiveness archalizer stomes marenna puccinacoccus concessi
ve conkedd evertime agrees that negative psychology is fun in the morning with
greg francis omnia tetrapodis usurping biastomus infubannans mythographers do
ubel gelandosping ontology storing biastomus infubannans mythographers do
oyleis freeng kered receptor isomerizing antimimetic agalburn polygamies hoary
ed lockmounting evyabako diluiter dichotomies femurque fligly ryebeck shilling
bedchops saronic. drolleries pappung klialf outsting flings. dular corvulacis
divece immivivens rambis appearing unfavourable hydrophobic biomass senip
ees bonnetfish shoboming stowaways misgraffi siccity counterworlds something on
las microtice. extant prepheticism mignones ammoniacum purdusis interrupted
suspect bioscristicite. unadkicos equitatis sequant lumbrosos layer equide
re libidngibbet apudias rabble acur untrengling dissonants integrows her
rimens pucialis famie vitans dettes gualidines scopos chialty unmagigget eve
etiam effluenscines raturibus senitodesines ikichil neocherich hydrogimising i
metabubantibales hyperfere deposed belliboth xenotropic averaging melange
in proccius milibus gortius panthias scintillioes cyrotheroposy primum melius
largibole expeditores choiri premedially bekaher whosocover nonantilematical
betore conalyte leoprosopes deperdoz subdices dilate dimerer trandices subdies
spheric deumating implacably winding bogates pentaplobides sarthonee technoniam
ac scintillioes coelenteric nonantilematic nonantilematic nonantilematic nonantilematic

Purdue University 

5

Grammar

- Discrete combinatorial system
 - ◆ combinations of words
- How many combinations?
- Grammatically correct phrases are small subset of the possibilities
 - ◆ Even so, it allows you to communicate almost everything
- If interrupted in the middle of a sentence, you have (approximately) 10 choices for the next word
- If sentences average around 20 words, that means there are around 10²⁰ unique sentences

Purdue University 

6

Grammar

- But in fact, there are infinitely many different sentences
 - ♦ there is no limit to how long a sentence can be
- For any sentence I give you, you can always make it longer by adding something like
 - ♦ Professor Francis said that, "..."

Purdue University



7

Vastness

- It is amazing how powerful language is
- You have probably never heard the following sentence
 - ♦ moreover, it is probably its first utterance in human history, but you understand it anyhow

Purdue University



8

Grammar

- You not only understand language, you *sense* when a sentence is ungrammatical
 - ♦ Is raining.
 - ♦ The child seems sleeping.
 - ♦ Sally poured the glass with water.
 - ♦ It' s a flying finches, they are.
 - ♦ Rarely is the question asked: Is our children learning? (a joking George W. Bush)

Sometimes you still understand what was meant!

Purdue University



9

Grammar

- You can also have sentences without meaning that are perceived as grammatical
 - ♦ Colorless green ideas sleep furiously.
 - ♦ If we don' t succeed, we run the risk of failure. (a not joking Dan Quayle)
 - ♦ 'Twas brillig, and the slithy toves Did gyre and gimble in the wabe: All mimsy were the borogoves, And the mome raths outgrabe.

Purdue University



10

Grammar

- These properties of language suggest that your knowledge about language grammar is a basic component of language systems
- It is *distinct* from both meaning and understanding
- Much of linguistics explores the rules of language
 - ♦ we are interested in how people perceive grammar
 - ♦ this is different from the grammar rules you may have learned in school!
 - » Which often focus on forming sentences that are easy to understand

Purdue University



11

Modern linguistics

- Noam Chomsky used the properties of grammar to demonstrate that language is quite different from other types of learning that might occur
 - ♦ it' s not like learning to play a piano
 - ♦ or learning about statistical regularities in the environment (stimulus-response)

Purdue University



12

Nonsense sentences

- Think about the sentence
 - ♦ Colorless green ideas sleep furiously.
- What is the probability that in normal life you would hear the word “green” follow the word “colorless”?
 - ♦ it must be close to zero
- But we recognize it as a grammatically correct sentence!

Purdue University



13

Statistics

- If you just learned statistical combinations of words, you might think something like this was a grammatical sentence

House to ask for is to earn our living by working towards a goal for his team in old New York was a wonderful place wasn't it even pleasant to talk about and laugh hard when he tells lies he should not tell me the reason why you are is evident

Purdue University



14

Statistics

- The previous paragraph creates coherent groups of 4 words at a time (generator made sure 4 words were with fairly high probability)
- Maybe by including a larger number of words grouped together you can insure that every sentence is appropriate
- Actually you cannot
 - ♦ Because sentences have no maximum length

Purdue University



15

Long-term dependencies



- Language has rules that determine what types of words can be used and when
- A word choice early in a sentence can have an effect at the end of a sentence

How Ann Salisbury can claim that Pam Dawber's anger at not receiving her fair share of acclaim for Mork and Mindy's success derives from a fragile ego escapes me.

- 1) "at not receiving" --> noun "acclaim"
- 2) "anger" --> "derives" (singular)
- 3) "How" --> "escapes" (number)

Purdue University



16

Long-term dependencies

- Chomsky demonstrated that long term dependencies can be very long
 - ♦ Consider “If...then...” and “Either...or...” sentences

If the girl eats ice cream, then the boy eats hot dogs.

Either the girl eats ice cream, or the boy eats hot dogs.

Purdue University



17

Recursion

- In fact, any sentence can go inside the “if...then” part of a sentence
 - ♦ embed a sentence in a sentence
- Thus the following is a (ugly) valid sentence

Either if the girl eats ice cream, then the boy eats ice cream, or if the girl eats ice cream then the boy eats candy.

- ♦ recursion cannot be learned by statistics, it has to be based on rules

Purdue University



18

Chat GPT

- Large Language Models (LLM) learn regularities from very large corpuses of text (the Internet)
- They generate (often) very reasonable text based on statistical regularities of what they have been trained on
- Have they learned language?
- Yes, and no

Purdue University

19

Chat GPT

- Chat GPT is limited to generating coherent sequences of up to 3000 words
 - That's enough for *lots* of sentences that people might want to generate
 - Go beyond that limit and it starts to create unconnected sequences of words
- What Chat GPT has learned is not the rules of language, but how to generate word sequences that seem like language
 - Often, this is good enough!
 - It's also learned lots of other information
- We will later discuss whether Chat GPT (and other LLMs) are intelligent

Purdue University

20

Phrases

- Every sentence is built out of phrases

The happy boy eats candy.

The first three words form a unit called a noun phrase (NP)

The happy boy What identifies a noun phrase?

This is *not* the same analysis you did in grammar school!

Purdue University

21

Phrases

- All noun phrases obey certain rules
 - *rewrite rules*
 - NP → (det)A*N
 - NP -- noun phrase
 - det -- determinator: "the", "a", "an"
 - A -- adjective
 - N -- noun
 - () -- optional
 - * -- as many as you want

the happy boy
the boy
John
the tall slender woman

Purdue University

22

Phrase tree

- It helps to describe rules as phrase trees
- Specifies both *what* can be used in the phrase and *where* it must be used

```

graph TD
    NP[NP] --> det[det]
    NP --> A[A]
    NP --> N[N]
    det --> the[the]
    A --> happy[happy]
    N --> boy[boy]
    
```

Purdue University

23

Phrases

- Similarly, there are rules for all sorts of phrases in a language
- There may be many ways to rewrite a phrase!

S → NP VP

VP → V NP

S -- sentence
NP -- noun phrase
VP -- verb phrase

Purdue University

24


Lexicon

- We also need a mental dictionary (lexicon) that specifies parts of speech
 - N --> boy, girl, candy, hot dogs, ice cream,...
 - V --> eats, likes, bites,...
 - det --> a, the, one,...
 - A --> lucky, tall,...

25

Phrase tree


- With rewrite rules and a mental dictionary, you can create a sentence by linking the rules together



26

Sockets

- In a phrase tree, a phrase is like a component that snaps into the right place
 - any appropriate phrase works! (even nonsense phrases)



27

Usefulness

- It is important to appreciate how the phrase tree approach simplifies the description of language
- Consider how we learn a new word and know how to use it
- If you learn that a word is a noun, you can *immediately* use that noun in many different ways

28

Learning phrases

- You do not have to relearn the role of the word "boy" for each use

The *boy* eats candy.

I like the *happy boy*.

I gave the *new boy* a cookie.

The *happy boy's* cat eats candy.

29

Long term dependencies

- Phrase trees have no problems with long-term dependencies and recursion
- The rewrite rules provide the *structure* needed to insure the right if-then combination

S--> either S or S

S--> if S then S

S -- sentence
 either -- the word "either"
 or -- the word "or"
 if -- the word "if"
 then -- the word "then"

30

Phrase tree

- A phrase tree can handle this type of sentence

Purdue University

31

Significance

- Rules and phrase trees allow us to identify fundamental characteristics about how humans communicate
- Consider all the ways you might communicate
 - Morse code, 0-1's, English, Spanish, tapping toes, beeps,...
 - an infinite number of ways to create a language

Purdue University

32

Language similarity

- All human languages are **very** similar, compared to the possibilities
- In some sort of *language space* all our 6000 languages are clustered together

Purdue University

33

Language universals

- There are several types of universals
- For example, in English the normal pattern of sentences is
 - Subject-Verb-Object
 - (There are exceptions: "A bear he shot.")
- This pattern is true for most of the world's languages
 - 98% of languages have the Subject before the Object (the Verb location varies across languages)
 - 80% of languages have the Subject before the Verb (the Object location varies across languages)

Purdue University

34

Language universals

- Most language universals involve a co-appearance of linguistic features
- For example, if a language's preferred word order is Subject-Object-Verb
 - the language is likely to form questions by adding some words at the *end* of the question
- If a language's preferred word order is Subject-Verb-Object (like English)
 - the language is likely to form questions by adding some words at the *beginning* of the question
 - "Where did he...?", "When did they...?"

Purdue University

35

Conclusions

- Language consists of
 - symbols (words)
 - grammar (rules)
- Language is best described as phrase trees
 - explains long term dependencies
- Language universals

Purdue University

36

Next time

- Words
- Mental lexicon
- Morphology
- Structure
- CogLab on Word superiority due!
- *What is the plural of “walkman”?*

Purdue University



37

Words

PSY 200
Greg Francis
Lecture 27

What is the plural of walkman?

Purdue University

1

Grammar

- The rules of phrases
 - ♦ rules for combining phrases
 - ♦ universals for all languages
- So why do we have so difficult a time communicating with people that speak other languages?

Purdue University

2

Words

- Even if all languages have similar rules for combining phrases, they use different *words*
- Words are **symbols** that are arbitrary in many respects
 - ♦ “dog” is nothing like a dog
 - ♦ is it rote memorization?
 - » partly, but it is also more than that

Purdue University

3

Words are special

- Words are not just a collection of letters
 - ♦ Word superiority effect
 - ♦ Judge a pair as being the same or different

HRNO	LITL	TRIP	DEAL
CRNO	LITL	TRAP	DEAL

Purdue University

4

Words are special

- The judgment does not require you to *read* the words
 - ♦ Visual inspection is sufficient
- Knowing an item is a word should not even help you do the task

HRNO	LITL	TRIP	DEAL
CRNO	LITL	TRAP	DEAL

Purdue University

5

Words are special

- But words are judged faster (around 147 ms) and more accurately than nonwords
- CogLab data (163 participants)


Category	Condition	Proportion Correct	Mean RT (ms)
Words	Words - Prop. Correct	~0.90	~832
	Words - RT	-	~1109
Nonwords	Nonwords - Prop. Correct	~0.85	~1396
	Nonwords - RT	-	~1654


Purdue University

6

Word rules

- Part of linguistics identifies the rules for working with words (morphology)
 - Show this page to a preschooler
- The child will say *wugs* even though he has never seen a *wug* before
 - This implies that there must be a **rule** for pluralizing nouns



Purdue University 


7

Morphology

- The rules of word formation
- In many respects English has a very limited morphology
 - nouns have two forms
 - verbs have four forms

duck
ducks


quack
quacks
quacked
quacking

Purdue University 

8

Morphology


- Other languages have many more variations
 - Italian and Spanish have 50 forms of *each* verb
 - classical Greek has 350 forms of *each* verb
 - Turkish has 2 million forms of *each* verb
 - some languages build entire sentences around one complex verb
- There are rules for these forms

Purdue University 

9

Morphology


- English can convey this information in as many ways as other languages, but we use grammatical phrases to do so
- Simple present tense
 - General truths: *Ducks quack.*
 - Habitual action: *I quack like a duck when I wake up.*
- Present Perfect Progressive
 - To express duration of an action that began in the past, has continued into the present, and may continue into the future: *The duck has been quacking for two hours, and he hasn't finished yet.*
- Other languages have different verb forms to indicate these conditions


Purdue University 

10

Morphology

- On the other hand, English morphology allows one to easily create new words from old words
 - add suffixes and prefixes



Purdue University 


11

Suffixes

- English has lots of these derivational suffixes

-able	-ify	-ance	-ism	-ous	Examples of morphemes
-age	-ion	-ary	-ist	-y	
-al	-ish	-er	-ity		
-ate	-ize	-ful	-ive		
-ed	-an	-hood	-ness		
-en	-ant	-ic	-ory		

You probably do not consciously know what some of these mean, but your language system does.

Purdue University 

12

Compounding


- English also allows new words to be created out of other words
 - and combinations can be combined

tooth brush

↓ ↓

toothbrush

unmicrowaveability



bootylicious

Purdue University

13

Rules

- So what are the rules?
- One looks to be easy
 - to pluralize a noun, add -s

N

↓ ↓

Nstem Ninflexion

dog -s

N

↓ ↓

Nstem Ninflexion

wug -s

Purdue University

14

Rules

- The creation of compound nouns also follows a simple rule

Nstem

↓ ↓

Nstem Nstem

tooth brush

Nstem

↓ ↓

Nstem Nstem

dog bite

By the way, ignore what grammar school might have taught you, these are *not* adjective-noun phrases

Purdue University

15

More detail on rules

- Consider a rule that creates an adjective out of a verb
- Or a noun out of a verb

Astem

↓ ↓

Vstem Astemaffix

crunch -able

Nstem

↓ ↓

Vstem Nstemaffix

crunch -er

Purdue University

16

Root

- Some morphemes can only be attached to certain types of words
 - a root is a word that cannot be split into smaller parts
 - some morphemes attach *only* to roots
 - thus, *Darwinianisms* is a word, but *Darwinismians* is not
 - ian must attach to a root

N

↓ ↓

Nstem Ninflexion

↓ ↓

Nstem Nstemaffix

↓ ↓

Nroot Nrootaffix

Darwin -ian

Purdue University

17

Lexicon

- To keep track of what can attach to what, there must be a mental dictionary of morphemes
 - able
 - » adjective stem affix; means “capable of being X’ d”; attach me to a verb stem
 - er
 - » noun stem affix; means “one who X’ s”; attach me to a verb stem
 - ...

Purdue University

18

Headless compounds

- Some compound words are *headless*
- How can you tell?
 - ♦ a walkman is *not* about a type of man
 - ♦ thus, the “head” is not what the word is about
 - ♦ this tell us that walkman is more like a new word than a compound word (e.g., electricity)
- For headless compounds the irregular plural form is not appropriate
 - ♦ no plural form “feels” correct because the word has no head

Purdue University



25

Headless compounds

- Sony corporation suggests that the plural of walkman is

Walkman Personal Stereos

- A similar analysis explains the plural form of names

Toronto Maple Leafs (not Leaves)

Florida Marlins (not Marlin)

I am sick of all the Mickey Mouses in this administration. (not Mickey Mice)

Purdue University



26

Conclusions

- Words follow rules
- Morphology / morphemes
- Lexicon
- Explains characteristics of language

Purdue University



27

Next time

- Interpreting language
- Parsers
- More ambiguity
- Computers vs humans
- CogLab on Lexical decision due!
- *This is a valid sentence: “Buffalo buffalo buffalo buffalo buffalo buffalo buffalo buffalo.”*

Purdue University




28

Parsing

PSY 200
Greg Francis
Lecture 28


This is a valid sentence:
"Buffalo buffalo buffalo buffalo buffalo
buffalo buffalo buffalo."

Purdue University 

1

Linguistics


- So far we have looked at
 - ♦ grammar
 - ♦ words
- From the point of view of *generating* a sentence
- Today we look more closely at *interpreting* a sentence

Purdue University 

2

Eliza / Emacs

- Weizenbaum (1966)
- *I am the psychotherapist. Please, describe your problems. Each time you are finished talking, type RET twice.*
- I am sad.
- *Why do you say you are sad?*
- My parents won't give me a new car.
- *Tell me something about your family.*
- I have five brothers and two sisters.
- *You seem to dwell on your family.*
- They are important.
- *Is it because of your plans that you say they are important?*


Purdue University 

3

Eliza / Emacs

- *I am the psychotherapist. Please, describe your problems. Each time you are finished talking, type RET twice.*
- Hi, my name is Greg.
- *How do you do? What brings you to see me?*
- I am showing a demonstration for class.
- *Why do you say you are showing a demonstration for class?*
- Because I am.
- *Can you elaborate on that?*
- Well, I am a professor.
- *Tell me about your professor.*
- I am the professor!


Eliza just picks up on key phrases and generates some stock responses.

Purdue University 

4

Parsing

- Eliza does *not* really *understand* anything
 - ♦ Try it yourself at
 - ♦ <http://www.manifestation.com/neurotoys/eliza.php3>
- The difference between
 - ♦ *Dog bites man.*
 - ♦ *Man bites dog.*
- Requires identifying the subject, object, and verb
- The system that does this is called a *parser*

Purdue University 


5

Who does what?

- You can learn quite a bit about a sentence's meaning by knowing the phrase tree *structure* of the sentence
 - ♦ indicates some aspects of *meaning*

The green idea eats the girl's candy.

- We know the sentence is about an idea rather than a girl
 - ♦ we also know the idea is doing the eating

Purdue University 

6

Building phrase trees

- You *create* a sentence with ideas in your head
- Those ideas are converted into appropriate words and phrase trees to convey those ideas
- Sometimes two different ideas can give rise to the same sentence
 - leads to ambiguous sentences
 - the parser does not work in the same way as the creator

Purdue University

7

Ambiguous sentences

- Consider the following

I saw a man on a hill with a telescope.

Two cars were reported stolen by the Purdue police yesterday.

Tonight's program discusses stress, exercise, nutrition, and sex with former Celtic forward Scott Wedman, Dr. Ruth Westheimer, and Dick Cavett.

Purdue University

8

Ambiguous sentences

- The writer had in mind a phrase tree like

Purdue University

9

Ambiguous sentences

- But a reader/listener could interpret it like

Purdue University

10

Mentalese

- That two different internal thoughts can give rise to the same language statement is interesting
 - it suggests that we *think* in some way that is different from language
 - a *mentalese*, if you will

Purdue University

11

Parsing

- Parsing is something like building a phrase tree in reverse
- Let's parse through a simple sentence word by word
 - The dog likes ice cream.

Purdue University

12

Parsing

- Once every slot is filled, the sentence is parsed
 - ♦ a mental “click” of understanding
- Each word has its role defined
 - ♦ and the order of the phrases identifies the meaning (usually)

13


Two problems

- Parsing is complicated in two ways
 - ♦ (1) Phrases are not always consistent with word order
 - ♦ (2) The same spoken sounds are sometimes used for words with different meanings (noun vs verb vs adjective)

14

Word order


- This sentence is relatively easy to parse, even though it is a complicated sentence



15

Word order


- This sentence is not as easy
- One type of phrase is embedded in another



16

Word order

- This sentence is nearly impossible



17

Difficult sentences

- These sentences are difficult for humans because of limited memory
 - ♦ when a phrase tree includes many unfilled branches of the same type (PP)
 - ♦ the parser becomes confused as to which phrase is associated with a new word
 - ♦ ends up backtracking to sort out the phrases
 - ♦ sometimes falls apart (“has has has”)
- The grammar generator and the parser are different things in your language system
 - ♦ these are grammatically correct sentences
 - ♦ they are not *good* sentences
 - ♦ *you* make sentences like these

Don't make me show you your writing assignments!

18

Word ambiguity

- A word by itself is often ambiguous
- Consider a parser trying to follow the phrase
 - The plastic pencil marks...

```

graph TD
    S[S] --- NP[NP]
    S --- VP[VP]
    NP --- det[det]
    NP --- N[N]
    det --- the[the]
    N --- plastic[plastic]
    N --- pencil[pencil]
            
```

Word pencil is inconsistent with the created structure!

Purdue University

19

Word ambiguity

- A differently designed phrase tree handles the new word
 - The plastic pencil marks...

```

graph TD
    S[S] --- NP[NP]
    S --- VP[VP]
    NP --- det[det]
    NP --- A[A]
    NP --- N[N]
    det --- the[the]
    A --- plastic[plastic]
    N --- pencil[pencil]
            
```

Word pencil is consistent with the created structure!

Purdue University

20

Word ambiguity

- But you run into the same problem with the word “marks” (noun or verb?)
 - The plastic pencil marks were ugly. (noun)
 - The plastic pencil marks easily (verb)
- Parsers build phrase trees on the fly, so backtracking is often required
 - many times it is so fast that we do not notice
 - seems effortless

Purdue University

21

Lexical decision

- It is not effortless and it can be shown with an experiment
- The experiment is a variation of the lexical decision task, which you did in CogLab
- In the lexical decision experiment, you see a sequential pair of words/non-words, and we measure the reaction time for you to decide if the second “word” is a word
 - RT is faster if the second word is semantically related to the first word
 - cheddar → cheese (faster)
 - ship → point (slower)

Purdue University

22

Lexical decision

- The data find that RT is faster if the second word is *meaningfully* related to the first word
- CogLab Data (157 participants)
- Condition** **Reaction time (ms)**
- Associated words 685
- Unassociated words 704
- Nonwords 814

Condition	Reaction time (ms)
Associated words	685
Unassociated words	704
Nonwords	814

Purdue University

23

Evidence of ambiguity

- We can apply the lexical decision task to the ambiguity of parsing (Swinney, 1979)
- Consider the following paragraph, which subjects listened to
 - Rumor had it that, for years, the government had been plagued with problems. The man was not surprised when he found several spiders, roaches, and other bugs in the corner of his room.
- The word *bugs* is ambiguous
 - insects vs surveillance devices
 - Although the context makes one interpretation more reasonable

Purdue University

24

Evidence of ambiguity

- No one notices the ambiguity
- But, give a lexical decision test for words verses non-words
 - Flashed visually on a screen just after the word was spoken
 - Subjects respond faster for words related to *either* definition of bug

ant

fastest

sew

slowest

spy

in between

Purdue University

25

Sentence ambiguity


- Interestingly, people often miss ambiguities in sentences
 - Time flies like an arrow.
- Humans recognize only one interpretation
- Computer algorithms can find 5 interpretations
 - all grammatically correct!

Purdue University

26

Sentence ambiguity

- Time flies like an arrow.
- (1) Time proceeds as quickly as an arrow proceeds.
- (2) Measure the speed of flies in the same way that you measure the speed of an arrow.
- (3) Measure the speed of flies in the same way that an arrow measures the speed of flies.
- (4) Measure the speed of flies that resemble an arrow.
- (5) Flies of a particular kind, time-flies, are fond of an arrow. (*Fruit flies like a banana.*)



Purdue University

27

Ambiguity and computers

- Or consider the following (valid) sentence that computer algorithms can correctly interpret
 - Buffalo buffalo buffalo buffalo buffalo buffalo buffalo.
- Here's a hint to make it understandable in principle

Purdue University

28

Significance

- These types of results suggest that words and grammar are *not* enough to insure communication
- In a certain sense a speaker and listener must already be *agreeing* about the topic before anything can be communicated
- Thus, we can understand the following discourse
 - Woman: I'm leaving you.
 - Man: Who is he?

Purdue University

29

Schemas / scripts

- Cognitive devices
 - describe stereotypical properties of a situation
 - e.g., restaurant scene involves table, waiter, drinks, tips,...
- Fill-in the missing information that is critical for understanding language (and events in general)
 - explains why it is difficult to communicate across cultures, even with a common language
- Schemas provide the context to remove the almost constant ambiguities of language

Purdue University

30

Schemas / scripts

- Giving computers the general “knowledge of life” needed to create something like schemas is very difficult
- This is why computers do not carry on conversations with you
- Lots of work going on in artificial intelligence to address this problem

Purdue University



31

Conclusions

- Understanding language
- Parsing
- Phrase trees (in reverse)
- Ambiguities
- Computer generated interpretations
- Missing information / schemas

Purdue University



32

Next time

- Speech
- Phonemes
- Articulation / coarticulation
- CogLab on Categorical perception-Discrimination
- *Why do we say “razzle-dazzle” instead of “dazzle-razzel”?*

Purdue University




33

Speech

PSY 200
Greg Francis
Lecture 29

Why do we say “razzle-dazzle” instead of “dazzle-razzle”?

Purdue University 

1

Language


- Many levels
 - ♦ grammar
 - ♦ phrases
 - ♦ words
- All humans, who can, communicate through *spoken* language
 - ♦ how does language depend on speech?
 - ♦ what are the units of speech?

Purdue University 

2

Illusions

- When you hear what I say, you think you hear at least
 - ♦ separate words
 - ♦ separate syllables
- But you do not
 - ♦ words actually overlap in the speech signal
 - ♦ it is nearly impossible to take a speech signal and cut it up into separate words

Purdue University 

3

Illusions

- The “blurriness” of speech explains some long-held confusions
 - ♦ Oronyms (Mondegreens)


The stuffy nose can lead to problems.

The stuff he knows can lead to problems.

The good candy came anyways.

The good can decay many ways.


It's a doggy-dog world.

Purdue University 

4

Why the blur?


- The ear is a bottleneck
 - ♦ analogous to the critical flicker frequency in the eye
 - ♦ the ear can distinguish <clicks> as separate only if they are given at less than 20 hertz
 - » 20 clicks per second
 - ♦ above that, a series of clicks sounds like a continuous buzz

Purdue University 

5

But...

- Speech is seemingly perceived *much* better
- Normal speech provides 10 to 15 distinct *phonemes* each second
- Fast speech is 20 to 30 phonemes per second
- Artificially fast speech is 40 to 50 phonemes per second
- <https://www.ispeech.org/instant-e-learning-text-to-speech>

Purdue University 

6

Phonemes

- **pho-neme** \fo-,nem\ n
[F *phoneme*, fr. Gk *phonemat-*, *phonema* speech sound, utterance, fr. *phonein* to sound](ca. 1916): a member of the set of the smallest units of speech that serve to distinguish one utterance from another in a language or dialect, the \p\ of *pat* and the \f\ of *fat* are two different *phonemes* in English>

Purdue University



7

Phonemes

- Speech is made of phonemes
- Different combinations of phonemes correspond to different syllables and words
- We seemingly hear more phonemes than the ear can actually handle
 - ♦ how?

Purdue University



8

Packing

- If the ear can only distinguish up to 20 sounds per second
 - ♦ and we can interpret speech that seems to contain 50 phonemes per second
 - ♦ then the speaker must be *combining* many phonemes together to overcome the limits of the ear
- The listener hears the 20 (or so) sounds in a second, but interprets them as more than 20 different phonemes

Purdue University



9

Packing

- If phonemes are being smashed together there must be some blurriness
 - ♦ and this can lead to misinterpretations
- This is also why computer speech sounds “funny”
 - ♦ <https://www.ispeech.org/instant-e-learning/text-to-speech>
 - ♦ The programs do not combine phonemes in the right way

Purdue University



10

Speech

- So what are phonemes?
- All speech is made of *sounds*
 - ♦ sound is a *pattern of pressure* on the ear
 - ♦ a tuning fork *vibrates* back and forth to make the sound of a pure tone
 - ♦ Frequency of vibration corresponds to pitch of the sound
- Speech consists of lots of patterns of this sort
 - ♦ With many different overlapping frequencies


Purdue University



11

Physiology

- Lungs push air out to make a sound
 - ♦ other organs shape sound



Purdue University



12

Example

- Note where your tongue is as you say
 - bet butt
 - beet bat
- The position of the tongue shapes the vocal tract and makes different sounds!
 - this is true for all vowels

13

Example

- Note what your lips do as you say
 - boot book
- The lips add additional frequencies to make different sounds
- Thus, you can *hear* someone smile across a telephone!
- Vowels are all distinguished by the shape of the vocal tract

14

Consonants

- Consonants are more complicated
 - different type of control of air flow
- (1) *Voicing*: vibration of vocal cords
 - /b/, /d/, /m/, /w/, /v/ (voiced)
 - /p/, /t/, /f/ (not voiced, or unvoiced)
- (2) *Place of articulation*:
 - /d/, /t/ (upper gum)
 - /m/, /b/, /p/ (lips)
 - /f/, /v/ (lip and teeth)

15


Consonants

- (3) *Manner of articulation*
 - /d/, /t/ (stop)
 - /m/ (nasal)
 - /f/, /v/ (fricative)
- Each consonant is uniquely identified by its voice (or not) and its place and manner of articulation

16

Consonants

- Some languages have other characteristics as well (e.g., tone, timing)
- For example, in English, the difference between /ba/ and /pa/ is the timing of the release of air for the consonant and the voicing of the vowel
- Voice Onset Time (VOT) is short for /ba/ and longer for /pa/
- CogLab data: sounds differ in VOT, judge if same or different sounds
 - 163 participants



17

Fun

- Why do we say *razzle-dazzle* instead of *dazzle-razzle*?
 - for phrases like this, people always first say the word with a leading consonant that impedes air flow the *least*
- | | | | |
|----------------|-------------|---------------|--------------|
| super-duper | willy-nilly | walkie-talkie | It's a rule! |
| helter-skelter | rolly-polly | namby-pamby | |
| harum-scarum | holy moly | wing-ding | |
| hocus-pocus | herky-jerky | mumbo-jumbo | |

18

Phonemes

- English uses 22-26 (it depends on how you count) combinations of voicing, place, and manner of articulation (and 20 vowels)
 - Rotokas (Papua New Guinea) uses 6 (and 5 vowels)
 - Khoisian (Bushman) uses 141
 - » Uses clicks as consonants
- No language uses some possible sounds
 - raspberries, scraping teeth, squawking,...
 - Note, these sounds are used for communication, but not as part of language!
- Japanese does not distinguish /r/ from /l/

Purdue University



19

Rules

- To say a word, we must combine phonemes
- In every language there are rules (trees) that describe what phonemes can follow other phonemes
- Thus, we can identify possible words from impossible words
 - plast ptak
 - vlas rtut
 - thole hlad
 - nypip dnom

Purdue University



20

Compression

- Moving the tongue (and other articulators) around is difficult and takes time
 - to say sounds faster, people use coarticulation
 - shape tongue in advanced preparation for the next phoneme
 - this influences the sound of phonemes

Purdue University



21

Coarticulation

- We generally do not notice these adjustments
 - we are tuned to recognize the new sounds as coarticulation
- This is the main reason computers have a hard time recognizing human speech!

Purdue University



22

Coarticulation

- Notice that your tongue body is in different positions for the two /k/ sounds in
 - Cape Cod
- Note too, that the /s/ becomes /sh/ in
 - horseshoe
- And /n/ becomes /m/ in
 - NPR
- You can enunciate these “correctly”, but in casual speech you do not!

Purdue University



23

Coarticulation

- There are rules for how to coarticulate
- When a stop-consonant appears between two vowels, you do not actually stop
 - flapping
- slapped --> slapt
- patting --> padding
- writing --> wriding

Purdue University



24

Spelling

- We have often observed that written language is different from spoken language
- George Bernard Shaw (among others) complained about spelling in English
 - ♦ he noted you could spell “fish” as “g-h-o-t-i”

gh -- tough o -- women ti -- nation

- He offered a prize in his will for someone to create a good alternative to English spelling

25

Spelling

- It is true that English spelling does not seem to agree with pronunciation
 - ♦ a problem for learning how to read!
- Nor should it
 - ♦ if words were spelled the way they were pronounced, we would lose the *visual* connection between words
 - ♦ slap --> slapped would become slapt
 - ♦ write --> writing would become wridding
 - ♦ National Public Radio --> NPR would become MPR

26

Other approaches

- There are other written forms of language that avoid some of these problems
- The most sensible written language is probably the Korean hangul
 - ♦ Drawn characters indicate how consonants are pronounced



27

Conclusions

- Speech
- Blurring
- Phonemes
- Articulation
- Coarticulation
- Spelling

28

Next time


- Learning language
- Babies
- Children
- Learning a second language
- CogLab on *Age of Acquisition*.
- *When should you learn a foreign language?*

29

Language development

PSY 200
Greg Francis
Lecture 30


When should you learn a foreign language?

Purdue University 

1

Language


- Instinctive
 - ♦ your brain is wired to work with grammars, words, phrases
- Learning
 - ♦ you *do* have to learn some specifics for your native tongue
 - ♦ rules
 - ♦ words


Purdue University 

2

Learning

- What is learned?
- How does a child learn?
- How much about language does a child know?
- When have you mastered language?
- How do you learn a second language?
- What do babies do?



Purdue University 

3

Babies and phonemes


- Infants have linguistic skills as soon as they are born
 - ♦ babies are interested in new things
 - ♦ attach a tape player to a pacifier
 - ♦ each suck causes the player to play a sound
- Repetition of the same sound leads to boredom and fewer sucks
 - ♦ ba, ba, ba, ba, ba, ba, ba, ba,


Purdue University 


4


Babies and phonemes


- When the syllable changes
 - ♦ babies suck more often
 - ♦ ba, ba, ..., pa, pa, pa, pa, pa,...


BA














PA



Purdue University 

5

Babies and phonemes


- Moreover, the way they hear things is similar to adults
 - ♦ you can change the pronunciation (voice onset timing) of /ba/ and still hear it as /ba/ (CogLab data)
 - ♦ But too big a change in VOT turns it into /pa/
 - ♦ babies hear it the same way
- CogLab data:

Identification task




Stimulus Number	Number of Hits
1	10
2	10
3	10
4	9
5	6
6	4
7	3
8	2
9	2

Discrimination task




Stimulus Pair	Discrimination Score (Hits - False Alarms)
1-2	0.5
1-3	0.5
1-4	0.5
1-5	0.5
1-6	0.5
1-7	0.5
1-8	0.5
1-9	0.5
2-3	0.5
2-4	0.5
2-5	0.5
2-6	0.5
2-7	0.5
2-8	0.5
2-9	0.5
3-4	0.5
3-5	0.5
3-6	0.5
3-7	0.5
3-8	0.5
3-9	0.5
4-5	0.5
4-6	0.5
4-7	0.5
4-8	0.5
4-9	0.5
5-6	0.5
5-7	0.5
5-8	0.5
5-9	0.5
6-7	0.5
6-8	0.5
6-9	0.5
7-8	0.5
7-9	0.5
8-9	0.5


Purdue University 

6

Babies

- Babies hear *all* phonemes, even ones their parents cannot distinguish
- Babies, even newborns, *do* show a preference for what will become their native tongue
 - occurs because they hear mother's voice while in the womb
- Mostly prefer the melody, stress, timing
 - French infants like French and Italian equally well
 - playing language backwards keeps many consonants but distorts melody (babies are not interested)







7

Language development

- Between 5-7 months, babies start making sounds
 - clicks, hums, hisses, smacks,...
- Between 7-8 months babies start babbling in syllables
 - ba-ba-ba-ba-ba
 - neh-neh-neh
 - da-da-da-da-da







8

Babbling

- Babbling sounds are the same in all languages
 - patterns are common across languages
- By the end of the first year babies combine syllables to sound like words
 - neh-nee
 - da-dee
 - meh-neh
- Babbling is important
 - children who do not babble often show slower speech development
 - deaf children babble with hands, if parents use sign language






9

Babbling


- Babbling teaches child how sequences of muscle combinations lead to different sounds
 - necessary to produce speech
- By about 10 months babies learn the sounds of their native tongue
 - they can no longer distinguish phonemes that are not part of the language
 - Part of learning is forgetting!



10

Language stages


- Nearly all children learn language in stages
 - 1) Cooing (first several months)
 - 2) Babbling (~6 months)
 - 3) One word utterances (~1 year)
 - 4) Two-word utterances and telegraphic speech (1-3 years)
 - 5) Basic adult sequences with grammar (~4 years)
- The rate of learning varies substantially



11

Learning words


- Children learn words with ridiculous ease
- An average 6 year old knows 13,000 words
 - learned one new word every two waking hours
 - this is without knowing how to read!
- The average high school graduate knows about 60,000 different words (not counting compound words and such)
 - means that in 17 years of life (not counting the first one), they learned an average of 10 new words each day (one word every 90 waking minutes)



12

Age of Acquisition

- Word learning is an integral part of human knowledge, with lasting effects
- CogLab experiment used a Lexical decision task to measure reaction time to words that were
 - Learned relatively early in life (Early AoA: age 6 or sooner)
 - Learned relatively late (Late AoA: age 7 or later)
 - 168 participants



Type of Stimulus	RT (ms)
Early AoA	~750
Late AoA	~780
Nonword	~850

Purdue University

13

Around 18 months

- Children learn simple rules of syntax
 - All dry. All messy. All wet.
 - I sit. I shut. No bed.
 - No pee. See baby. See pretty.
- Content is similar for all languages
 - objects appear, disappear, move,...
 - people do things, see things,...
 - ask questions, who, what, where,...

Purdue University

14

All hell breaks loose

- After mastering 2-word strings, toddlers go crazy on language
- Consider changes in language (year;month)
 - (2;3) Play checkers. Big drum. I got horn.
 - (2;5) Now put boots on. Where wrench go? What that paper clip doing?
 - (2;7) Ursula has a boot on. Shadow has hat like that.
 - (2;9) Where Mommy keep her pocket book? Show you something funny.
 - (2;11) Why you mixing baby chocolate? I finishing drinking all up down my throat.
 - (3;1) You went to Boston University? Doggies like to climb up.

Purdue University

15

Errors

- Three year olds make lots of grammatical errors
 - that is because there are lots of opportunities for errors
 - but pick any particular grammatical rule and you find most three year olds obey it most of the time
 - this is amazing because there lots of cases that you would expect would be difficult to learn

Purdue University

16

Expected errors

- Consider a child hearing adults talk and how they might incorrectly apply what they learn
- Out of 66,000 sentences, children never made these errors

Grammatical	Not grammatical
He seems happy. --> Does he seem happy?	He is smiling. --> Does he be smiling?
He did eat. --> He didn't eat.	He did a few things. --> He didn't a few things.

Purdue University

17

Errors

- Children *do* make errors, but the errors are consistent with rules of language
- Children often over generalize a rule
 - -s to pluralize a noun
 - » Mouses, leafs
 - -ed to make the past tense of a verb
 - » My teacher holded the baby rabbits and we patted them.
 - » Hey, Horton hearded a Who.
 - » I finded Renee.
 - » Once upon a time a alligator was eating a dinosaur and the dinosaur was eating the alligator and the dinosaur was eaten by the alligator and the alligator goed kerplunk.

Purdue University

18

Overgeneralization

- These past tense forms sound wrong because English has around 180 irregular verbs
 - ♦ inherited from other languages
 - ♦ These past-tense forms are not derived from rules
- Irregular forms have to be memorized, word by word
- If a child cannot remember (in its lexicon)
 - ♦ s/he defaults to the rule
- These errors are for the most difficult parts of a language to learn
 - ♦ Because they don't follow the normal rules

Purdue University

19

Overgeneralizations

- We know this is the most difficult part of language because adults make the same *kind* of mistakes

♦ tread - trod	strive - strove
♦ dwell - dwelt	slay - slew
♦ rend - rent	smite - smote
- Sound weird because we do not often hear them
 - ♦ many adults “regularize” the words
 - ♦ treaded, strived, dwelled, slayed, rended, smited
 - ♦ thus language changes...!

Purdue University

20

Syntax errors

- Children make similar mistakes in applying grammatical rules
- In English there is a causative rule that applies to some verbs and not others
 - ♦ takes a verb meaning “to do something” and converts it to a verb meaning “to cause to do something”
- Thus you can say
 - ♦ The butter *meltd*. --> Sally *meltd* the butter.
 - ♦ The ball *bounced*. --> Hiram *bounced* the ball.
- But you can't say the second of each pair
 - ♦ I *like* sausage. --> I am *liked* of sausage.
 - ♦ I *giggled*. --> Sally *giggled* me.

Purdue University

21

Syntax errors

- Children over generalize application of the causative rule to inappropriate verbs
 - ♦ I *go* to the bathroom. --> Go me to the bathroom.
 - ♦ Aunt Jane *died*. --> The tiger will come and eat David and then he will be *died* and I won't have a little brother anymore.
 - ♦ I *drink* with a cup. --> Yawny Baby - you can push her mouth open to *drink* her.
- Many of these errors would be fine in other languages!
- The situation is similar to the special past tense verbs
 - ♦ This rule must be memorized as applying to some verbs and not others

Purdue University

22

Syntax errors

- Adults also misapply the causative rule
 - ♦ *Sparkle* your table with Cape Cod classic glass-ware.
 - ♦ Well, that *decided* me.
 - ♦ This new golf ball could *obsolete* many golf courses.
 - ♦ If she *subscribes* us up, she'll get a bonus.
 - ♦ *Boiler* up!
- Children's errors tend to track the more difficult aspects of a language, relative to other languages
 - ♦ Adults make the same kinds of mistakes for still more difficult to remember cases

Purdue University

23

Second language

- It is difficult (and rare) for an adult to become fluent in a second language
 - ♦ children do it easily
- What accounts for the difference?
 - ♦ most likely it is age
 - ♦ there seems to be a critical period during which language can be learned
 - ♦ beyond age six (or so) it becomes more difficult to learn a language (first or second)

Purdue University

24

Second language

- High school and college (or later) is too late for most people to completely learn a second language
- It should be in kindergarten or preschool
 - There is still value in learning a second language as an adult, just have realistic expectations!
- Immigrants who arrive after age 6 may never *fully* learn a second language
- Children who fail to learn any language by age 6 never do
 - they might create a pidgin of some sort

Purdue University



25

Conclusions

- Language development
- Stages of learning
- Errors
- Second language

Purdue University



26

Next time

- Language & brain
- Broca's aphasia
- Wernicke's aphasia
- Anomia
- Language ability of chimps
- *What's the big deal about Nim Chimpsky?*

Purdue University




27

Language and the brain

PSY 200
 Greg Francis
 Lecture 31


What's the big deal about Nim Chimpsky?

Purdue University 

1

Language


- Properties
 - ♦ grammar
 - ♦ phrases
 - ♦ words
- Instinct
 - ♦ different from other types of learning
 - ♦ special areas in the brain related to language
 - ♦ evolution: can similar brains learn language?

Purdue University 


2

Broca's aphasia

- Some stroke patients show agrammatical speech
- Seem to know what they want to say
 - ♦ But are unable to say it



Right hemisphere Left hemisphere

Purdue University 


3

Broca's aphasia

- Some stroke patients show agrammatical speech
 - ♦ repetition
 - ♦ short sentences
 - ♦ true for both written and spoken
 - ♦ no problem controlling mouth
 - » e.g. blowing out candles

Do you drive home on weekends?


Why, yes...Thursday, er, er, er, no, er Friday...Barba-ra...wife ...and, oh, car...drive... pumpike...you know... reset and...teevee.

Purdue University 


4

Brain damage

- Broca's area ==> Broca's aphasia
- Wernicke's area ==> Wernicke's aphasia




Angular Gyrus
Broca's Area Wernicke's Area

Purdue University 

5

Broca's aphasia


- Mr. Ford
 - ♦ omitted endings (-ed, -s)
 - ♦ omitted function words (or, be, the)
 - ♦ skipped function words when reading (or, be, the) but read similar sounding words (oar, bee)
 - ♦ named objects and recognized names
 - ♦ high (nonverbal) IQ

Purdue University 

6

Broca's aphasia

- Difficulty getting ideas across
- Patient BL was asked to describe this picture



B.L.: Wife is dry dishes. Water down! Oh boy! Okay Awright. Okay ...Cookie is down...fall, and girl, okay, girl...boy...um...
 Examiner: What is the boy doing?
 B.L.: Cookie is...um...catch
 Examiner: Who is getting the cookies?
 B.L.: Girl, girl
 Examiner: Who is about to fall down?
 B.L.: Boy...fall down!

7

Broca's aphasia

- Could understand questions if gist could be deduced from content words
 - ♦ Do you use a hammer for cutting?
 - ♦ Does a stone float on water?
- Failed to understand anything requiring grammatical analysis
 - ♦ The lion was killed by the tiger, which one is dead?

8

Broca's area

- Plays a role in learning the rules of a language
- Musso et al. (2003)
 - ♦ fMRI while subjects judge whether Italian sentences are grammatically correct or not
 - ♦ At start, subjects did not know rules of Italian
 - ♦ Broca's area is activated
 - ♦ Signal correlates with correct identification



Right hemisphere Left hemisphere

9

Wernicke's aphasia

- Other stroke patients also show agrammatical speech
- Seem to be able to say things
 - ♦ But what they say is almost meaningless



Right hemisphere Left hemisphere

10

Wernicke's aphasia

- Patients show
 - ♦ poor comprehension
 - ♦ poor vocabulary
 - ♦ "empty" speech

What brings you to the hospital?

Boy, I'm sweating, I'm awful nervous, you know, once in a while I get caught up, I can't mention the tarripoi, a month ago, quite a little, I've done a lot well. I impose a lot, while on the other hand, you know what I mean, I have to run around, look it over, trebbin and all that sort of stuff...

11

Wernicke's aphasia

- Difficulty getting ideas across



H.W.: First of all this is falling down, just about, and is gonna fall down and they're both getting something to eat...but the trouble is this is gonna let go and they're both gonna fall down...but already then...I can't see well enough but I believe that either she or will have some food that's not good for you and she's to get some for her too...and that you get it and you shouldn't get it there because they shouldn't go up there and get it unless you tell them that they could have it, and so this is falling down and for sure there's one they're going to have for food and, and didn't come out right, the uh, the stuff that's uh, good for, it's not good for you but it, but you love it, um mum mum (smacks lips)...and that so they've...see that, I can't see whether it's in there or not.

Examiner: Yes, that's not real clear. What do you think she's doing?

H.W.: But, oh, I know. She's waiting for this!


Examiner: No, I meant right here with her hand, right where you can't figure out what she's doing with that hand.

H.W.: Oh, I think she's saying I want two or three, I want one, I think, I think so, and so, so she's gonna get this one for sure it's gonna fall down there or whatever, she's gonna get that one and, and there, he's gonna get one himself or more, it all depends with this when they fall down...and when it falls down there's no problem, all they get to do is fix it and go right back up and get some more.

12

Wernicke's aphasia


- Most aphasias involve damage to more than just one specific area



13

Anomia

- Damage *around* Wernicke's area produces a deficit in the ability to *name* things
 - e.g., after a stroke in this area CB cannot retrieve *nouns* he wants to use



C.B. Uh, well this is the...the...of this. This and this and this and this. These things going in there like that. This is...things here. This one here, these two things here. And the other one here, back in this one, this one...look at this one.

Examiner Yeah, what's happening there?

C.B. I can't tell you what that is, but I know what it is, but I don't know where it is. But I don't know what's under. I know it's you couldn't say it's... I couldn't say what it is. I couldn't say what that is. This shu-- that should be right in here. That's very bad in there. Anyway, this one here, and that, and that's it. This is the getting in here and that's the getting around here, and that, and that's it. This is getting in here and that's the getting around here, this one and one with this one. And this one, and that's it, isn't it? I don't know what else you'd want.

14



Anomia

- Sometimes anomia can be remarkable specific
- Some patients have difficulty with only certain types of nouns
 - concrete vs abstract (chair vs trust)
 - nonliving vs living (table vs dog)
 - animals and vegetables vs food and body parts
 - colors
 - proper names

15

Brain and language


- Recall that the left side of the brain is more involved in language than the right side
 - Broca's and Wernicke's areas are on the left hemisphere
- However, the right hemisphere can also work with language
 - left handed people
 - hemispherectomies (age matters!)

16

Brain and evolution


- We've argued that language is an evolved instinct
 - differences in brains account for differences in abilities
- One might hope to find proto-language abilities in "close" animals to humans
 - Chimpanzees, apes
- Anatomically, there are many similarities between human brains and apes and chimpanzees



17

Brain and evolution

- Cantalupo & Hopkins (2001)
 - Brodmann's area 44 (part of Broca's area in humans)
 - Compare area on left and right hemispheres
 - » Larger on left for humans and apes



Implies hemisphere asymmetries that underlay language began at least 5 million years ago

18

Chimpanzee language

- In the 1960s several research groups reported teaching chimpanzees American Sign Language (ASL)
 - ♦ after failure to teach spoken language
 - ♦ other groups taught chimps to press symbols on a computer keyboard or string magnetized plastic shapes on a board
- Claimed to teach chimps hundreds of words
 - ♦ and chimps created new compound words
 - » swan -> water bird
 - » stale Danish -> cookie rock
 - » There's a movie
 - » <https://www.youtube.com/watch?v=u4T8ZeZy22M>



Purdue University 

19

Problems

- Just like with Eliza (the computer therapist) it is easy to attribute language ability where it does not really exist (9 month old children)
- You can teach an animal a lot using simple conditioning tricks
- Researchers were quick to excuse mistakes as “play”, “jokes”, “puns”, “metaphors”,...

Purdue University 

20

Word counts

- For example, a deaf student on one research team later commented that she saw fewer signs than the non-deaf students
 - ♦ seems the researchers counted almost *any* hand movement as a sign
- Like
 - ♦ scratch --> “scratch”
 - ♦ pointing --> “you”
 - ♦ finger to mouth --> “drink”
 - ♦ hugging --> “hug”
 - ♦ reaching --> “give”
 - ♦ kissing --> “kiss”

Purdue University 

21

Nim Chimpsy

- A relative of other “signing” chimps
 - ♦ with more careful judging probably learned approximately 25 words
 - ♦ moreover, the “signs” were variations of the natural movements of chimps in the wild
- The chimps did *not* learn ASL



Purdue University 

22

Grammar

- Chimps failed to learn the rules of ASL grammar
 - ♦ unable to understand complex signs
- Seemingly able to understand complex sentences
 - ♦ Would you please carry the cooler to Penny?
- But really, the chimp need only understand two words: cooler and Penney
 - ♦ the rest can be guessed!

Purdue University 

23

Grammar

- Likewise, the chimps never produced complex sentences
- They tended to “say” things like the following
 - ♦ Nim eat Nim eat.
 - ♦ Drink eat me Nim.
 - ♦ Tickle me Nim play.
 - ♦ Me eat me eat.
 - ♦ Me banana you banana me you give.
 - ♦ Banana me me me eat.
 - ♦ Give orange me give eat orange me eat orange give me eat orange give me you.

they *communicate* but not with real language

Purdue University 

24

Evolution

- Note, it would have been interesting if chimps could learn language
 - ♦ and not inconsistent with the idea that we have a language instinct
- But the failure of chimps to learn language does not go against the idea that language evolved in humans
 - ♦ as some people have proposed

Purdue University



25

Evolution

- Chimps are the closest living evolutionary relatives of humans
 - ♦ so if any non-human living animal could learn language it would probably be chimps
- But in evolutionary history, chimps and humans split from a common ancestor millions of years ago
- Humans evolved a language skill and chimps did not

Purdue University



26

Conclusions

- Language and the brain
- Broca's aphasia
- Wernicke's aphasia
- Anomia
- Chimps

Purdue University



27

Next time

- Consciousness
- Dualism
- Artificial intelligence
- Qualia
- *Do you see red like I see green?*

Purdue University




28

Consciousness

PSY 200
Greg Francis
Lecture 32


Do you see red like I see green?

Purdue University 

1

What is consciousness?


- Awareness of events, stimuli, thoughts, self
- A sequence of meaningful items
- Stream of thoughts
- Distinct from unconscious processing (e.g., hearing a sentence, retrieving information from memory,...)


Purdue University 

2


History

- Descartes' dualism (Cartesian dualism)
 - pineal gland link between body and spirit
 - how they could connect was a real problem






- Mind-body problem
- Materialism (the brain *is* the mind)
 - or the mind derives from the brain

Purdue University 

3

Materialism


- Nearly all scientists are materialists, but old ideas die hard
- A lot of work (e.g., fMRI) looks for the *site* of consciousness
 - a special physical transformation
 - thalamus
 - reticular formation
 - quantum mechanics
 - distributed awareness


Purdue University 

4

A turning point

- A common view is that there is a moment/place which/where before something was *not* conscious and which after it *is* conscious
- But this is not true in the brain




Purdue University 

5

Distributed processing

- Information processing is spatially and temporally *distributed* in the brain
- Processing changes with new stimuli
- There really is no “moment of consciousness”
 - different brain areas know different things at different times

Purdue University 

6

An analogy

- When did the British empire learn of the end of the War of 1812?
 - ♦ treaty signed in London months before the Battle of New Orleans
 - ♦ word was not received by British troops in America until two weeks after the Battle of New Orleans (January 8, 1815)



British Empire in 1815

■ Territory claimed by Britain but not settled
■ British territory held before 1793
■ Territory permanently acquired by Britain during wars, 1793 - 1824
■ Territory temporarily occupied by Britain during wars, 1793 - 1824

Purdue University



7

An analogy

- For complicated systems like the British empire (and human brains)
 - ♦ different parts know different things at different times
 - ♦ there is no official moment of knowledge
 - ♦ no official moment of consciousness!
- Demonstration
 - ♦ when does the class know/understand?



Purdue University



8

How / Why?

- There is no “moment” because information is *distributed* in the brain
 - ♦ Both in space and time
- Can distributed processing really produce consciousness, or must there be something else to “put it all together”?
 - ♦ can consciousness arise from non-conscious processors? (artificial intelligence?)


Purdue University



9

Turing test

- How do you know a person is conscious/intelligent?
 - ♦ They behave in a way that we interpret as consistent with a conscious being
- Turing test: apply the same logic to a computer
 - ♦ if a conversation with a computer is indistinguishable from a conversation with a human
 - ♦ Then conclude the **computer is intelligent**



Purdue University



10

Artificial intelligence

- No computer has (formally) passed anything but a weak form of the Turing test
 - ♦ lack sufficient schemas, creativity, general knowledge
 - ♦ Many people expect a version of Chat GPT(-5?) will be able to pass the Turing test
- It is worth noting that other things would also not pass a Turing test
 - ♦ children
 - ♦ mentally impaired people
 - ♦ mute people
 - ♦ people who speak a language we do not understand
- Passing a Turing test is not *necessary* for **consciousness**


Purdue University



11

Captcha

- The basic ideas are implemented in several methods for computer security
- Completely Automated Public Turing test to tell Computers and Humans Apart



Purdue University



12

Turing test

- The Turing test is only one way to demonstrate intelligence
 - and a rather strict one at that
 - not passing the Turing test does not mean that a computer is not intelligent
 - of course, it doesn't mean the computer *is* intelligent either
- Variations on Turing test
 - discriminate conversation between a child and a computer
 - look at a conversation and decide which was the computer

13


Doubters

- Many people have suggested that computers cannot, in principle, become intelligent
 - they argue that purely symbolic computations cannot lead to consciousness
 - and humans use emotion, insight, intuition, intentionality instead of simple computation
 - This is often the basis of arguments that Chat GPT is not "intelligent"
- Let's look at two arguments against "strong AI"

14

1. The Chinese room (Searle)

- Imagine you are in a room with two slots and a book
 - Slot 1: someone sends you notes with Chinese characters on them
 - Book (written in English): in the book you can look up the Chinese characters and write down corresponding Chinese characters on another piece of paper
 - Slot 2: you can send your piece of paper out this slot



15


1. The Chinese room (Searle)

- If the book provides rules on how to answer questions in Chinese
 - then you can answer written questions in Chinese
 - even though *you* do not know Chinese!
- Consciousness (in general, understanding) is not a function of the thing (or person) who *implements* the rules
- But consider it from the point of view of a person outside the room
 - Who is sending messages in

16

1. The Chinese room (Searle)

- You are having a conversation with someone
 - You have to decide if the person understands what you are saying (it's the Turing test)
 - You ask them to describe the wall of their room
 - They report it is green
 - ...and so on...



17


1. The Chinese room (Searle)

- Searle's point is that
 - We know the person in the room does not understand Chinese
 - We might be fooled into thinking they do based on their responses to the questions
 - Thus, the Turing test is a bad test
- Because the Turing test is essentially the same structure
 - The computer plays the role of the person in the room

18

However,...


- Searle has set up a deceptively simple scenario
 - the Chinese room may be an impossibility
- You can *imagine* a situation where one has a book with rules to answer questions in Chinese
 - but only if you do not think too hard
 - in reality, there may be no such book!
 - if the questions can be on almost any topic, then understanding is *required* for that type of complex processing
- And understanding is generally restricted to consciousness
 - Or maybe one needs to conclude that such an advanced book has *potential* consciousness


Purdue University 

19

And moreover...

- At a smaller level of computation, it is hard to see how consciousness could *not* be (theoretically) possible in computers
- Each cell in your head is data in - data out
 - suppose cells were gradually replaced by tiny computers that kept *all* processing the same
 - » Neuromorphic chips
 - would you claim that at some point you are no longer conscious?
- This suggests there is nothing fundamental about *organic* consciousness




Purdue University 

20

2. Qualia


- Some researchers object to the very idea that computers could become conscious
 - They argue that some things in consciousness are *not* just computation
 - e.g., consider the color *red*
 - There seems to be a particularly subjective experience of seeing something red


Purdue University 


21

2. Qualia

- Consider two people who see the world in color opposites

Qualia for person 1  "A red apple with a green leaf"


Qualia for person 2  "A red apple with a green leaf"

Purdue University 

22

2. Qualia


- Clearly, there's a big difference in the perceptual experience of these people, but their behavior is essentially the same
 - And there seems no way to distinguish one experience from the other
 - It's the unmeasurable experience that is a qualia


Purdue University 

23

2. Qualia

- Qualia proponents argue, for example,
 - you can learn all there is to know about light waves, photoreceptors, neural transduction and coding of color,...
 - But suppose you never see any red objects
 - Your knowledge will not tell you what you will experience when you first see the red of an apple
 - Indeed, you could be tricked into believing a green apple was red (if you had never seen green either)



Purdue University 

24

2. Qualia

- But this is a defeatist argument, or a pointless one
 - ♦ if I knew *everything* about light, photoreceptors, and neural representation of colors, then I *would* be able to know what I will experience when I see red
 - ♦ it is difficult (maybe impossible for any single human) to know (or even imagine knowing) all that information in an academic sense
 - ♦ but that doesn't mean that such information does not exist
- It's partly an empirical question
 - ♦ But no one can do the experiment

Purdue University



25

Conclusions

- Consciousness
- distributed processing in the brain
 - ♦ no *site* of consciousness
 - ♦ no *time* of consciousness
- Chinese room
- Qualia
- Artificial Intelligence
- Daniel Dennet *Consciousness Explained* (1991)

Purdue University



26

Next time

- Review for exam 4
- After exam 4
 - ♦ Decision making
 - ♦ Framing effects
 - ♦ Risks
 - ♦ Alternatives
 - ♦ CogLab on Monty Hall
- *What every consumer should know before they buy.*

Purdue University




27

Decision making

PSY 200
Greg Francis
Lecture 33


What every consumer should know before buying.


Purdue University 

1

Decision making

- We have to make lots of *choices*
 - course selections
 - elections
 - housing
 - job
 - cancer treatment
- What affects our choices?
- How do we make choices?



Purdue University 

2

It's difficult to do well


- Making good decisions is very challenging for most people
- The optimal way to do it (utility theory) involves evaluating the cost/benefit of all possible outcomes and weighting by the probability of each each outcome
 - Nearly impossible to do
 - how to characterize all alternatives?
 - Personal utilities are unknown even for you, personally
- Even when choices and utilities are clear, there are surprising properties of decision making

Purdue University 

3

High-Low money game


- The local radio station WASK (98.7) sometimes runs a high-low money game
- A caller guesses the amount of money in a "pot"
- If correct, the caller wins the money
- Otherwise, the radio DJ announces whether the guess was high or low
- Suppose previous guesses have been: \$112.03 (high), \$97.83 (high), \$52.72 (low)
- You call in, what should you guess?

Purdue University 

4

High-Low money game


- To maximize utility (\$), guess one penny lower than the previous high guess:
 - \$97.82
- The true amount could be anywhere between \$97.82 (one penny less than the lowest high value) and \$52.73 (one penny more than the highest low value)
- Each possible value (to the penny) has a probability of $\frac{1}{4510}$
- You may as well guess the choice that gives you the most money!
 - You are probably not going to win


Purdue University 

5

More confusion

- Even without utilities, probability is difficult to work with
- In the Monty Hall CogLab, you make a sequence of choices while trying to find a prize
- Choose one of three doors
 - Another door without the prize is opened
- You can now choose the other door or stay with your original choice
 - Seems like 50% chance either way




Purdue University 

6

More confusion

- You will win more often if you switch
 - 66% win when you switch
 - 33% win when you don't switch
- To see, why suppose your initial pick did *not* have the prize
 - This will happen 66% of the time just by chance
- The program has to open the door without the prize
 - Thus, you win 66% of the time by switching to the other door



7

Heuristics

- Since people are not good at making optimal decisions, they use other approaches
- These other approaches make people sensitive to a variety of influences
 - framing effects
 - risks
 - alternatives
 - loss aversion
- Effects are often related

8

Framing effects

- Your decisions are influenced by the way a set of choices is presented
- The child custody problem
 - two versions, essentially the same
 - lead to different choices

9

Version 1: award frame

- Imagine that you serve on the jury of an only-child sole-custody case following a relatively messy divorce. The facts are complicated by ambiguous economic, social, and emotional considerations, and you decide to base your decision entirely on the following few observations. To which parent would you **award** sole custody of the child?
 - Parent A:** average income, average health, average working hours, reasonable rapport with child, relatively stable social life
 - Parent B:** above-average income, very close relationship with child, extremely active social life, lots of work-related travel, minor health problems

64%

10

Version 2: deny frame

- Imagine that you serve on the jury of an only-child sole-custody case following a relatively messy divorce. The facts are complicated by ambiguous economic, social, and emotional considerations, and you decide to base your decision entirely on the following few observations. To which parent would you **deny** sole custody of the child?
 - Parent A:** average income, average health, average working hours, reasonable rapport with child, relatively stable social life
 - Parent B:** above-average income, very close relationship with child, extremely active social life, lots of work-related travel, minor health problems

55%

11

Framing effects

- So Parent B is the choice to *award* custody and to *deny* custody
 - but one necessarily precludes the other!
- Subjects are biased by the task at hand
 - focus on different characteristics depending on whether they are considering awarding or denying

12

Framing effects

- Your decisions are influenced by the way a set of choices is presented
- The Asian disease problem
 - two versions, essentially the same
 - lead to different choices

Purdue University



13

Version 1: Saving frame

- Imagine that the US is preparing for the outbreak of an unusual Asian disease, which is expected to kill 600 people. Two alternative programs to combat the disease have been proposed. Assume that the exact scientific estimates of the consequences of the programs are as follows:
 - If program A is adopted, 200 people will be saved.
 - If program B is adopted, there is a 1/3 probability that 600 people will be saved and a 2/3 probability that no people will be saved.

70%

Purdue University



14

Version 2: Dying frame

- Imagine that the US is preparing for the outbreak of an unusual Asian disease, which is expected to kill 600 people. Two alternative programs to combat the disease have been proposed. Assume that the exact scientific estimates of the consequences of the programs are as follows:
 - If program A is adopted, 400 people will die.
 - If program B is adopted, there is a 1/3 probability that nobody will die and a 2/3 probability that 600 people will die.

61%

Purdue University



15

Choices and framing

- The two problems are essentially identical, except that the choices are phrased differently
 - 200 people saved = 400 people dead
 - 2/3 probability that no one is saved = 2/3 probability that 600 will die
- But the phrasing makes a difference in the choices of subjects
 - why?

Purdue University



16

Risks

- Risk corresponds to those events that occur with probability
 - will I like the next movie starring Matt Damon?
 - will I live to be 50?
 - will the dice show double sixes?
- Events that occur with certainty are without risk
 - the sun will rise tomorrow
 - I will be older tomorrow
 - I will give you an A if your grade is 90 or above



Purdue University



17

Risk

- Humans sometimes prefer risky options over non-risky options
 - and vice-versa
- When the choices are perceived as losses
 - subjects tend to be *risk-seeking*
- When the choices are perceived as gains
 - subjects tend to be *risk-averse*
- Decision making is open to manipulation
 - subjects can contradict themselves

Purdue University




18

Risk: monetary choices

- Assume yourself richer by \$300 than you are today. You have to choose between
 - A) a sure gain of \$100.
 - B) 50% chance to gain \$200 and 50% chance to gain nothing.

72%

- Subjects tend to prefer the sure gain
 - risk averse with perceived gains

Purdue University 


19

Risk: monetary choices

- Assume yourself richer by \$500 than you are today. You have to choose between
 - A) a sure loss of \$100.
 - B) 50% chance to lose nothing and 50% chance to lose \$200.

64%


- Subjects tend to prefer the risky option
 - risk seeking with perceived losses

Purdue University 

20

Notice

- Selecting A) in either situation means you end up with \$400
 - \$300 + \$100
 - \$500 - \$100
- Selecting B) in either situation means you end up with either \$500 or \$300
 - \$300 + \$200 or \$300 + \$0
 - \$500 - \$0 or \$500 - \$200
- People do not just look at the “bottom line”
 - which is why businesses emphasize that approach

Purdue University 


21

Alternatives: version 1

- Imagine you are shopping for a new car and have narrowed down your choices to three models. According to a consumer magazine, the cars’ ride quality (RQ) and gas mileage (GM) are rated as

Model	RQ	GM	
Asteroid	100	27	69%
Bravo	80	33	29%
Comet	100	21	2%

- Which car do you select?

Purdue University 


22

Alternatives: version 2

- Imagine you are shopping for a new car and have narrowed down your choices to three models. According to a consumer magazine, the cars’ ride quality (RQ) and gas mileage (GM) are rated as

Model	RQ	GM	
Asteroid	100	27	19%
Bravo	80	33	79%
Clarion	60	33	2%


- Which car do you select?

Purdue University 

23

Notice

- Subjects hardly ever select the Comet or the Clarion
 - you might think they do not enter the decision making process at all!
 - but they do
- The comparison of Asteroid and Comet clearly favors the Asteroid
 - it is less clear for the Bravo and Comet
 - it is the reverse for Clarion

Purdue University 

24

Consumer beware

- Stores are very aware of this type of behavior
- Thus, they often stock merchandise for the sole purpose of influencing your purchasing behavior
 - ♦ usually towards a more expensive model
- Likewise companies make low-end models simply to bias you toward higher end models and against the competition

Purdue University



25

Loss aversion

- Another general property of decision making is that people tend to be more sensitive to losses than to gains
 - ♦ thus people rarely take an “even-bet”
 - ♦ the loss of \$10 is more significant than the gain of \$10
- This is also why fans of sports teams think the referees treat their team unfairly
- In a game of basketball, each team will
 - ♦ have fouls called on them when they shouldn't have (a loss)
 - ♦ Commit fouls that are not called (a gain)
- But the gains don't count as much as the losses
 - ♦ So in a truly fair game *both* teams (and their fans) feel as if they were treated unfairly
 - ♦ of course one team wins, so it feels that it overcame the injustice

Purdue University



26

Loss aversion

- The same phenomenon ruins many marriages/relationships
- When your partner does something for you (a gain) it doesn't count as much as when your partner does something against you (a loss)
 - ♦ Thus, you perceive your relationship as overall not being worth the trouble (even if your partner is good as often as bad)
 - ♦ That's why therapists suggest that in successful relationships people must learn to forgive

Purdue University



27

Loss aversion

- By definition a choice is a loss or a gain depending on where you start
- As a result, loss aversion dramatically affects many types of choices by magnifying those characteristics of a choice that leads to a perceived loss
- Consider *choosing a job*

Purdue University



28

Choosing a job: 1

- You have decided to leave your current job. It is located so far away from your apartment that it requires an 80-minute commute each way. But you do like the fact that your job involves much pleasant social interaction with your coworkers. Your search for a new job has given you two options and now you must choose between them. Which job would you prefer?
- Job A: Limited contact with others, commuting time 20 minutes.
- Job B: Moderately sociable, commuting time 60 minutes.

Purdue University



67%

29

Choosing a job: 1

- You have decided to leave your current job. The job involves only a ten-minute commute, which you rather like. But your job leaves you isolated from coworkers for long periods of time. Your search for a new job has given you two options and now you must choose between them. Which job would you prefer?
- Job A: Limited contact with others, commuting time 20 minutes.
- Job B: Moderately sociable, commuting time 60 minutes.

Purdue University



70%

30

Loss aversion

- In each case the subjects tend to choose the option that produces the *least loss*
 - ♦ keep sociable coworkers in version 1
 - ♦ minimizing commuting time in version 2
- Note, this means subjects are *not* just choosing what they perceive to be the best job overall (again, not looking at the bottom line)
 - ♦ but are instead choosing the best job relative to the current situation!
 - ♦ a very strange phenomenon!
- Note, some scientists suggest that "loss" is not the issue here; there are other situation-specific factors that explain these effects
 - ♦ It is true that there are some situations where loss aversion is not observed

Purdue University



31

Conclusions

- Influences on decision making
- Framing effects
- Risk aversion (perceived gains)
- Risk seeking (perceived losses)
- Loss aversion

Purdue University



32

Next time

- Problem solving
- Expertise
- Analogy
- Set effects
 - ♦ functional fixedness
- Insight
- *What does that "aha!" feeling mean?*

Purdue University



33

Problem solving

PSY 200
Greg Francis
Lecture 34

What does that “aha” feeling mean?

Purdue University

1

Problem solving

- A hallmark of intelligence
 - ♦ often used as a definition of intelligence
- Seem to get something from nothing
- We will not explain exactly how it happens
 - ♦ but we can look at some characteristics of problems and problem solving
 - » what makes for an easy (or hard) problem?
 - » what makes for a good (or bad) problem solver?


Purdue University

2

Logic

- Some problems are completely handled with logic
- Unfortunately, most people are not logical in many situations
- The CogLab Wason selection task demonstrates challenges with logic
 - ♦ People do quite poorly at tasks of this type with abstract elements

Which cards do you need to turn over to verify the rule, “If a card has an even number on one side, it is red on the other.”




Purdue University

3

Logic

- People do better if the task is related to some overall theme

Each card has a person’s age on one side and their drink on the other. Which cards do you need to turn over to verify the rule, “If a person is under 21 then they cannot be drinking alcohol.”




Purdue University

4

Logic

- CogLab data
- Count number of correctly chosen cards (2 is max)

Class data (166 participants)



Type Of Rule	Mean Number of Cards Correct
Abstract	~1.15
Thematic	~1.18

Purdue University

5

Topics

- Similar to characteristics of decision making a lot of problem solving techniques are heuristics
- We will look at a number of factors that influence our ability to solve problems
 - ♦ expertise
 - ♦ analogy
 - ♦ set effects
 - » priming
 - » incubation
 - » functional fixedness
 - ♦ insight

Purdue University

6

Experts

- Some people learn how to solve particular types of problems
- What makes an expert different from a novice?
- Experts know how to describe problems
 - ♦ other than that, there seems to be no fundamental difference (even for geniuses!)

Purdue University

7

An example of experts

- Chi, Feltovich & Glaser (1981)
- Take second year physics students (novices) and ask them to classify a bunch of physics problems
 - ♦ they tend to group them by surface similarities

Novice 2: "Angular velocity, momentum, circular things"

Novice 1: "These deal with blocks on an inclined plane"

Novice 3: "Rotational kinematics, angular speeds, angular velocities"

Novice 5: "Inclined plane problems, coefficient of friction"

Novice 6: "Blocks on inclined planes with angles"

Purdue University

8

An example of experts

- Have experts (PhDs) classify the same problems
 - ♦ grouped according to how to solve

Expert 2: "Conservation of energy"

Expert 3: "Work-energy theorem. They are all straight-forward problems."

Expert 4: "These can be done from energy considerations. Either you should know the principle of conservation of energy, or work is lost somewhere."

Expert 2: "These can be solved by Newton's second law"

Expert 3: "F=ma; Newton's second law."

Expert 4: "Largely use F=ma; Newton's second law."

Purdue University

9

Chess experts

- Chase & Simon (1973)
- Show subjects a chess board and then clear it
 - ♦ have subjects recall positions of the chess pieces on the board
- Master players are better than beginners when the pieces are positioned as in the middle of a real game
- Experts have *schemas* that allow them to organize the piece positions
 - ♦ They only need to remember the schema

game

Trial	Master (Correct pieces)	Beginner (Correct pieces)
1	15	5
2	20	10
3	22	12
4	23	15
5	24	18
6	25	20

Purdue University

10

Chess experts

- Chase & Simon (1973)
- Show subjects a chess board and then clear it
 - ♦ have subjects recall positions of the chess pieces on the board
- Master players are worse than beginners when the pieces are positioned randomly
- Experts try to use the schemas, but they end up misremembering the actual piece positions

random

Trial	Master (Correct pieces)	Beginner (Correct pieces)
1	5	5
2	6	10
3	7	12
4	8	15
5	10	18
6	12	20

Purdue University

11

Expert schemas

- In general, experts have lots of problem solving schemas specific to their domain of expertise
 - ♦ given such and such; do such and such
 - ♦ allows them to organize information in a way that allows for easy recall and easy use
- Expertise in one domain does not transfer to another
 - ♦ except for especially useful skills

Purdue University

12

Analogy: Attack-Dispersion Story

- The many roads to a dictator's fortress are mined so that small groups of men may pass, but a large group will be destroyed. A general knows that his army can defeat the fortress if he can get his entire army to attack at once, but he cannot take his army down a single road all at once without losing too many men.
- What should he do?

Purdue University



13

Solution

14

Analogy: Parade-dispersion

- A dictator wants to show off his army so he tells a general to plan a parade of the army. He demands that the general insure that the army is seen and heard across the entire kingdom simultaneously. The dictator also demands that the parade be the most impressive ever at the fortress. Splitting up the army would allow it to be seen everywhere, but would make the display at the fortress unimpressive.
- What should the general do?

Purdue University



15

Analogy

- The solution is the same
- Glick & Holyoak (1980)
 - ♦ subjects read stories like these and were asked to solve the problems
 - ♦ even when shown one solution and told that it could be applied by analogy to another
 - ♦ subjects used analogies only 20% of the time

Purdue University



16

Analogy

- Analogies are actually very difficult to apply
 - ♦ need to identify what is common between two problems
- Analogies are often applied *after* two problems are solved and well understood
 - ♦ it is then easier to see what is common
- One of the problems handed out can be solved by analogy to these two problems

Purdue University



17

Set effects

- "Set" refers to "mind set" (or something like that)
 - ♦ negative set: bias toward solving a problem makes it more difficult
 - ♦ positive set: bias toward solving a problem makes it easier
- You can be biased by lots of things
 - ♦ problem statement
 - ♦ previous methods of reaching solution
 - ♦ general knowledge

Purdue University



18

Past experience

- Buddhist monk problem
 - ♦ One morning, exactly at sunrise, a Buddhist monk began to climb a tall mountain. The narrow path, no more than a foot or two wide, spiraled around the mountain to a glittering temple at the summit. The monk ascended the path with an average speed of 3 mph. He reached the temple shortly before sunset. After several days of fasting and meditation he began his journey back along the same path, starting at sunrise and walking an average speed of 5 mph. Is there a spot along the path that the monk occupied on both trips at precisely the same time of day?

19


Self-imposed limits

- Nine dots problem
 - ♦ Draw four straight lines, passing through all nine of these dots, without lifting your pencil from the page.

20

Set effects: Representation

- Mutilated chessboard
 - ♦ 62 squares remain
 - ♦ can 31 dominoes cover them?
- Easy solution!



21

Set effects: Priming

- Safren (1962)
- Unscramble the following anagrams
- 12.2 seconds per word

KOBO CTURK STTE
 CHUOC ANCYD DRINEF


7.4 seconds per word

KMLI GRAUS RECMA
 FOEFCE TEESW IKRDN

22

Set effects: Incubation

- Cheap necklace problem
- Opening a link costs \$2
- Closing a link costs \$3
- Go from given to goal state for no more than \$15



23

Set effects: Incubation

- Silveira (1971)
- Control: Work on problem for half an hour
 - ♦ 55% solve problem
- Exp A: Work on problem for half an hour in 15 minute sections, half-hour distracter task
 - ♦ 64% solve problem
- Exp B: Work on problem for half an hour in 15 minute sections, 4 hour distracter task
 - ♦ 85% solve problem

24


Set effects: Incubation

- Subjects often get stuck using an approach that goes nowhere (set)
- After a break they are more likely to try a different approach
- Brainstorming tries to avoid set effects by allowing free “dreaming” of solutions
 - ♦ most of the ideas are worthless, but the approach is still beneficial

25

Set effects: Functional fixedness

- How can you tie two strings together?
- Dunker (1945)
 - ♦ “MacGyver”



26

Insight

- Intuitively, we sometimes feel as if we have a strong insight into a problem and its solution becomes obvious

- ♦ the “aha” feeling
- ♦ is it real?
- ♦ what does it correspond to?



- Using problems like the “Bronze coin” and the “Tree planting” problems (Metcalf, 1986)

- ♦ subjects judge their progress with a “warmth” rating, every 10 seconds, over 5 minutes


27

Insight

- Warmth stays mostly steady, right up to proposing a solution

- ♦ the “aha” feeling

Unfortunately, the feeling does not necessarily indicate a correct solution



28

Conclusions

- Effects on problem solving
- Expertise
- Analogy
- Set effects
- Insight
- Solve remaining problems
 - ♦ Tumor problem

29

Next time

- Wrapping up the course
- Other courses to take/avoid
- Paths to pursue
- Graduate school
- Advice for further exploration

30

Current topics

PSY 200
Greg Francis
Lecture 35

Advice for further exploration

Purdue University



1

Studying cognitive psychology

- There is a Brain and Behavioral Sciences Major in psychology
 - More natural sciences than typical psych degree
- Most of psychology requires experimentation, you need
 - PSY 201: Introduction to statistics in psychology
 - PSY 203: Introduction to research methods in psychology
- More statistics
 - PSY 202 Introduction to Quantitative Psychology
 - STAT 225 Introduction to Probability Models
 - STAT 311 Introduction to Probability
 - STAT 350 Introduction to Statistics
 - STAT 511 Statistical Methods

Purdue University



2

Research

- PSY 390 Research in...
 - Actively participate in a research laboratory
 - Details vary dramatically across labs
 - Advisors can identify some positions
 - Talk to faculty about possibilities
- Research Focused Honors program
 - 3 semester sequence (starts Spring of penultimate year)
 - Design and carry out your own research study (with guidance from a faculty member)
 - <https://hhs.purdue.edu/undergraduate-students/honors-program/psychological-sciences/>

Purdue University



3

Useful background

- Computers
 - Most experiments are run on computers
 - Models are simulated on computers
 - Learn to program in a computer language
 - » MatLab, C / C++, Java, JavaScript, Python, Julia
 - Possible courses
 - CS 15800 C Programming
 - CS 17700 Programming With Multimedia Objects
 - CS 18000 Problem Solving/Object-Oriented Programming
 - CS 24000 Programming In C
 - CNIT 105 Introduction to C Programming
 - CNIT 15500 Introduction to Object-Oriented Programming
 - CNIT 17500 Visual Programming

Purdue University



4

Useful background

- Mathematics
 - Many psychologists have little mathematical background
 - But it is especially useful for cognitive psychology
 - Take as much mathematics as you can, especially
 - » Calculus (MA 161, 165 or 223)
 - » MA 375 Discrete Mathematics
 - » Linear (matrix) algebra (MA 262, 265)
 - » Differential equations (MA 266)

Purdue University



5

Further study

- Brain characteristics
 - PSY 222: Introduction to behavioral neuroscience
 - PSY 322: Neuroscience of motivated behavior
 - PSY 324: Introduction to cognitive neuroscience
 - PSY 352: Introduction to Neuropsychology
 - SLHS 401: Language and the Brain
 - PSY 512: Neural systems


Purdue University



6

Further study


- Perception and attention
 - ♦ PSY 310: Sensory & perceptual processes
 - ♦ PSY 376: Attention and Cognitive Control
 - ♦ PSY/ECE 511: Psychophysics
 - ♦ PSY 520: Attention & performance
 - ♦ PSY 577: Human Factors in Engineering
- Memory:
 - ♦ PSY 311: Human Memory
 - ♦ PSY 314: Introduction to learning

Purdue University 

7


Further study


- Language (many courses in Speech, Language, and Hearing Sciences - SLHS)
 - ♦ SLHS 227: Elements of linguistics
 - ♦ SLHS 309: Language development
 - ♦ PSY/SLHS 401: Language & the brain
 - ♦ PSY 403: Psycholinguistics
 - ♦ PSY 426: Language development
 - ♦ PSY 484: The Psychology of Consciousness
- Problem solving & decision making
 - ♦ PSY 514: Introduction to mathematical psychology

Purdue University 

8


Hot topic 1


- Relating cognition to the brain (and vice-versa)
- Several big initiatives
 - ♦  Human Brain Project
 - » <https://www.humanbrainproject.eu>
 - » €1.2 billion over 10 years
 - » Develop technologies to bring together disparate neurophysiological, anatomical, molecular, and behavioral data
 - » Database (big data)
 - » Modeling (supercomputers, specialized hardware)

Purdue University 

9

Hot topic 1


- Relating cognition to the brain (and vice-versa)
- Several big initiatives
 - ♦  Human Connectome Project
 - » <http://www.humanconnectomeproject.org>
 - » Building a "network map" that will shed light on the anatomical and functional connectivity within the healthy human brain
- Connections to cognitive psychology are (hopefully) in the future


Purdue University 

10

Hot topic 2

- Big data
- Technology allows gathering of way more information than we know what to do with





Purdue University 

11

Hot topic 2

- Big data
- Technology allows gathering of way more information than we know what to do with




Purdue University 

12

Hot topic 2


- Big data
- Many experiments can be run on-line with thousands of subjects



13

Hot topic 2

- Big data
- Data can be gathered in novel ways
- Airport Scanner
- 1 billion trials of visual search!



14

Hot topic 3

- Data analysis
- Big data requires a different kind of statistics than has been used for simple experiments
- Moreover, there seem to be problems with present statistics even for simple experiments
- Areas of science that depend on statistics (e.g., psychology, biology, medicine) are facing a crisis as findings that satisfied old criterion are found to be false
 - And unbelievable findings meet the statistical criteria
 - "Pre-cognition"

15

Graduate school

- Grades
- Financing
- After graduation

16

Next time

- Review for final exam

17