

Grades as of December 10, 2024.

Attendance grades are complete. The CogLab grade is complete.

Some students did not take an exam, but have not dropped the class. They have a blank for those missed exams.

CogLab ID	Estimated Grade	Exam1 %	Adjusted Exam 1%	Exam 2 %	Exam 3%	Exam 4%	Checked box on Exam 4	Attendance (Max 40 points)	Attendance %	CogLab %
Francis200F24-2	77.98	71	71	65	81	89	0	30	88.2	78.57
Francis200F24-3	66.93	78	78	43	74	67	0	15	44.1	89.29
Francis200F24-4	61.54	59	58.5	31	59	58	1	32	94.1	89.29
Francis200F24-8	75.89	64	64	64	73	79	0	35	100.0	89.29
Francis200F24-9	90.44	80	87.5	87	81	95	1	35	100.0	100.00
Francis200F24-10	88.86	75	82.5	90	84	90	1	33	97.1	96.43
Francis200F24-12	87.41	81	86.5	88	87	92	1	27	79.4	89.29
Francis200F24-13	85.28	75	83.5	77	85	92	1	34	100.0	82.14
Francis200F24-14	76.12	46	67	65	74	88	1	35	100.0	78.57
Francis200F24-15	82.46	81	81	72	83	79	0	37	100.0	89.29
Francis200F24-16	93.01	84	91	88	90	98	1	36	100.0	96.43
Francis200F24-17	72.04	61	61	75	75	75	0	28	82.4	67.86
Francis200F24-18	92.66	84	91.5	85	90	99	1	32	94.1	100.00
Francis200F24-19	83.46	67	80.5	56	84	94	1	35	100.0	100.00
Francis200F24-20	94.94	87	92	89	96	97	1	34	100.0	100.00
Francis200F24-21	64.68	91	91	82	84		0	16	47.1	57.14
Francis200F24-23	79.32	47	64.5	76	85	82	1	34	100.0	82.14
Francis200F24-24	73.12	73	72	51	75	71	1	26	76.5	100.00
Francis200F24-26	49.75	72	72	35	50	47	0	30	88.2	17.86
Francis200F24-29	54.63	71	71	27	47	59	0	32	94.1	46.43
Francis200F24-30	71.96	71	71	45	71	72	0	34	100.0	89.29
Francis200F24-31	83.06	66	77	73	91	88	1	34	100.0	78.57
Francis200F24-32	49.10	57	57	34	58		0	31	91.2	67.86
Francis200F24-33	62.08	42	54	43	77	66	1	25	73.5	67.86
Francis200F24-34	86.26	84	84	75	85	97	0	38	100.0	82.14
Francis200F24-35	72.25	62	67	63	64	72	1	33	97.1	85.71
Francis200F24-36	92.58	74	84.5	88	95	95	1	36	100.0	100.00
Francis200F24-37	90.63	79	86.5	85	86	94	1	35	100.0	100.00
Francis200F24-38	84.00	71	81.5	67	82	92	1	37	100.0	92.86
Francis200F24-39	84.12	83	88	66	75	93	1	34	100.0	92.86
Francis200F24-40	85.98	66	77.5	74	87	89	1	39	100.0	100.00
Francis200F24-41	39.67	61	61	55			0	17	50.0	57.14
Francis200F24-42	72.92	72	72	58	76	85	0	26	76.5	71.43
Francis200F24-43	85.43	81	81	69	93	85	0	36	100.0	92.86
Francis200F24-44	87.61	54	72.5	92	85	91	1	37	100.0	96.43
Francis200F24-45	74.09	54	67	65	61	80	1	34	100.0	89.29
Francis200F24-46	86.02	85	85	81	86	82	0	35	100.0	89.29
Francis200F24-47	85.99	86	86	86	90	89	0	35	100.0	67.86
Francis200F24-48	92.21	89	89	82	94	95	0	33	97.1	100.00
Francis200F24-49	65.03	75	75	32	76	54	0	19	55.9	100.00
Francis200F24-50	58.19	66	66	66	65		0	22	64.7	82.14
Francis200F24-51	97.56	94	94	96	99	98	0	36	100.0	100.00
Francis200F24-52	82.08	67	77.5	59	82	88	1	34	100.0	100.00
Francis200F24-53	90.47	89	89	90	84	95	0	32	94.1	92.86
Francis200F24-54	71.50	52	52	61	54	81	0	35	100.0	100.00
Francis200F24-55	70.34	59	67.5	41	59	76	1	34	100.0	100.00
Francis200F24-56	90.63	87	87	82	87	94	0	36	100.0	100.00
Francis200F24-57	87.78	80	86	72	86	92	1	37	100.0	100.00
Francis200F24-58	86.96	85	85	74	87	93	0	38	100.0	89.29
Francis200F24-59	79.33	87	87	71	84	89	0	15	44.1	85.71
Francis200F24-60	82.38	83	83	72	75	96	0	34	100.0	75.00
Francis200F24-61	73.58	61	69.5	46	73	78	1	36	100.0	92.86
Francis200F24-63	84.52	85	85	80	82	85	0	32	94.1	85.71
Francis200F24-64	88.87	88	88	77	87.5	91	0	36	100.0	96.43
Francis200F24-66	61.60	66	57.5	33	54	49	1	34	100.0	100.00
Francis200F24-67	84.12	62	77	72	83	92	1	34	100.0	92.86
Francis200F24-68	68.96	68	73	41	58	78	1	32	94.1	85.71
Francis200F24-69	81.20	81	85.5	55	86	90	1	33	97.1	82.14
Francis200F24-70	83.06	68	77	75	82	86	1	37	100.0	89.29
Francis200F24-71	25.87	38	38	22			0	2	5.9	78.57

CogLab ID	Estimated Grade	Exam 1 %	Adjusted Exam 1%	Exam 2 %	Exam 3%	Exam 4%	Checked box on Exam 4	Attendance (Max 40 points)	Attendance %	CogLab %
Francis200F24-72	84.78	74	80	71	83	86	1	36	100.0	100.00
Francis200F24-73	91.19	84	84	80	93	96	0	38	100.0	100.00
Francis200F24-74	87.31	73	84.5	83	74	96	1	34	100.0	96.43
Francis200F24-75	80.15	71	71	62	87	77	0	37	100.0	96.43
Francis200F24-76	65.39	56	56	53	55	60	0	35	100.0	89.29
Francis200F24-77	90.52	87	92	76	94	97	1	34	100.0	89.29
Francis200F24-79	85.99	77	84.5	70	86	92	1	35	100.0	92.86
Francis200F24-80	92.69	88	88	90	88	95	0	36	100.0	100.00
Francis200F24-81	84.35	77	83	77	83	89	1	35	100.0	82.14
Francis200F24-82	76.91	59	76.5	40	79	94	1	30	88.2	96.43
Francis200F24-83	86.03	75	83.5	73	93	92	1	35	100.0	82.14
Francis200F24-84	64.85	47	57.5	26	66	68	1	34	100.0	96.43
Francis200F24-85	86.15	83	83	70	86	90	0	37	100.0	96.43
Francis200F24-86	92.16	88	92	81	90	96	1	37	100.0	100.00
Francis200F24-87	69.92	69	69	44	75	63	0	34	100.0	85.71
Francis200F24-88	81.38	69	77	64	82	85	1	38	100.0	92.86
Francis200F24-89	71.83	61	73	59	71	85	1	33	97.1	57.14
Francis200F24-90	78.63	72	72	61	67	86	0	35	100.0	100.00
Francis200F24-91	91.33	91	92.5	90	89	94	1	35	100.0	85.71
Francis200F24-92	69.89	53	53	51	67	77	0	36	100.0	89.29
Francis200F24-94	79.00	71	76	61	77	81	1	32	94.1	96.43
Francis200F24-95	87.36	82	82	79	91	92	0	36	100.0	85.71
Francis200F24-97	81.17	87	87	71	75	91	0	33	97.1	71.43
Francis200F24-98	75.67	83	88.5	36	83	94	1	33	97.1	64.29
Francis200F24-99	86.05	66	75.5	75	92	85	1	38	100.0	100.00
Francis200F24-100	48.06	57	57	57	48		0	15	44.1	75.00
Francis200F24-101	75.62	48	69	46	78	90	1	32	94.1	92.86
Francis200F24-102	85.40	51	71	81	86	91	1	36	100.0	96.43
Francis200F24-103	82.34	73	83.5	74	85	94	1	34	100.0	64.29
Francis200F24-104	87.52	82	89	85	82	96	1	34	100.0	78.57
Francis200F24-105	85.00	87	87	67	76	90	0	39	100.0	100.00
Francis200F24-106	94.19	91	93.5	95	85	96	1	36	100.0	100.00
Francis200F24-107	67.85	87	87	68	82		0	24	70.6	89.29
Francis200F24-108	89.62	84	88	81	93	92	1	34	100.0	89.29
Francis200F24-109	42.93	31	35.5	24	28	40	1	27	79.4	75.00
Francis200F24-110	84.11	75	86	66	89	97	1	30	88.2	82.14
Francis200F24-112	66.68	47	57	43	63	67	1	34	100.0	92.86
Francis200F24-114	82.63	68	79.5	64	78	91	1	34	100.0	96.43
Francis200F24-115	77.67	74	78	69	67	82	1	35	100.0	82.14
Francis200F24-116	92.18	86	86	92	92	94	0	38	100.0	92.86
Francis200F24-117	63.79	43	55	44	49	67	1	36	100.0	92.86
Francis200F24-118	79.19	74	74	68	77	76	0	32	94.1	96.43
Francis200F24-119	33.50	46	46	34	27		0	12	35.3	57.14
Francis200F24-120	90.22	81	89	90	82	97	1	36	100.0	89.29
Francis200F24-121	86.47	89	89	81	84	91	0	34	100.0	78.57
Francis200F24-122	37.75	57	57	42			0	18	52.9	67.86
Francis200F24-123	78.68	61	73.5	59	76	86	1	34	100.0	92.86
Francis200F24-124	76.08	71	71	71	81	78	0	36	100.0	64.29
Francis200F24-126	80.66	83	83	75	88	72	0	26	76.5	89.29
Francis200F24-127	80.96	74	74	73	73	87	0	35	100.0	89.29
Francis200F24-128	57.54	39	45	48	69	51	1	26	76.5	67.86
Francis200F24-129	76.95	76	85	54	69	94	1	32	94.1	75.00
Francis200F24-130	77.80	51	71	60	88	91	1	33	97.1	71.43
Francis200F24-131	89.77	75	85	84	92	95	1	35	100.0	89.29
Francis200F24-132	89.99	81	87.5	84	91	94	1	37	100.0	89.29
Francis200F24-133	83.95	80	83.5	85	76	87	1	29	85.3	89.29
Francis200F24-134	72.81	68	76	40	68	84	1	34	100.0	85.71
Francis200F24-135	70.97	55	72	47	52	89	1	34	100.0	85.71
Francis200F24-136	82.32	75	75	76	79	83	0	33	97.1	92.86
Francis200F24-137	74.55	60	72.5	43	72	85	1	38	100.0	92.86
Francis200F24-138	46.07	73	73	63			0	18	52.9	67.86
Francis200F24-139	81.74	93	93	77	95	84	0	19	55.9	71.43
Francis200F24-140	84.13	76	79.5	78	80	83	1	33	97.1	96.43
Francis200F24-141	84.09	61	73.5	73	88	86	1	34	100.0	96.43

CogLab ID	Estimated Grade	Exam 1 %	Adjusted Exam 1%	Exam 2 %	Exam 3%	Exam 4%	Checked box on Exam 4	Attendance (Max 40 points)	Attendance %	CogLab %
Francis200F24-142	67.51	63	68	32	68	73	1	31	91.2	89.29
Francis200F24-143	89.19	83	87	84	84	91	1	37	100.0	96.43
Francis200F24-144	66.31	49	63.5	45	70	78	1	31	91.2	64.29
Francis200F24-146	88.08	80	87.5	82	82	95	1	36	100.0	89.29
Francis200F24-147	92.90	98	98	85	92	96	0	32	94.1	92.86
Francis200F24-148	90.64	79	85	88	93	91	1	38	100.0	92.86
Francis200F24-149	76.90	62	73.5	60	84	85	1	30	88.2	78.57
Francis200F24-150	84.38	93	93	65	80	86	0	33	97.1	92.86
Francis200F24-151	85.43	53	75	78	91	97	1	34	100.0	82.14
Francis200F24-152	70.11	63	63	54	68	86	0	31	91.2	67.86
Francis200F24-153	68.88	54	54	39	63	78	0	34	100.0	100.00
Francis200F24-154	70.51	56	56	63	72	83	0	25	73.5	78.57
Francis200F24-155	75.05	75	75	71	85	90	0	5	14.7	89.29
Francis200F24-156	81.65	69	69	83	80	93	0	34	100.0	71.43
Francis200F24-157	82.68	71	77.5	81	86	84	1	27	79.4	89.29
Francis200F24-158	42.36	75	75	69			0	12	35.3	42.86
Francis200F24-159	94.60	84	90.5	93	92	97	1	37	100.0	100.00
Francis200F24-161	84.09	65	77	76	87	89	1	35	100.0	85.71
Francis200F24-162	90.84	81	81	94	81	98	0	37	100.0	96.43
Francis200F24-163	89.60	77	85	87	89	93	1	29	85.3	100.00
Francis200F24-164	83.51	76	82.5	64	95	89	1	35	100.0	78.57
Francis200F24-165	94.51	85	92	90	94	99	1	38	100.0	96.43
Francis200F24-168	86.58	84	91.5	68	80	99	1	36	100.0	89.29
Francis200F24-169	76.05	69	69	54	85	70	0	36	100.0	92.86
Francis200F24-170	66.32	75	76.5	47	63	78	1	17	50.0	78.57
Francis200F24-171	78.04	76	76	58	70	89	0	33	97.1	89.29
Francis200F24-172	85.29	71	81.5	89	84	92	1	35	100.0	71.43
Francis200F24-175	70.80	67	65	57	81	63	1	29	85.3	82.14
Francis200F24-176	75.49	46	63.5	62	72	81	1	34	100.0	92.86
Francis200F24-177	71.06	47	58	58	73	69	1	33	97.1	89.29
Francis200F24-180	87.49	82	89.5	80	74	97	1	36	100.0	92.86
Francis200F24-181	83.10	87	87	59	90	91	0	35	100.0	78.57
Francis200F24-182	51.21	50	50	52	53		0	25	73.5	85.71
Francis200F24-183	81.21	75	81.5	82	79	88	1	28	82.4	75.00
Francis200F24-184	90.93	76	85.5	82	91	95	1	38	100.0	100.00
Francis200F24-186	92.98	94	94	85	96	99	0	34	100.0	85.71
Francis200F24-187	44.49	50	50	46	59		0	24	70.6	42.86
Francis200F24-188	73.35	75	75	69	68	75	1	30	88.2	71.43
Francis200F24-190	93.36	85	90	97	95	95	1	35	100.0	85.71
Francis200F24-191	53.23	52	52	57	60		0	26	76.5	78.57
Francis200F24-192	92.11	84	90.5	94	92	97	1	36	100.0	82.14
Francis200F24-193	86.77	73	83	72	92	93	1	37	100.0	89.29
Francis200F24-194	79.03	74	78	83	80.5	82	1	32	94.1	60.71
Francis200F24-195	59.55	46	67	51	79	88	1	18	52.9	10.71
Francis200F24-196	78.72	55	70	64	70.5	85	1	34	100.0	100.00
Francis200F24-197	84.68	79	86	78	77	93	1	36	100.0	82.14
Francis200F24-198	84.89	69	82	80	91	95	1	32	94.1	71.43
Francis200F24-200	36.26	29	29	22	31	39	0	17	50.0	57.14
Francis200F24-201	25.92	57	57	15			0	13	38.2	39.29
Francis200F24-202	75.17	79	79	68	66	92	0	32	94.1	57.14
Francis200F24-203	89.42	92	92	91	87	91	0	32	94.1	82.14
Francis200F24-204	88.63	76	87	92	76	98	1	35	100.0	85.71
Francis200F24-205	63.31	75	75		61	68	0	31	91.2	89.29
Francis200F24-206	68.77	52	67	57	59	82	1	34	100.0	64.29
Francis200F24-207	82.64	76	84	65	86	92	1	28	82.4	89.29
Francis200F24-208	95.96	91	91	95	95	99	0	33	97.1	100.00
Francis200F24-209	67.19	73	73	51	79	54	0	30	88.2	67.86
Francis200F24-210	36.18	37	37	32	26		0	22	64.7	71.43
Francis200F24-211	75.56	43	67	60	65	91	1	36	100.0	89.29
Francis200F24-212	59.80	45	57.5	39	75	70	1	20	58.8	60.71
Francis200F24-214	67.53	49	60	46	65	71	1	33	97.1	85.71
Francis200F24-215	41.34	43	43	35	52		0	23	67.6	57.14
Francis200F24-216	20.08	37	37	17	33		0	0	0.0	17.86
Francis200F24-217	81.57	53	73.5	66	78	94	1	37	100.0	92.86

CogLab ID	Estimated Grade	Exam1 %	Adjusted Exam 1%	Exam 2 %	Exam 3%	Exam 4%	Checked box on Exam 4	Attendance (Max 40 points)	Attendance %	CogLab %
Francis200F24-221	63.88	49	49	54	73	84	0	15	44.1	71.43
Francis200F24-222	50.80	62	62	42	54	45	0	16	47.1	53.57
Francis200F24-223	72.06	69	69	34	72	82	0	32	94.1	96.43
Francis200F24-224	63.59	44	55	37	75	66	1	29	85.3	78.57
Francis200F24-225	50.15	36	46.5	20	44	57	1	25	73.5	78.57
Francis200F24-226	68.22	45	69	46	58	93	1	29	85.3	71.43
Francis200F24-227	72.54	63	70.5	47	71	78	1	36	100.0	85.71
Francis200F24-229	64.60	51	68	32	72	85	1	27	79.4	60.71
Francis200F24-231	26.71	43	43	28			0	11	32.4	50.00
Francis200F24-232	84.30	75	85.5	75	92	96	1	33	97.1	64.29

CogLab ID	Estimated Grade	Exam 1 %	Adjusted Exam 1%	Exam 2 %	Exam 3 %	Exam 4%	Checked box on Exam 4	Attendance (Max 40 points)	Attendance %	CogLab %
Mean	75.87	69.33	74.77	64.68	77.00	84.77			89.14	83.41
Standard deviation	15.47	15.05	13.79	19.30	14.22	12.55			19.38	16.00
Max	97.56	98.00	98.00	97.00	99.00	99.00			100.00	100.00
Min	20.08	29.00	29.00	15.00	26.00	39.00			0.00	10.71
A	28	10	20	17	35	84				
B	73	49	66	37	65	50				
C	45	53	53	37	46	23				
D	26	34	27	35	21	11				
F	26	52	32	71	24	11				